

Unit I - Retaining Walls


Reinforced concrete Cantilever and Counterfort Retaining Walls.
Horizontal backfill with surcharge - Design of Shear Key -
Design and Drawing.

Retaining walls:

Retaining walls are generally used to retain earth or such materials to maintain unequal levels on its two faces. Retaining walls are used in constructions of railways, highways, bridges, canals, basements below ground level, wing walls of bridges, swimming pools and to retain slopes in hilly terrain roads. Retaining walls should be designed to resist lateral earth pressure on wall from sides, soil pressure acting vertically on the footing slab.

Cantilever retaining wall


- Cantilever retaining walls are constructed of reinforced concrete.
- They consist of relatively thin stem and a base slab.
- The base slab is divided into two parts, the heel and toe. Heel is the part of the base slab at backfill side under the backfill. The toe is the portion of the footing at front of wall.
- Stem is the vertical member holding the backfill.
- Shear key projects down the footing of retaining walls to wall's sliding.
- Backfill refers to the soil behind the wall.
- Surcharge is an additional load applied on top of



Retaining wall on ground surface

Counterfort retaining wall

- For larger heights exceeding 5m of earth fill, the bending moment developed in stem, heel and toe slabs are very large resulting in larger thickness of elements which is uneconomical
- Hence counterfort type retaining walls are adopted for larger heights.



- Counterfort retaining wall consists of stem, toe slab and heel slab and the counterforts which subdivide the stems
- Counterfort tie the slab and base together, reduce shear force and bending moments imposed on wall by soil

Pb) Design a cantilever retaining wall to retain an embankment of 4m height above ground level. The density of earth is 18 kN/m^3 and its angle of repose is 30° . The earth embankment is horizontal at top. The safe bearing capacity of soil is 200 kN/m^2 and the coefficient of friction between the soil and concrete is 0.5. Adopt M20 grade concrete and Fe 415 HYSD bars.

Retaining wall with horizontal backfill

Design data

- Height of embankment above ground level = 4m
- Density of earth, $\rho = 18 \text{ kN/m}^3$

Angle of repose, $\phi = 30^\circ$

Safe bearing capacity, $\sigma = 200 \text{ kN/m}^2$

Coefficient of friction = 0.5

M20 grade concrete, HYSD bars

Solution

Step 1 - Dimensions of retaining wall

→ Minimum depth of foundation, $d = \left(\frac{\sigma}{e}\right) \left(\frac{1 - \sin \phi}{1 + \sin \phi}\right)^2$

$$= \left(\frac{200}{18}\right) \left(\frac{1 - \sin 30}{1 + \sin 30}\right)^2$$
$$= 1.235 \text{ m}$$

Provide depth of foundation, $d = 1.25 \text{ m}$

Overall height of wall, $H = 4 + 1.25 = 5.25 \text{ m}$

→ Thickness of base slab = $H/12 = 5.25/12 = 0.438 \text{ m} \approx 450 \text{ mm}$

(i) Min. thickness = 300 mm

(ii) Thickness of base slab = 450 mm

Adopt thickness of stem as 450 mm

→ Width of base slab = $0.5H$ to $0.6H$

$$= (0.5 \times 5.25) \text{ to } (0.6 \times 5.25)$$
$$= 2.625 \text{ to } 3.15 \text{ m}$$


= 3 m (say)

→ Height of stem, $h = H - \text{base slab thickness}$

$$= 5.25 - 0.45$$

$$= 4.8 \text{ m}$$

→ Toe projection = $b/3 = 3/3 = 1 \text{ m}$



Step 2 - Design of stem

$$\rightarrow \text{Moment, } m = \frac{(k_c h^3)}{6}$$

$$\text{Where } k_c = \frac{1 - \sin \phi}{1 + \sin \phi} = \frac{1 - \sin 30}{1 + \sin 30} = 0.333$$

$$m = \frac{0.333 \times 18 \times 4.8^3}{6} = 110.481 \text{ kNm}$$

$$\text{Factored moment, } M_u = 1.5 \times 110.481 = 165.722 \text{ kNm}$$

$$\rightarrow M_u = 0.138 f_{ck} b d^2$$

$$165.722 \times 10^6 = 0.138 \times 20 \times 1000 \times d^2$$

$$d = 245.039 \text{ mm}$$

$$d \approx 250 \text{ mm}$$

$$\text{Adopt cover as } 50 \text{ mm, } D = 250 + 50 = 300 \text{ mm}$$

(i) Overall depth = 300mm

(ii) Base slab thickness = 450mm

Adopt thickness as 450mm at bottom and 150mm at top

→ Main bars

$$M_u = 0.87 f_y A_{st} d \left[1 - \frac{A_{st} f_y}{b d f_{ck}} \right]$$

$$d = 450 - 50 = 400 \text{ mm}$$

$$165.722 \times 10^6 = 0.87 \times 415 \times A_{st} \times 400 \times \left[1 - \frac{A_{st} \times 415}{1000 \times 400 \times 20} \right]$$

$$A_{st} = 1225.396 \text{ mm}^2$$

$$\text{Minimum } A_{st} = 0.12 \% bD$$

$$= \frac{0.12 \times 1000 \times 450}{100}$$

$$= 540 \text{ mm}^2$$

$$\therefore A_{st} = 1225.396 \text{ mm}^2$$

$$\text{Provide } 16 \text{ mm diameter bars, Spacing} = \frac{1000 \times a_{st}}{A_{st}}$$

$$= \frac{1000 \times \left(\frac{\pi \times 16^2}{4} \right)}{1225.396}$$

$$= 164.079 \text{ mm}$$

Provide 16mm diameter bars at 160mm c/c

$$\text{Provided } A_{st} = \frac{1000 \times a_{st}}{\text{spacing}}$$

$$= \frac{1000 \times \frac{\pi \times 16^2}{4}}{160}$$

16

$$= 1256.637 \text{ mm}^2$$

→ Distribution bars

$$\text{Minimum } A_{st} = 0.12 \% bD$$

$$= \frac{0.12 \times 1000 \times 450}{100}$$

$$= 540 \text{ mm}^2$$

$$\text{Provide } 10 \text{ mm diameter bars, Spacing} = \frac{1000 \times \frac{\pi \times 10^2}{4}}{540}$$

$$= 145.444 \text{ mm}$$

Provide 10mm diameter bars at 140mm c/c

$$\text{Provided } A_{st} = \frac{1000 \times \pi \times 10^2}{4} = 561 \text{ mm}^2$$

140

Step 3- Stability check

Load	Magnitude (kN)	Distance (m)	Moment (kNm)
w_1 (weight of stem)	$4.8 \times 0.15 \times 25 = 18$	$(0.15/2) + 0.3 + 1.55 = 1.925$	34.65
	$\frac{1}{2} \times 4.8 \times 0.3 \times 25 = 18$	$(\frac{2}{3} \times 0.3) + 1.55 = 1.75$	31.5
w_2 (weight of base slab)	$3 \times 0.45 \times 25 = 33.75$	$3/2 = 1.5$	50.63
w_3 (weight of earth fill)	$1.55 \times 4.8 \times 18 = 133.92$	$1.55/2 = 0.78$	104.46
	$\frac{1}{2} \times 4.8 \times 0.3 \times 18 = 12.96$	$(\frac{1}{3} \times 0.3) + 1.55 = 1.65$	21.58
w_4 (weight of earth fill)	$(1.25 - 0.45) \times 18 \times 18 = 14.4$	$(\frac{1}{2}) + 0.45 + 1.55 = 2.5$	36
Moment due to earth pressure			110.481

$$\Sigma W = 231.03 \text{ kN}, \quad \Sigma M = 389.101 \text{ kNm}$$

Point of resultant force acting from base, $z = \frac{\Sigma M}{\Sigma W} = \frac{389.101}{231.03}$

Eccentricity, $e = z - b/2 = 1.684 - (3/2) = 0.184$


Maximum eccentricity, $e = b/6 = 3/6 = 0.5$

Hence safe

$$\rightarrow \sigma_{\max/\min} = \frac{\Sigma W}{b} \left[1 \pm \frac{6e}{b} \right] = \frac{231.03}{3} \left[1 \pm \frac{6 \times 0.18}{3} \right]$$


$$\sigma_{\max} = 104.73 \text{ kN/m}^2 < 200 \text{ kN/m}^2$$

$$\sigma_{\min} = 49.29 \text{ kN/m}^2$$



Step 4 - Design of heel slab

→ Net moment on structure



Load	Magnitude (kw)	Distance (m)	Moment @ b (kw/m)
w_1 (Weight of earth fill)	$1.55 \times 4.8 \times 18 = 133.92$	$1.55/2 = 0.78$	104.46
w_2 (Weight of base slab)	$1.55 \times 0.45 \times 25 = 17.44$	$1.55/2 = 0.78$	13.6
Upward pressure (left)	$49.29 \times 1.55 = 76.40$	$1.55/2 = 0.78$	59.59
Upward pressure (right)	$1/2 \times 28.64 \times 1.55 = 22.2$	$1/3 \times 1.55 = 0.52$	11.54
Net moment on structure = $118.06 - 71.17$			46.93

$$M_u = 1.5 \times 46.93 = 70.40 \text{ kw/m}$$

$$M_u = 0.87 f_y A_{st} d \left[1 - \frac{A_{st} f_y}{b d f_{ck}} \right] \text{ where } d = 450 - 50 = 400 \text{ mm, } b = 1000 \text{ mm}$$

$$70.4 \times 10^6 = 0.87 \times 415 \times 400 \times A_{st} \left[1 - \frac{A_{st} \times 415}{1000 \times 400 \times 20} \right]$$

$$A_{st} = 500.46 \text{ mm}^2$$


$$\text{Minimum } A_{st} = 0.12 \% b D = \frac{0.12}{100} \times 1000 \times 450 = 540 \text{ mm}^2$$

$$\text{Provide } 10 \text{ mm dia bars, Spacing} = \frac{1000 \times \left(\frac{\pi}{4} \times 10^2 \right)}{540} = 145.44 \text{ mm}$$

$$\text{Provide spacing } 140 \text{ mm, } A_{st} = \frac{1000 \times \left(\frac{\pi}{4} \times 10^2 \right)}{140} = 561 \text{ mm}^2$$

Provide 10mm dia @ 140mm c/c bars as both main and distribution reinforcement.

Step 5 - Design of toe slab



Load	Magnitude (kN)	Distance (m)	Mom @ c (kNm)
w_1 (Weight of earthfill)	$(1.25 - 0.45) \times 1 \times 18 = 14.4$	$1.12 = 0.5$	7.20
w_2 (Weight of base slab)	$0.45 \times 1 \times 25 = 11.25$	$1.12 = 0.5$	5.63
Upward pressure (dent)	$86.25 \times 1 = 86.25$	$1.12 = 0.5$	43.13
Upward pressure (n/r)	$11.2 \times 18.48 \times 1 = 9.24$	$2/3 \times 1 = 0.67$	6.19
Net moment of structure = 12.83 or 49.32			36.49

$$M_u = 1.5 \times 36.49 = 54.74 \text{ kNm}$$

$$M_u = 0.87 f_y A_{st} d \left[1 - \frac{A_{st} f_y}{b d f_c} \right] \text{ where } d = 450 - 50 = 400 \text{ mm, } b = 1000 \text{ mm}$$

$$54.74 \times 10^6 = 0.87 \times 415 \times A_{st} \times 400 \left[1 - \frac{A_{st} \times 415}{1000 \times 400 \times 20} \right]$$

$$A_{st} = 386.79 \text{ mm}^2$$

$$\text{Minimum } A_{st} = 0.12 \% b d = \frac{0.12}{100} \times 1000 \times 450 = 540 \text{ mm}^2$$

Provide 10mm dia bars, Spacing = $\frac{1000 \times \frac{\pi}{4} \times 10^2}{540} = 145.44 \text{ mm}$

Provide spacing 140mm, $A_{st} = \frac{1000 \times \frac{\pi}{4} \times 10^2}{145.44} = 561 \text{ mm}^2$

Provide 10mm dia @ 140mm c/c bars as both main and distribution reinforcement.

Step 6 - Design of Shear Key

→ Horizontal earth pressure, $P = \frac{k_a R H^2}{2} = \frac{0.333 \times 18 \times 5.25^2}{2}$

Frictional force, $W = 0.5 \times 231.63 = 115.815 \text{ kN}$
 $= 115.52 \text{ kN}$

Factor of safety against sliding = $\frac{W}{P} = \frac{115.52}{82.6} = 1.4 < 1.5$

Hence shear key is to be provided.

→ Intensity of earth pressure, $P_p = k_p P$

where $k_p = \frac{1 + \sin \phi}{1 - \sin \phi} = \frac{1 + \sin 30}{1 - \sin 30} = 3$

∴ $P_p = 3 \times 82.6 = 247.8 \text{ kN}$

Assuming depth of shear key as 450mm,

Pressure force at key, $P_f = P_p \times 0.45 = 111.51 \text{ kN}$

Factor of safety = $\frac{W + P_f}{P} = \frac{115.52 + 111.51}{82.6} = 2.75 > 1.5$

→ Minimum $A_{st} = 0.3\% \cdot bD = \frac{0.3}{100} \times 1000 \times 450 = 1350 \text{ mm}^2$

Provide 16mm dia bars, Spacing = $\frac{1000 \times \frac{\pi}{4} \times 16^2}{1350} = 148.93 \text{ mm}$

Providing 140mm spacing, $A_{st} = \frac{1000 \times \frac{\pi}{4} \times 16^2}{140} = 1436.16 \text{ mm}^2$

Provide 16mm dia bars ^{at 140mm c/c} as main reinforcement


→ Minimum $A_{st} = 0.12\% \cdot bD = \frac{0.12}{100} \times 1000 \times 450 = 540 \text{ mm}^2$

Provide 10mm dia bars, spacing = $\frac{1000 \times \frac{\pi}{4} \times 10^2}{540} = 145.44 \text{ mm}$


Provide 140mm spacing, $A_{st} = \frac{1000 \times \frac{\pi}{4} \times 10^2}{140} = 561 \text{ mm}^2$

Provide 10mm dia bars at spacing of 140mm c/c as distribution reinforcement.

CANTILEVER RETAINING WALL



CROSS SECTION



LONGITUDINAL SECTION

All dimensions are in mm
M20 Grade Concrete
Fe 415 Grade steel

Pb) Design a cantilever retaining wall for the following data:

Height of wall above ground level = 3m

Unit weight of soil = 18 kN/m^3 (ρ)

Angle of internal friction = 30° (ϕ) (Angle of repose)

Coefficient of friction between soil and concrete = 0.5 (μ)

Surcharge angle = 16° (α)

Safe bearing capacity of soil = 100 kN/m^2 (σ)

Solution Retaining wall with sloping backfill or surcharge

Step 1 - Dimensions of retaining wall.

→ Minimum depth of foundation, $d = \frac{\sigma}{e} k_a^2$

$$k_a = \cos \alpha \left(\frac{\cos \alpha - \sqrt{\cos^2 \alpha - \cos^2 \phi}}{\cos \alpha + \sqrt{\cos^2 \alpha - \cos^2 \phi}} \right)$$

$$\cos \alpha = 0.961$$

$$\cos \phi = 0.866$$

$$= \cos 16^\circ \left(\frac{\cos 16^\circ - \sqrt{\cos^2 16^\circ - \cos^2 30^\circ}}{\cos 16^\circ + \sqrt{\cos^2 16^\circ - \cos^2 30^\circ}} \right)$$

$$= 0.379$$

$$\therefore d = \frac{100 \times 0.379^2}{18} = 0.8 \text{ m} \approx 1 \text{ m}$$

Overall height of wall, $H = 3 + 1 = 4 \text{ m}$

→ Thickness of base slab = $H/12 = \frac{4}{12} = 0.33 \text{ m} = 333 \text{ mm}$

(i) Minimum thickness = 300mm

(ii) Thickness of base slab = 333

Adopt thickness of base slab as 350 mm

→ Width of base slab = $0.5H$ to $0.6H = 2$ to 2.4 m

$$b = 2.4 \text{ m}$$

↙ sloping backfill

→ Toe projection = $2b$ where $\alpha = 1 - \frac{\sigma}{\rho H} = 1 - \frac{100}{18 \times 4} = 0.486$

$$\therefore \text{Toe projection} = 0.486 \times 2.4 = 1.166 \text{ m} \approx 1.2 \text{ m}$$

Step 2 - Design of stem

Moment, $M = \frac{1}{6} k_a \rho h^3 \times \cos \alpha$, where $h = \text{height of stem}$
 $= 4 - 0.35 = 3.65 \text{ m}$
 $= \frac{0.379 \times 18 \times 3.65^3 \times \cos 16}{6}$
 $= 55.289 \text{ kNm}$

Factored moment, $M_u = 1.5 \times 55.289 = 82.934 \text{ kNm}$

$\rightarrow M_u = 0.138 f_{ck} b d^2$

$82.934 \times 10^6 = 0.138 \times 20 \times 1000 \times d^2$


$d = 173.35 \text{ mm} = 180 \text{ mm}$

Adopt cover as 40 mm , $D = 180 + 40 = 220 \text{ mm}$

(i) Overall depth = 220 mm

(ii) Base slab thk = 350 mm

Hence adopt thickness as 350 mm at bottom and 200 mm at top



\rightarrow main bars

$M_u = 0.87 f_y A_s d \left[1 - \frac{A_s f_y}{b d f_{ck}} \right]$ where $d = 350 - 50 = 300 \text{ mm}$

$$82.934 \times 10^6 = 0.87 \times 415 \times A_{st} \times 300 \times \left[1 - \frac{A_{st} \times 415}{1000 \times 300 \times 20} \right]$$

$$A_{st} = 811.188 \text{ mm}^2$$

Minimum $A_{st} = 0.12\% \text{ bD}$

$$= \frac{0.12}{100} \times 1000 \times 350$$

$$= 420 \text{ mm}^2$$

Provide 12mm dia bars, Spacing = $\frac{1000 \times \frac{\pi}{4} \times 12^2}{811.188} = 139.42 \text{ mm}$

Provide spacing, 130mm, $A_{st} = \frac{1000 \times \frac{\pi}{4} \times 12^2}{130} = 869.98 \text{ mm}^2$

Provide 12mm dia bars at 130mm c/c as main bars.

→ Distribution bars

Minimum $A_{st} = 0.12\% \text{ bD}$

$$= \frac{0.12}{100} \times 1000 \times 350$$

$$= 420 \text{ mm}^2$$

Provide 10mm dia bars, spacing = $\frac{1000 \times \frac{\pi}{4} \times 10^2}{420} = 187 \text{ mm}$

Provide spacing 180mm, $A_{st} = \frac{1000 \times \frac{\pi}{4} \times 10^2}{180} = 436.33 \text{ mm}^2$

Provide 10mm dia bars at 180mm c/c as distribution bars.

Step 3 - Stability check

Earth pressure acting parallel to surcharge

$$P = k_a \frac{\rho H_s^2}{2} = 0.379 \times 18 \times \frac{4.244^2}{2}$$

$$= 61.437 \text{ kN}$$

Horizontal and vertical components $P_H = P \cos 2 = 61.437 \times \cos 16 = 59.057 \text{ kN}$

$P_V = P \sin 2 = 61.437 \times \sin 16 = 16.931 \text{ kN}$

Step 3 - Stability check

Load	Magnitude (kN)	Distance (m)	Moment @ A (kNm)
w_1 (weight of stem)	$0.2 \times 3.65 \times 25 = 18.25$	$\frac{0.2}{2} \times (0.15 + 1.2) = 1.45$	26.463
	$\frac{1}{2} \times 0.15 \times 3.65 \times 25 = 6.844$	$(\frac{2}{3} \times 0.15) + 1.2 = 1.3$	8.897
w_2 (weight of base slab)	$2.4 \times 0.35 \times 25 = 21$	$2.4/2 = 1.2$	25.2
w_3 (weight of earth fill)	$0.85 \times 3.65 \times 18 = 55.845$	$\frac{0.85}{2} \times (0.35 + 1.2) = 1.925$	110.294
	$\frac{1}{2} \times 0.85 \times 0.244 \times 18 = 1.867$	$(\frac{2}{3} \times 0.85) + 0.35 + 1.2 = 2.117$	3.952
w_4 (weight of earth fill)	$1.2 \times (1 - 0.35) \times 18 = 14.04$	$\frac{1.2}{2} = 0.6$	8.424
Earth pressure due to surcharge	16.934	2.4	40.642

$$\Sigma w = 134.78 \text{ kN}, \quad M_R = 223.872 \text{ kNm}$$

Overturning Moment, $M_o = P_H \times \frac{H_s}{3} = 59.057 \times \frac{4.24}{3} = 83.546 \text{ kNm}$

Net moment, $\Sigma M_i = M_R - M_o = 223.872 - 83.546 = 140.326 \text{ kNm}$

Point of resultant force acting from base, $z = \Sigma M / \Sigma w = 1.041$

Eccentricity, $e = \frac{b}{2} - z = \frac{2.4}{2} - 1.041 = 0.159$

Maximum eccentricity, $e = b/6 = \frac{2.4}{6} = 0.4$


Hence safe

$$\rightarrow \sigma_{\max/\min} = \frac{\Sigma w}{b} \left[1 \pm \frac{6e}{b} \right]$$


$$= \frac{134.78}{2.4} \left[1 \pm \frac{6 \times 0.159}{2.4} \right]$$

$$\sigma_{\max} = 78.485 \text{ kN/m}^2 < 100 \text{ kN/m}^2$$

$$\sigma_{\min} = 33.835 \text{ kN/m}^2$$



Step 4 - Design of heel slab



Load	Magnitude (kN)	Distance (m)	Moment @ b (kNm)
w_1 (Earth fill)	$0.85 \times 3.65 \times 1.8 = 55.85$	$0.85 / 2 = 0.425$	23.736
	$1/2 \times 0.85 \times 0.244 = 0.104$	$2/3 \times 0.85 = 0.567$	0.059
w_2 (Slab)	$0.85 \times 0.35 \times 25 = 74.88$	$0.85 / 2 = 0.425$	3.161
Pressure (skt)	$33.835 \times 0.85 = 28.76$	$0.85 / 2 = 0.425$	12.223
Pressure (rgh)	$1/2 \times 15.812 \times 0.85 = 6.72$	$1/3 \times 0.85 = 0.283$	1.902
Surcharge	16.934	0.85	14.394
Net moment on structure = 41.35 or 14.125			27.225

$$\rightarrow M_u = 1.5 \times 27.225 = 40.838 \text{ kNm}$$

$$M_u = 0.87 f_y A_{st} d \left[1 - \frac{f_y A_{st}}{b d f_{ck}} \right] \text{ where } d = 300 \text{ mm, } b = 1000 \text{ mm}$$

$$40.838 \times 10^6 = 0.87 \times 415 \times A_{st} \times 300 \left[1 - \frac{415 \times A_{st}}{1000 \times 300 \times 20} \right]$$

$$A_{st} = 387.41 \text{ mm}^2$$

$$\text{Minimum } A_{st} = 0.12\% \cdot bD = \frac{0.12}{100} \times 1000 \times 350 = 420 \text{ mm}^2$$

$$\text{Provide } 12 \text{ mm dia; Spacing} = \frac{1000 \times \left(\frac{\pi}{4} \times 12^2 \right)}{420} = 269.28 \text{ mm}$$

Provide 12 mm dia bars @ 260mm c/c as main bars

$$A_{st} \text{ provided} = \frac{(1000 \times \pi/4 \times 12^2)}{260} = 434.99 \text{ mm}^2$$


$$\rightarrow \text{Min } A_{st} = 0.12\% \cdot bD = \frac{0.12}{100} \times 1000 \times 350 = 420 \text{ mm}^2$$

Provide 12mm dia bars, Spacing = $\frac{1000 \times (\frac{\pi}{4} \times 12^2)}{420} = 269.2 \text{ mm}$

Provide 12mm dia bars at 260mm c/c as distribution reinforcement

$$A_{st} \text{ provided} = \frac{1000 \times \pi \times 12^2}{4 \times 260} = 434.99 \text{ mm}^2$$

Steps - Design of tee slab



Load	Magnitude (kN)	Distance (m)	Moment @ c (kNm)
w_1 (weight of fill)	$(1 - 0.35) \times 1.2 \times 18 = 14.04$	$1.2/2 = 0.6$	8.424
w_2 (weight of slab)	$1.2 \times 0.35 \times 25 = 10.5$	$1.2/2 = 0.6$	6.3
Pressure (dnf)	$55.708 \times 1.2 = 66.85$	$1.2/2 = 0.6$	40.11
Pressure (nfa)	$11.2 \times 2.323 \times 1.2 = 13.394$	$\frac{2}{3} \times 1.2 = 0.8$	10.715
Net moment	on structure = $14.724 + 50.825$		36.101

$$\rightarrow M_u = 1.5 \times 36.101 = 54.152 \text{ kNm}$$

$$M_u = 0.87 f_y A_{st} d \left[\frac{1 - f_y A_{st}}{b d f_c} \right] \text{ where } d = 300 \text{ mm, } b = 1000 \text{ mm}$$

$$54.152 \times 10^6 = 0.87 \times 415 \times A_{st} \times 300 \left[\frac{1 - \frac{415 A_{st}}{1000 \times 300 \times 20}}{1} \right]$$

$$A_{st} = 518.55 \text{ mm}^2$$

$$\text{Min } A_{st} = 0.12\% \cdot bD = \frac{0.12}{100} \times 1000 \times 350 = 420 \text{ mm}^2$$

Provide 12mm dia, Spacing = $\frac{1000 \times \frac{\pi \times 12^2}{4}}{518.55} = 218.103 \text{ mm}$

Provide 12mm dia @ ~~210~~²¹⁰ mm c/c as main reinforcement

$$A_{st} \text{ provided} = \frac{1000 \times \frac{\pi \times 12^2}{4}}{210} = 538.6 \text{ mm}^2$$

$$\rightarrow \text{Min } A_{st} = 0.12\% \cdot bD = \frac{0.12}{100} \times 1000 \times 350 = 420 \text{ mm}^2$$

Provide 12mm dia bars, spacing = $\frac{1000 \times \frac{\pi \times 12^2}{4}}{420} = 269.5 \text{ mm}$

Provide 12mm dia bars at 260mm c/c as distribution aft.

$$A_{st} \text{ provided} = \frac{1000 \times \frac{\pi \times 12^2}{4}}{260} = 434.99 \text{ mm}^2$$

Step 6 - Design of Shear Key (Stability against sliding)

$$\rightarrow \text{Horizontal earth pressure, } P = \frac{k_a e H^2}{2} = \frac{0.7 \times 17 \times 7.25^2}{2} = 357.37 \text{ kN}$$

$$\text{Frictional force } \mu W = 0.5 \times 134.78 = 67.39 \text{ kN}$$

$$\text{Factor of safety against sliding} = \frac{\mu W}{P_H} = \frac{67.39}{59.057} = 1.141$$

Hence shear key is to be provided < 1.5

$$\rightarrow \text{Intensity of earth pressure, } P_p = k_p P = \frac{1}{k_a} \times P$$

$$l_c p = 1/0.379 = 2.639 \quad \text{Pressure at jn of slab + key}$$

$$P_p = 2.639 \times (33.835 + 27.323) = 148.201 \text{ kN}$$

Assuming depth of shear key as 350 mm,

$$\text{Pressure force at key, } P_f = P_p \times 0.35 = 148.201 \times 0.35$$

$$\text{Factor of safety} = \frac{W + P_f}{P_H} = \frac{67.39 + 51.87}{59.057}$$

$$= 2.019 > 1.5 \quad (\text{Hence safe})$$

$$\rightarrow \text{Min } A_{st} = 0.3\% \cdot bD = \frac{0.3}{100} \times 1000 \times 350 = 1050 \text{ mm}^2$$

$$\text{Provide } 16 \text{ mm dia bars, Spacing} = \frac{1000 \times \frac{\pi}{4} \times 16^2}{1050} = 191.48 \text{ mm}$$

Provide 16 mm dia bars @ 190 mm c/c as main reinforcement

$$\text{Provided } A_{st} = \frac{1000 \times \frac{\pi}{4} \times 16^2}{190} = 1058.22 \text{ mm}^2$$

$$\rightarrow \text{Min } A_{st} = 0.12\% \cdot bD = \frac{0.12}{100} \times 1000 \times 350 = 420 \text{ mm}^2$$

$$\text{Provide } 12 \text{ mm dia bars, Spacing} = \frac{1000 \times \frac{\pi}{4} \times 12^2}{420} = 269 \text{ mm}$$

Provide 12 mm dia bars @ 260 mm c/c as distribution bars,


$$\text{Provided } A_{st} = \frac{1000 \times \frac{\pi}{4} \times 12^2}{260} = 434.99 \text{ mm}^2$$

Step 7 - Stability against overturning

Factor of safety against overturning = $\frac{M_{12}}{M_0}$

$$= \frac{223.872}{83.546} = 2.68 > 2$$

∴ Hence safe



PL) Design a cantilever retaining wall for a road for the following requirements

1) Height of wall from the bottom of base to top of stem = 6m

2) Superimposed load due to road traffic = 18 kN/m^2 (w)

3) Unit weight of fill = 18 kN/m^3 (e)

4) Angle of internal friction for fill material = 30° (ϕ)

5) Allowable bearing pressure on ground = 165 kN/m^2 (σ)

6) Coefficient of friction between concrete and ground = 0.4

Also provide a parapet wall 1m high on the top of stem. Use M20 concrete and Fe415 steel

Solution Retaining wall with horizontal backfill and

Step 1 - Dimensions of retaining wall | traffic load

→ Assume that a horizontal force $Q = 2 \text{ kN/m}$ length of parapet wall will act because of person standing near parapet. Due to superimposed load, equivalent height of fill is given by,

$$h_e = \frac{w}{e} = \frac{18}{18} = 1 \text{ m}$$

Overall height = $6 + 1 = 7 \text{ m}$

→ Thickness of base slab = $H/12 = 7/12 = 0.583 \text{ m} \approx 583 \text{ mm}$

(i) Minimum thickness = 300 mm

(ii) Thickness of base slab = 583 mm

Adopt thickness of base slab = 600 mm

→ Width of base slab = 0.5H to 0.6H

$$=(0.5 \times 7) \text{ to } (0.6 \times 7)$$

$$= 3.5 \text{ m to } 4.2 \text{ m}$$

Width of base slab, $b = 4 \text{ m}$

→ Toe projection = $2b$ traffic load

$$\text{where } \alpha = 1 - \frac{\sigma}{2.20H}$$

$$= 1 - \frac{160}{2.2 \times 18 \times 7}$$

$$= 0.423$$

$$\text{Toe projection} = 0.423 \times 4 = 1.692 \text{ m}$$

Keep toe projection = 1.7 m

Height of stem, $h = 6 - 0.6 = 5.4 \text{ m}$

Step 2 - Design of stem

$$\text{Moment, } M = \frac{k_a \rho h^3}{6} + \frac{k_a w h^2}{2} + Q(h+1)$$

$$k_a = \frac{1 - \sin \phi}{1 + \sin \phi} = \frac{1 - \sin 30}{1 + \sin 30} = 0.333$$

$$\therefore M = \frac{0.333 \times 18 \times 5.4^3}{6} + \frac{0.333 \times 18 \times 5.4^2}{2} + 2(5.4 + 1)$$

$$= 157.367 + 87.393 + 12.8$$

$$M = 257.5 \text{ kNm}$$


$$\text{Factored moment, } M_u = 1.5 \times 257.5 = 386.25 \text{ kNm}$$

$$M_u = 0.138 f_c b d^2$$

$$386.25 \times 10^6 = 0.138 \times 20 \times 1000 \times d^2$$

$$\Rightarrow d = 3740.9 \text{ mm} \approx 4000 \text{ mm}$$

Adopt cover as 50 mm, $D = 4000 + 50 = 4050 \text{ mm}$



(i) Overall depth = 450mm

(ii) Base slab thickness = 600mm

Provide thickness of stem as 600mm at bottom and 200mm at top

→ Main base

$$M_u = 0.87 f_y A_{st} d \left[\frac{1 - f_y A_{st}}{b d f_{ck}} \right] \text{ where } d = 600 - 50 = 550 \text{ mm}$$

$$386.25 \times 10^6 = 0.87 \times 415 \times A_{st} \times 550 \left[\frac{1 - \frac{415 \times A_{st}}{1000 \times 550 \times 20}}{1000 \times 550 \times 20} \right]$$

$$A_{st} = 2113.628 \text{ mm}^2$$

$$\text{Minimum } A_{st} = \frac{0.12}{100} \times b d = \frac{0.12}{100} \times 1000 \times 600 = 720 \text{ mm}^2$$

$$\text{Provide } 20 \text{ mm dia bars, spacing} = \frac{1000 \times \frac{\pi}{4} \times 20^2}{2113.628} = 148.635 \text{ mm}$$

Provide 20mm dia bars at 140mm c/c as main bars

$$\text{Provided } A_{st} = \frac{1000 \times \frac{\pi}{4} \times 20^2}{140} = 2243.995 \text{ mm}^2$$

$$\text{Minimum } A_{st} = 0.12\% \cdot bD = \frac{0.12}{100} \times 1000 \times 600$$

$$= 720 \text{ mm}^2$$

Provide 12 mm dia bars, spacing = $\frac{1000 \times \frac{\pi}{4} \times 12^2}{720}$

$$= 157.08 \text{ mm}$$

Provide 12 mm dia bars at 150 mm c/c as distribution reinforcement

$$\text{Provided } A_{st} = \frac{1000 \times \frac{\pi}{4} \times 12^2}{150} = 753.982 \text{ mm}^2$$

Step 3 - Stability Calculation

Load	Magnitude (kN)	Distance (m)	Moment @ a (kNm)
w_1 (weight of stem)	$0.2 \times 6.4 \times 25 = 32$	$(0.2/2) + 0.4 + 1.7 = 2.2$	70.4
	$1/2 \times 0.4 \times 5.4 \times 25 = 27$	$(2/3 \times 0.4) + 1.7 = 1.967$	53.109
w_2 (weight of base slab)	$4 \times 0.6 \times 25 = 60$	$4/2 = 2$	120
w_3 (weight of earth fill)	$1.7 \times 5.4 \times 18 = 165.24$	$(1.7/2) + 0.6 + 1.7 = 3.15$	520.506
Weight due to load	$1 \times 1.7 \times 18 = 30.6$	$(1.7/2) + 0.6 + 1.7 = 3.15$	96.39

$$\Sigma W = 314.84 \text{ kN, Resisting moment } M_R = 860.405 \text{ kNm}$$

$$\rightarrow \left. \begin{array}{l} \text{Overturning moment due to earth} \\ \text{pressure} \end{array} \right\} = P \times \frac{H}{3}$$

$$\text{where } P = \text{Earth pressure} = \frac{k_a \gamma H^2}{2} = \frac{0.333 \times 18 \times 6^2}{2}$$

$$= 107.892 \text{ kN}$$

$$\therefore \text{Overturning moment due to earth pressure} = \frac{107.892 \times 6}{3} = 215.784 \text{ kNm}$$

$$\text{Overturning moment due to horizontal force } Q = 2 \times H_q = 2 \times 7 = 14 \text{ kNm}$$

$$\text{Overturning moment due to traffic load} = \frac{k_a w H^2}{2}$$

$$= \frac{0.333 \times 18 \times 6^2}{2} = 107.892 \text{ kNm}$$

$$\therefore \text{Total overturning moment, } M_o = 215.784 + 14 + 107.892$$

$$= 337.676 \text{ kNm}$$

$$\rightarrow \text{Net moment, } \Sigma M = M_R - M_o$$

$$= 860.405 - 337.676$$

$$= 522.729 \text{ kNm}$$

$$\rightarrow \text{Point of resultant force acting from base, } z = \frac{\Sigma M}{\Sigma W} = \frac{522.729}{314.84}$$

$$z = 1.66 \text{ m}$$

$$\rightarrow \text{Eccentricity, } e = \frac{b}{2} - z = \frac{4}{2} - 1.66 = 0.34 \text{ m}$$

$$\text{Maximum eccentricity, } e = b/6 = 4/6 = 0.667$$


Hence safe.

$$\rightarrow \sigma_{\max/\min} = \frac{\Sigma W}{b} \left[1 \pm \frac{6e}{b} \right]$$


$$= \frac{314.84}{4} \left[1 \pm \frac{6 \times 0.34}{4} \right]$$

$$\sigma_{\max} = 118.852 \text{ kN/m}^2 < 160 \text{ kN/m}^2. \text{ Hence safe}$$

$$\sigma_{\min} = 38.568 \text{ kN/m}^2$$



Step 4 - Design of heel slab



Load	Magnitude (kN)	Distance (m)	Moment (kNm) @ b
W_1 (Earth fill)	$1.7 \times 5.4 \times 18 = 165.24$	$1.7/2 = 0.85$	140.454
W_2 (Slab)	$1.7 \times 0.6 \times 25 = 25.5$	$1.7/2 = 0.85$	21.675
Traffic load	$18 \times 1 \times 1.7 = 30.6$	$1.7/2 = 0.85$	26.01
Pressure (cbhi)	$38.568 \times 1.7 = 65.566$	$1.7/2 = 0.85$	55.731
Pressure (igh)	$1/2 \times 34.12 \times 1.7 = 29$	$1/3(1.7) = 0.567$	16.443
Net moment on structure = $188.139 \sim 72.174$			115.965

$$\rightarrow M_u = 1.5 \times 115.965 = 173.948 \text{ kNm}$$

$$M_u = 0.87 f_y A_{st} d \left[1 - \frac{f_y A_{st}}{b d f_{ck}} \right] \text{ where } d = 600 - 50 = 550 \text{ mm}$$

$$173.948 \times 10^6 = 0.87 \times 415 \times \frac{A_{st}}{550} \times \left[1 - \frac{415 \times A_{st}}{1000 \times 550 \times 20} \right]$$

$$A_{st} = 907.007 \text{ mm}^2$$

$$\text{Provide } 16 \text{ mm dia bars, spacing} = \frac{1000 \times \frac{\pi}{4} \times 16^2}{907.007} = 221.676 \text{ mm}$$

Provide 16mm dia bars at 220mm c/c as main bars

$$A_{st, \text{ provided}} = \frac{1000 \times \frac{\pi}{4} \times 16^2}{220} = 913.718 \text{ mm}^2$$


$$\rightarrow \text{Minimum } A_{st} = 0.12 \% b D = \frac{0.12}{100} \times 1000 \times 600 = 720 \text{ mm}^2$$

$$\text{Provide } 12 \text{ mm dia bars, spacing} = \frac{1000 \times \frac{\pi}{4} \times 12^2}{720} = 157.08 \text{ mm}$$

Provide 12mm dia bars at 150mm c/c as distribution reinforcement

$$A_{st \text{ provided}} = \frac{1000 \times \frac{\pi}{4} \times 12^2}{150} = 753.982 \text{ mm}^2$$

Step 5 - Design of toe slab



Load	Magnitude	Distance (m)	Moment @ c (kNm)
w_1 (Slab)	$1.7 \times 0.6 \times 25 = 25.5$	$1.7/2 = 0.85$	21.675
Pressure (dead)	$84.731 \times 1.7 = 144.043$	$1.7/2 = 0.85$	122.437
Pressure (live)	$1/2 \times 34.121 \times 1.7 = 29$	$2/3 \times 1.7 = 1.133$	32.857
Net moment on structure = 21.675 + 155.294			133.619

→ Factored moment, $M_u = 1.5 \times 133.619 = 200.429 \text{ kNm}$

$$M_u = 0.87 f_y A_{st} d \left[1 - \frac{f_y A_{st}}{b d f_{ck}} \right] \text{ where } d = 600 - 50 = 550 \text{ mm}$$

$$200.429 \times 10^6 = 0.87 \times 415 \times A_{st} \times 550 \left[1 - \frac{415 A_{st}}{1000 \times 550 \times 20} \right]$$

$$A_{st} = 1050.997 \text{ mm}^2$$

Provide 16mm dia bars, spacing = $\frac{1000 \times \frac{\pi}{4} \times 16^2}{1050.997} = 191.306 \text{ mm}$

Provide 16mm dia bars at 190mm c/c as main bars

$$A_{st \text{ provided}} = \frac{1000 \times \frac{\pi}{4} \times 16^2}{190} = 1058.221 \text{ mm}^2$$

Min $A_{st} = 0.12\% b D = 720 \text{ mm}^2$. Provide 12mm dia @ 150mm c/c as distribution rft

Step 6 - Design of shear key (Stability against sliding)

$$\text{Frictional force, } m \Sigma W = 0.4 \times 314.84 = 125.936 \text{ kN}$$

$$\text{Factor of safety against sliding} = \frac{m \Sigma W}{P_H}$$

$$\text{Where } P_H = \text{Total horizontal pressure} = P + Q$$

$$= 2 + 107.892$$

$$= 109.892$$

$$\text{Factor of Safety} = \frac{125.936}{109.892} = 1.146 < 1.5$$

Hence shear key is to be provided.

$$\text{Intensity of earth pressure, } P_p = k_p P = \frac{1}{k_a} \times P$$

$$\left(k_p = \frac{1}{k_a} \text{ or } \frac{1 + \sin \phi}{1 - \sin \phi} \right)$$

$$= \frac{1}{0.333} \times (46.163 + 38.568)$$

Pressure at jn
of key + truss

$$= 254.193 \text{ kN}$$

Assuming depth of shear key as 600mm,

$$\text{Pressure force at key, } P_f = P_p \times 0.6$$

$$= 254.193 \times 0.6$$

$$= 152.516 \text{ kN}$$

$$\text{Factor of safety against sliding} = \frac{m \Sigma W + P_f}{P_H} = \frac{125.936 + 152.516}{109.892}$$

$$= 2.534 > 1.5$$

Hence safe

$$\rightarrow \text{Min } A_{st} = 0.3\% \cdot bD = \frac{0.3}{100} \times 1000 \times 600$$

$$= 1800 \text{ mm}^2$$

Provide 16mm dia bars, spacing = $\frac{1000 \times \frac{\pi}{4} \times 16^2}{1800} = 201.062 \text{ mm}$

Provide 16mm dia bars at 200mm c/c as main reinforcement

$$A_{st} \text{ provided} = \frac{1000 \times \frac{\pi}{4} \times 16^2}{200} = 1809.557 \text{ mm}^2$$

$$\rightarrow \text{Min } A_{st} = 0.12\% \cdot bD = \frac{0.12}{100} \times 1000 \times 600 = 720 \text{ mm}^2$$

Provide 12mm dia bars, spacing = $\frac{1000 \times \frac{\pi}{4} \times 12^2}{720} = 157.08 \text{ mm}$

Provide 12mm dia bars at 150mm c/c as distribution reinforcement :

$$A_{st} \text{ provided} = \frac{1000 \times \frac{\pi}{4} \times 12^2}{150} = 753.982 \text{ mm}^2$$

Step 7 - Stability against overturning



$$\text{Factor of safety against overturning} = \frac{M_R}{M_O}$$

$$= \frac{860.405}{337.676}$$

$$= 2.548 > 2$$

$$= 2.548 > 2$$

Hence safe



Ex No. 2

COUNTERFORT RETAINING WALL

DATE:

AIM

Design a counterfort retaining wall using the following details.

Height of wall above ground level = 6m

Safe bearing capacity of soil at site = 160 kN/m²

Angle of internal friction = 33°

Density of soil = 16 kN/m³

Spacing of counterfort = 3m

Adopt M20 grade concrete and Fe415 HYSD bars.

Draw the following,

(i) Sectional elevation at midway of counterfort.

(ii) Sectional elevation between counterfort.

(iii) Sectional plan at base of counterfort

SOLUTION

Step 1 – Dimensions of retaining wall

Minimum depth of foundation, $d = \left(\frac{\sigma}{\rho}\right) \left(\frac{1 - \sin \phi}{1 + \sin \phi}\right)^2 = 0.84 \text{ m}$

Provide depth of foundation, $d = 1 \text{ m}$

Overall height of wall, $H = 6 + 1 = 7 \text{ m}$


Spacing of counterfort, $L = (1/3) H \text{ to } (1/2) H = 2.33 \text{ to } 3.5 = 3 \text{ m}$

Thickness of base slab, $t = 2LH = 2 \times 3 \times 7 = 42 \text{ cm} = 450 \text{ mm (say)}$

Width of base slab, $D = 0.6 H \text{ to } 0.7 H = 4.2 \text{ to } 4.9 \text{ m} = 4.5 \text{ m (say)}$

Height of stem, $h = H - \text{base slab thk} = 7 - 0.45 = 6.55 \text{ m}$

Toe projection = $(1/4) D = 1.13 = 1.15 \text{ m}$



Step 2 – Design of stem

Pressure intensity at base , $W = k_a \rho h$

$$k_a = (1 - \sin \phi) / (1 + \sin \phi) = (1 - \sin 33) / (1 + \sin 33) = 0.29$$

$$W = 0.29 \times 16 \times 6.55 = 30.39 \text{ kN/m}^2$$

$$\text{Working moment, } M = (WL^2/12) = (30.39 \times 3^2)/12 = 22.79 \text{ kNm}$$

$$\text{Working moment, } M_u = 1.5 \times 22.79 = 34.19 \text{ kNm}$$

$$M_u = 0.138 f_{ck} b d^2$$

$$34.19 \times 10^6 = 0.138 \times 20 \times 1000 \times d^2,$$

$$\text{Hence } d = 111.3 \text{ mm} = 150 \text{ mm}$$

Assuming cover as 50 mm, Overall depth = 150+50 = 200 mm

Main bars

$$M_u = 0.87 f_y A_{st} d [1 - (A_{st} f_y / b d f_{ck})] \text{ where } d = 200 - 50 = 150 \text{ mm, } b = 1000 \text{ mm}$$

$$A_{st} = 698.87 \text{ mm}^2$$

$$\text{Minimum } A_{st} = 0.12\% b D = 240 \text{ mm}^2$$

$$\text{Provide 12 mm dia bars, Spacing} = (1000 \times (\pi/4) \times 12^2) / 698.87 = 161.83 = 160 \text{ mm}$$

Provide 12 mm dia bars @ 160 mm c/c as main reinforcement

$$\text{Provided } A_{st} = (1000 \times (\pi/4) \times 12^2) / 160 = 706.86 \text{ mm}^2$$

Distribution bars


$$\text{Minimum } A_{st} = 0.12\% b D = 240 \text{ mm}^2,$$

$$\text{Provide 8 mm dia bars, Spacing} = (1000 \times (\pi/4) \times 8^2) / 240 = 209.444 = 200 \text{ mm}$$

Provide 8 mm dia bars @ 200 mm c/c as main reinforcement

$$\text{Provided } A_{st} = (1000 \times (\pi/4) \times 8^2) / 200 = 251.33 \text{ mm}^2$$

Step 3 – Stability Check



Load	Magnitude (kN)	Distance (m)	Moment @ a
W1 (Weight of stem)	6.55 x 0.2 x 25	(0.2/2)+3.15	106.44
W2 (Weight of base slab)	4.5 x 0.45 x 25	4.5/2	113.92
W3 (Weight of earth fill)	3.15 x 6.55 x 16	3.15/2	519.94
W4 (Weight of earth fill)	(1 - 0.45) x 1.15 x 16	(1.15/2) + 0.2 + 3.15	34.54
Moment due to earth pressure = $(k_a \rho h^3)/6 = (0.29 \times 16 \times 6.55^3)/6$			217.32

$$\Sigma W = 423.62 \text{ kN}, \Sigma M = 992.16 \text{ kNm}$$


$$\text{Point of resultant force acting from base, } z = \Sigma M / \Sigma W = 2.34 \text{ m}$$

$$\text{Eccentricity, } e = z - (b/2) = 2.34 - (4.5/2) = 0.09$$

Maximum eccentricity = $b/6 = 5/6 = 0.83$ Hence safe.

$$\sigma_{\max, \min} = \Sigma W/b [1 \pm 6e/b] = 423.62/4.5 [1 \pm (6 \times 0.09)/4.5]$$


$$\sigma_{\max} = 94.89 \text{ kN/m}^2 < 160 \text{ kN/m}^2 \quad \sigma_{\min} = 74.56 \text{ kN/m}^2$$



Step 4 – Design of heel slab

Net moment on structure

Consider 1 m strip from 'a' on heel slab



Load	Pressure (kN/m ²)
W1 (Weight to earth fill)	6.55 x 16 = 104.8
W2 (Weight of base slab)	0.45 x 25 = 11.25
Upward pressure (abhi)	74.56
Net pressure on structure = 116.05 ~ 74.56 = 41.49 kN/m ²	

Working moment, $M = (WL^2/12) = (41.49 \times 3^2)/12 = 10.87 \text{ kNm}$

$M_u = 1.5 \times 10.87 = 16.31 \text{ kNm}$

$M_u = 0.87 f_y A_{st} d [1 - (A_{st} f_y / b d f_{ck})]$ where $d = 450 - 50 = 400 \text{ mm}$, $b = 1000 \text{ mm}$

$A_{st} = 113.6 \text{ mm}^2$

Minimum $A_{st} = 0.12\% b D = 540 \text{ mm}^2$,

Provide 10 mm dia bars, Spacing = $(1000 \times (\pi/4) \times 10^2) / 540 = 145.444 = 140 \text{ mm}$

Provided $A_{st} = (1000 \times (\pi/4) \times 10^2) / 140 = 561 \text{ mm}^2$

Provide 10 mm dia @ 140 mm c/c bars as both main and distribution reinforcement

Step 5 – Design of toe slab

Net moment on structure

Load	Magnitude (kN)	Distance (m)	Moment @ c
W1 (Weight to earth fill)	$(1 - 0.45) \times 1.15 \times 16$	1.15/2	5.82
W2 (Weight of base slab)	$1.15 \times 0.45 \times 25$	1.15/2	7.44
Upward pressure (dcnf)	86.69×1.15	1.15/2	57.32
Upward pressure (nfe)	$(1/2) \times 5.2 \times 1.15$	$(2/3) \times 1.15$	2.29
Net moment on structure = 13.26 ~ 59.61			46.35

$M_u = 1.5 \times 46.35 = 69.53 \text{ kNm}$

$M_u = 0.87 f_y A_{st} d [1 - (A_{st} f_y / b d f_{ck})]$ where $d = 450 - 50 = 400 \text{ mm}$, $b = 1000 \text{ mm}$

$A_{st} = 494.11 \text{ mm}^2$


Minimum $A_{st} = 0.12\% b D = 540 \text{ mm}^2$,

Provide 10 mm dia bars, Spacing = $(1000 \times (\pi/4) \times 10^2) / 540 = 145.444 = 140 \text{ mm}$

Provided $A_{st} = (1000 \times (\pi/4) \times 10^2) / 140 = 561 \text{ mm}^2$

Provide 10 mm dia @ 140 mm c/c bars as both main and distribution reinforcement

Step 6 – Design of counterfort



$$\text{Moment, } M = [(k_a \rho H^3)/6] \times L = [(0.29 \times 16 \times 7^3)/6] \times 3 = 795.76 \text{ kNm}$$

$$\text{Factored moment} = 1.5 \times 795.76 = 1193.64 \text{ kNm}$$

$$M_u = 0.87 f_y A_{st} d [1 - (A_{st} f_y / b d f_{ck})]$$

$$\tan \theta = 6.55/2.95, \theta = 65.75$$

$$\sin 65.75 = d/3.15, d = 2.87 \text{ m}$$

$$\text{Thickness of counterfort, } b = 0.2 + 0.2 = 0.4 \text{ m}$$

$$A_{st} = 1176.96 \text{ mm}^2$$

Minimum reinforcement is given $A_s/bd = 0.85 f_y$,

$$A_s/(400 \times 2870) = 0.85 \times 415, A_s = 2351.33 \text{ mm}^2$$

Provide 5 no's of 28 mm dia bars ($A_{st} = 3078.76 \text{ mm}^2$)

Step 7 – Connection between counterfort and stem

$$\text{Pressure intensity @ base} = 30.39 \text{ kN/m}^2$$

Consider the bottom 1 m height of stem,

$$\text{Lateral pressure transferred} = 30.39 \times (3.15 - 0.2) \times 1 = 89.65 \text{ kN}$$

$$\text{Factored force} = 1.5 \times 89.65 = 134.48 \text{ kNm}$$

$$\begin{aligned} \text{Reinforcement required per metre length} &= F/0.87f_y = (134.48 \times 10^3)/(0.87 \times 415) \\ &= 372.47 \text{ mm}^2 \end{aligned}$$

$$\text{Minimum } A_{st} = 0.12\% b D = 540 \text{ mm}^2,$$

$$\text{Provide 10 mm dia bars, Spacing} = (1000 \times (\pi/4) \times 10^2) / 540 = 145.44 = 140 \text{ mm}$$

$$\text{Provided } A_{st} = (1000 \times (\pi/4) \times 10^2) / 140 = 561 \text{ mm}^2$$

Provide 10 mm dia bars @ 140 mm c/c for connection between counterfort & stem

Step 8 – Connection between counterfort and heel slab

Pressure intensity @ base = 41.49 kN/m²

Consider the bottom 1 m height of stem,

Lateral pressure transferred = 41.49 x (3.15-0.2) x 1 = 122.4 kN

Factored force = 1.5 x 122.4 = 183.6 kNm

Reinforcement required per metre length = $F/0.87f_y = (183.6 \times 10^3)/(0.87 \times 415)$
= 508.52 mm²


Minimum $A_{st} = 0.12\% b D = 540 \text{ mm}^2$,

Provide 10 mm dia bars, Spacing = $(1000 \times (\pi/4) \times 10^2) / 540 = 145.44 = 140 \text{ mm}$


Provided $A_{st} = (1000 \times (\pi/4) \times 10^2) / 140 = 561 \text{ mm}^2$

Provide 10 mm dia bars @ 140 mm c/c for connection between counterfort & heel slab

COUNTERFORT RETAINING WALL




SECTIONAL ELEVATION AT MIDWAY
OF COUNERFORT



SECTIONAL ELEVATION AT MIDWAY
OF COUNERFORT

All dimensions are in mm
M20 Grade Concrete
Fe 415 Grade steel

COUNTERFORT RETAINING WALL



SECTIONAL PLAN AT BASE OF COUNTERFORT

All dimensions are in mm
M20 Grade Concrete
Fe 415 Grade steel

Unit II - Flat Slabs and Bridges

Design of Flat slabs with and without drops by Direct Design Method of IS Code - Design and Drawing - IRC Specifications and Loading - RC solid slab bridge - Steel Foot over Bridge - Design and Drawing

Design of Flat slab

Definition

A flat slab is a reinforced concrete slab supported directly over columns without beam. Generally used when headroom is limited and hence used in large industrial structures, warehouses, high rise buildings and hotels.


Advantages

- Reduces overall height of structure
- Flat slab are capable of carrying concentrated loads
- Requires less formwork.
- Better appearance, quality control, fire resistant.

Types of Flat Slab


The different types of flat slab are

- Slab without drops and column without column head




- Slab without drop and column with column head

The column is widened at its head to reduce punching shear in slab. The widened portion is called column head.




→ Slab with drop and column with column head



Moments in the slabs are more near the column. Hence the slab is thickened near the columns by providing drops.

Panel Divisions

Panel is that part of the slab bounded on each of its sides by centre line of columns or centre line of adjacent spans.



Column strip is a design strip having a width of $0.25l_2$ but not greater than $0.25l_1$, where ' l_1 ' is span in direction moments are being determined, measured c/c of supports and ' l_2 ' is span in transverse direction to l_1 , measured c/c of supports (IS 456 - Pg 53)

Middle strip means a design strip bounded on each of its opposite sides by column strip (IS 456 Pg 53)

Proportioning of flat slabs

→ Drops - Length of drop = $\frac{1}{3}$ × Panel length in that direction

- width of drop = $\frac{1}{2}$ × Panel length

→ Column head - $\frac{1}{2}$ × Column strip

→ Thickness of slab - If drops are provided

$$(\text{span} / \text{eff depth ratio}) = 40 \text{ (mild steel)}$$

$$= 32 \text{ (Fe 415 (or) Fe 500)}$$

- If drops are not provided

$$= 40 \times 0.9 = 36 \text{ (mild steel)}$$

$$= 32 \times 0.9 = 28.8$$

Thickness should not be less than 125 mm (IS 456 - Pg 53 31.2.1)

Determination of BM & SF

1) Direct design method

2) Equivalent frame method

3) Direct design method

$$\text{Total moment (sum of +ve and -ve), } M_0 = \frac{wL_n}{8} \text{ (IS Pg 55 - 31.4.2.2)}$$

where, M_0 → Total moment

w → Design load on area $L_2 \times L_n$

L_n → Clear span extending face to face of columns $\neq 0.65L_1$

L_1 → Length of span in direction of M_0

L_2 → Length of span transverse to L_1

Distribution of moments

In interior span (IS 456 - Pg 55 - 31.4.3.2)

Negative design moment - $0.65 M_0$

Positive " " " " - $0.35 M_0$

Along Column strip and middle strip (IS 456
31.5.5.1, 31.5.5.3
31.5.5.4(5))

Moment	Column strip	Middle strip
-ve	75% of total -ve moment	Moment not resisted by column strip
+ve	60% of total +ve moment	"

Check for Shear

$$\tau_v = \frac{V}{b_0 d} \quad (\text{IS 456 - Pg 57 - 31.6.2.1})$$

where V = Shear force to be resisted

b_0 = Periphery of critical section

d = Effective depth

Permissible shear stress = $k_s \tau_c$ (IS 456 - Pg 58 - 31.6.3.1)

where $k_s = 0.5 + \beta_c \leq 1$ where β_c = Ratio of short to long side of column

$$\tau_c = 0.25 \sqrt{f_{ck}}$$

Reinforcement

$$M_u = 0.87 f_y A_{st} d \left[1 - \frac{A_{st} f_y}{b d f_{ck}} \right] \quad (\text{IS 456 - Pg 96 9.1.1(b)})$$

where f_y = strength of reinforcement

d = Effective depth

A_{st} = Area of tension reinforcement

b = width

f_{ck} = Compressive strength of concrete

P6) Design an interior panel of a flat slab of size $5m \times 5m$ without providing drop and column head. Size of column is $500 \times 500mm$ and line load on the panel is $4kN/m^2$. Take floor-finishing load as $1kN/m^2$. Use M20 concrete and Fe415 steel.

Solution

Step 1 - Thickness of slab

Drops are not provided, thickness is given by

$$\frac{\text{Span}}{\text{Effective depth}} = 32 \times 0.9 = 28.8$$

Effective depth

$$\frac{5000}{d} = 28.8$$

d

$$\Rightarrow d = 173.61mm \approx 175mm < 125mm \text{ (IS Pg 53-31.2.1)} \\ 456$$

$$\text{Overall depth} = d + \text{cover} = 175 + 25 = 200mm$$




Step 2 - Panel dimensions

$$\text{Length of panel} = \text{width of panel} = 5\text{m}$$

$$l_1 = l_2 = 5\text{m}$$

$$\begin{aligned} \text{width of column strip} &= 0.25l_2 \neq 0.25l_1, \text{ (IS 456-1953)} \\ &= 0.25 \times 5 = 1.25\text{m} \text{ on each side of} \\ &\quad \text{column centre line} \end{aligned}$$

$$\begin{aligned} \text{width of middle strip} &= l_1 - 1.25 - 1.25 \\ &= 5 - 1.25 - 1.25 \\ &= 2.5\text{m} \end{aligned}$$



$$\text{Clear span, } l_n = 5 - \frac{0.5}{2} - \frac{0.5}{2} = 4.5\text{m}$$

Step 3 - Loads

$$\text{Self weight of slab} = 0.20 \times 25 \text{ kN/m}^3 = 5 \text{ kN/m}^2$$

$$\text{Live load} = 4 \text{ kN/m}^2$$

$$\text{Finishing load} = 1 \text{ kN/m}^2$$

$$\text{Total working load} = 10 \text{ kN/m}^2$$

$$\text{Total factored load} = 1.5 \times 10 = 15 \text{ kN/m}^2$$

Step 4 Moments

$$\text{Total moment, } M_0 = \frac{w l_n}{8} \quad (\text{IS Pg 55} - 31.4 \cdot 2.2)$$

where w = Design load on area l_n

$l_2 =$ span in transverse direction to $l_1 = 5m$

$$l_n \Rightarrow \text{clear span} = l_1 - \frac{\text{col. dia}}{2} - \frac{\text{col. dia}}{2}$$

$$= 5 - \frac{0.5}{2} - \frac{0.5}{2}$$

$$= 4.5m$$

$$W = 15 \times 5 \times 4.5 = 337.5 \text{ kN}$$

$$M_0 = \frac{337.5 \times 4.5}{8}$$

In interior span

$$M_0 = 189.84 \text{ kNm}$$

The total design moment shall be distributed in foll.

proportions, (IS Pg 55 - 31.4.3.2)
456

$$\text{Negative design moment} = 0.65 \times 189.84 = 123.40 \text{ kNm}$$

$$\text{Positive design moment} = 0.35 \times 189.84 = 66.44 \text{ kNm}$$

The BM is distributed across column strip (IS 456 -

Pg 57 - 31.5.5.1 & 31.5.5.3) and middle strip (IS 456 -

31.5.5.4(a)) as below.

Moment	Column strip (kNm)	Middle strip (kNm)
-ve	$0.75 \times 123.40 = 92.55$	$0.25 \times 123.40 = 30.85$
+ve	$0.6 \times 66.44 = 39.86$	$0.4 \times 66.44 = 26.58$

Check for limiting moment

$$M_{ulim} = 0.138 f_{ck} b d^2 \quad (\text{SP.16 - Pg 10, Table c for } F_{ck} 45)$$

where $b =$ width of column strip = ~~2500~~ mm

$$d = 175 \text{ mm}$$

$$f_{ck} = 20 \text{ N/mm}^2$$


$$M_{ulim} = 0.138 \times 20 \times 2500 \times 175^2 = 2.13 \times 10^8 \text{ Nmm} = 211.31 \text{ kNm}$$

All the moments are within limit, hence safe.

Step 5 - Check for shear

(IS 456 - Pg 57-31.6.1)

The critical section for shear is at a distance ' $d/2$ ' from the column face. Hence periphery of critical section around a column is square of size =

$$\text{Column size} + \frac{d}{2} + \frac{d}{2} = 500 + \frac{175}{2} + \frac{175}{2} = 675 \text{ mm}$$


Shear force to be resisted by critical section = Total load on panel - Load on square area

$$= (15 \times 5 \times 5) - (15 \times 0.675 \times 0.675)$$

$$= 368.17 \text{ kN}$$

Shear force/m of perimeter = $\frac{368.17}{4 \times 0.675}$
 $= 136.36 \text{ kN}$

Nominal shear stress, $\tau_v = \frac{V}{b_0 d}$ (IS 456 - Pg 57-31.6-2.1)

$$= \frac{368.17 \times 10^3}{4 \times 675 \times 175}$$

$$\tau_v = 0.78 \text{ N/mm}^2$$

Permissible shear stress = $k_s \tau_c$ (IS 456 - Pg 58-31.6.3.1)

$$k_s = 0.5 + \beta_c \text{ where } \beta_c = \frac{L_1}{L_2} = \frac{5}{5} = 1$$

$$= 0.5 + 1$$

$$= 1.5 \neq 1$$

$$\therefore k_s = 1.0$$

$$z_c = 0.25 \sqrt{f_{ck}} = 0.25 \times \sqrt{20} = 1.12 \text{ N/mm}^2$$

$$k_s z_c = 1.0 \times 1.12 = 1.12 \text{ N/mm}^2$$

$$z_v < k_s z_c$$

Hence safe

Step 6 - Reinforcement

(i) Column Strip

For -ve moment $M_u = 92.55 \text{ kNm}$

$$M_u = 0.87 f_y A_{st} d \left[1 - \frac{A_{st} f_y}{b d f_{ck}} \right] \quad \text{IS 456 - Pg 96 - a.1.1(b)}$$

$$92.55 \times 10^6 = 0.87 \times 415 \times A_{st} \times 175 \left[1 - \frac{A_{st} \times 415}{2500 \times 175 \times 20} \right]$$

$$A_{st} = 1583.74 \text{ mm}^2$$

Usually 1000

Provide 12mm dia bars, Spacing = $\frac{2500 \times A_{st}}{A_{st}}$

$$= \frac{2500 \times \frac{\pi}{4} \times 12^2}{1583.74} = 178.53 \text{ mm}$$

∴ Provide 12mm dia bars at 175mm c/c

$$A_{st} \text{ provided} = \frac{2500 \times A_{st}}{\text{spacing}} = \frac{2500 \times \frac{\pi}{4} \times 12^2}{175} = 1615.68 \text{ mm}^2$$

For +ve moment, $M_u = 39.86 \text{ kNm}$

$$39.86 \times 10^6 = 0.87 \times 415 \times A_{st} \times 175 \left[1 - \frac{A_{st} \times 415}{2500 \times 175 \times 20} \right]$$

$$A_{st} = 650.96 \text{ mm}^2$$

Provide 10mm dia bars, Spacing = $\frac{2500 \times \frac{\pi}{4} \times 10^2}{650.96} = 301.63 \text{ mm}$

Spacing should be less than $3d (3 \times 175)$ or 300mm (IS 456 26.3.3(b))

Provide 10mm bars at 300mm c/c

$$A_{st} \text{ provided} = \frac{2500 \times \frac{\pi}{4} \times 10^2}{300} = 654 \text{mm}^2$$

(ii) Middle strip

For -ve moment, $M_{ut} = 30.85 \text{ kNm}$ & for +ve moment

$M_u = 26.58 \text{ kNm}$ (Taking maximum)

$$30.85 \times 10^6 = 0.87 \times 415 \times A_{st} \times 175 \times \left[1 - \frac{A_{st} \times 415}{2500 \times 175 \times 20} \right]$$


$$A_{st} = 500.12 \text{mm}^2$$

Provide 10mm dia bars, Spacing = $\frac{2500 \times \frac{\pi}{4} \times 10^2}{500.12} = 392.6 \text{mm}$

Provide 10mm dia bars at 300mm c/c in

$$\text{Provided } A_{st} = \frac{2500 \times \frac{\pi}{4} \times 10^2}{300} = 654 \text{mm}^2$$

Since span is same in both ³⁰⁰ directions, provide similar ϕ in both direction



13) Design an interior panel of a flat slab with panel size $6 \times 6\text{m}$ supported by columns of size $500\text{mm} \times 500\text{mm}$. Provide suitable drop. Take live load as 4kN/m^2 . Use M20 grade concrete and Fe 415 steel.

Solution

Step 1 - Thickness of slab

Drops are provided, thickness is given by,

$$\frac{\text{Span}}{\text{Effective depth}} = 32$$

Effective depth

$$\frac{6000}{d} = 32$$

$$\Rightarrow d = 187.5\text{mm} \approx 190\text{mm} \quad (\text{IS 456-1953 } 31.2.1) < 125\text{mm}$$

$$\text{Overall depth} = 190 + 30 = 220\text{mm}$$

$$\text{Depth of slab at drop} = 220 + 50 = 270\text{mm}$$

Step 2 - Panel dimensions


$$\text{Length of panel} = \text{Width of panel} = 6\text{m}$$

$$l_1 = l_2 = 6\text{m}$$

$$\text{Width of column strip} = 0.25l_2 \neq 0.25l_1$$

$$= 0.25 \times 6$$

$$= 1.5\text{m on each side of column}$$



Center line

$$\text{width of middle strip} = 6 - 1.5 - 1.5$$

$$= 3\text{m}$$

$$\text{Clear span, } l_n = 6 - \frac{0.5}{2} - \frac{0.5}{2}$$

$$= 5.5\text{m}$$

Step 3 - Size of drop

$$\text{Length of drop} = \frac{1}{3} \times \text{Panel length}$$

$$= \frac{1}{3} \times 6$$

$$= 2\text{m}$$

However keep length of drop equal to column strip (3m)

\therefore Provide drop of size 3m x 3m

Step 4 - Loads

$$\text{Self weight of slab} = 0.27 \times 25 = 6.75 \text{ kN/m}^2$$

$$\text{Live load} = 4 \text{ kN/m}^2$$

$$\text{Finishing load} = 1 \text{ kN/m}^2$$

$$\text{Total working load} = 11.75 \text{ kN/m}^2$$

$$\text{Total factored load} = 1.5 \times 11.75 = 17.63 \text{ kN/m}^2$$

Step 5 - Moments

$$\text{Total moment, } M_o = \frac{w l_n^2}{8}$$

where w = Design load on area l_n

$$l_n = 6 - \frac{0.5}{2} - \frac{0.5}{2} = 5.5\text{m}$$

$$w = 17.63 \times 6 \times 5.5$$

$$= 581.79 \text{ kN}$$

$$\text{Total moment, } M_o = \frac{581.79 \times 5.5^2}{8} = 399.98 \approx 400 \text{ kN}$$

In interior span, the total design moment shall be distributed in foll. proportions (IS 456 Pg 55-31.4.3.2)

$$\text{Negative design moment} = 0.65 \times 400 = 260 \text{ kNm}$$

$$\text{Positive design moment} = 0.35 \times 400 = 140 \text{ kNm}$$

The BM is distributed across column strip (IS 456 Pg 57-31.5.5.1 + 21.5.5.3) and middle strip (IS 456 - Pg 57-31.5.5.4(9)) as below,

Moment	Column Strip (kNm)	Middle Strip (kNm)
-ve	$0.75 \times 260 = 195$	$0.25 \times 260 = 65$
+ve	$0.6 \times 140 = 84$	$0.4 \times 140 = 56$

Check for limiting moment

$$M_{ulim} = 0.138 f_c b d^2 \quad (\text{SP16 - Pg 107 Table c for } F_{ck} 20)$$

$$\text{where } b = \text{width of column strip} = 3000 \text{ mm}$$

$$d = 270 - 30 = 240 \text{ mm}$$

$$M_{ulim} = 0.138 \times 20 \times 3000 \times 240^2 = 4.769 \times 10^8 \text{ Nmm}$$

$$= 476.928 \text{ kNm}$$

All the moments are within limit, hence safe.

Step 6 - Check for shear

The critical section for shear is at a distance $d/2$ from the column face. Hence periphery of critical section

around a column is square of size = Column size + $\frac{d}{2}$ + $\frac{d}{2}$



$$= 500 + \frac{240}{2} + \frac{240}{2}$$

$$= 740 \text{ mm}$$

Shear force to be resisted by critical section = Total load on Panel - load on square area

$$= (17.63 \times 6 \times 6) - (17.63 \times 0.74 \times 0.74)$$

$$= 625.026 \text{ kN}$$

$$\text{Nominal shear stress, } \tau_v = \frac{V}{b_d} \quad (\text{IS 456 - Pg 57 - 31.6.2.1})$$

$$= \frac{625.026 \times 10^3}{4 \times 740 \times 240}$$

$$\tau_v = 0.88 \text{ N/mm}^2$$

$$\text{Permissible shear stress} = k_s \tau_c \quad (\text{IS 456 - Pg 58 - 31.6.3.1})$$

$$k_s = 0.5 + \beta_c \quad \text{where } \beta_c = \frac{L_1}{L_2} = \frac{6}{6} = 1$$

$$= 0.5 + 1$$

$$= 1.5 > 1$$

$$k_s = 1$$

$$\tau_c = 0.25 \sqrt{f_{ck}} = 0.25 \sqrt{20} = 1.12 \text{ N/mm}^2$$

$$k_s \tau_c = 1 \times 1.12 = 1.12 \text{ N/mm}^2$$

$$\tau_v < k_s \tau_c$$

Hence safe.

Step 7 - Reinforcement

(i) Column strip

$$\text{For -ve moment, } M_u = 195 \text{ kNm, } d = 240 \text{ mm}$$

$$M_u = 0.87 f_y A_{st} d \left[1 - \frac{A_{st} f_y}{b d f_{ck}} \right]$$

$$195 \times 10^6 = 0.87 \times 415 \times A_{st} \times 240 \times \left[1 - \frac{A_{st} \times 415}{3000 \times 240 \times 20} \right]$$

$$A_{st} = 2419.023 \text{ mm}^2$$

Provide 12mm dia bars, spacing = $\frac{3000 \times \frac{\pi}{4} \times 12^2}{2419.023} = 140.26\text{mm}$

Provide 12mm dia @ 140 mm c/c

Provided $A_{st} = \frac{3000 \times \frac{\pi}{4} \times 12^2}{140} = 2423.514 \text{ mm}^2$

For the moment, $M_u = 84 \text{ kNm}$, $d = 190\text{mm}$

$$84 \times 10^6 = 0.87 \times 415 \times A_{st} \times 190 \times \left[1 - \frac{A_{st} \times 415}{3000 \times 190 \times 20} \right]$$

$$A_{st} = 1284.569 \text{ mm}^2$$

Provide 10mm dia bars, spacing = $\frac{3000 \times \frac{\pi}{4} \times 10^2}{1284.569} = 183.42 \text{ mm}$

Provide 10mm dia @ 180 mm c/c

Provided $A_{st} = \frac{3000 \times \frac{\pi}{4} \times 10^2}{180} = 1308.997 \text{ mm}^2$

(ii) Middle strip

For -ve moment, $M_u = 65 \text{ kNm}$, $d = 190\text{mm}$ (there is no drop)

$$65 \times 10^6 = 0.87 \times 415 \times A_{st} \times 190 \times \left[1 - \frac{A_{st} \times 415}{3000 \times 190 \times 20} \right]$$

$$A_{st} = 982.682 \text{ mm}^2$$

Provide 10mm dia bars, spacing = $\frac{3000 \times \frac{\pi}{4} \times 10^2}{982.682} = 239.77\text{mm}$

Provide 10mm dia bars at 230mm c/c

Provided $A_{st} = \frac{3000 \times \frac{\pi}{4} \times 10^2}{230} = 1024.402 \text{ mm}^2$


For the moment, $M_u = 56 \text{ kNm}$, $d = 190\text{mm}$ (there is no drop)

$$56 \times 10^6 = 0.87 \times 415 \times A_{st} \times 190 \times \left[1 - \frac{A_{st} \times 415}{3000 \times 190 \times 20} \right]$$


$$A_{st} = 842.15 \text{ mm}^2$$

Provide 10mm dia bars, Spacing = $\frac{3000 \times \frac{\pi}{4} \times 10^2}{842.15} = 279.783 \text{ mm}$


Provide spacing, 270 mm ,
 Provided $A_{st} = \frac{3000 \times \frac{\pi}{4} \times 10^2}{270} = 872.665 \text{ mm}^2$



Plan



Section along C_1-C_2 (Column Strip)



Section along M_1-M_2 (Middle Strip)

Pb) Design the interior panel of a flat slab $5.6\text{m} \times 6.6\text{m}$ in size, for a superimposed load of 7.75 kN/m^2 . Provide two way reinforcement. Use M20 concrete and Fe 415 steel. Use M20 concrete and Fe 415 steel.

Solution

Step 1 - Thickness of slab

Drops are provided, thickness is given by,

$$\frac{\text{Span}}{\text{Effective depth}} = 32$$

Effective depth

Taking maximum dimension, $\frac{6600}{d} = 32$

$$d = 206.25\text{ mm} \approx 210\text{ mm}$$

$$\text{Overall depth} = d + \text{cover} = 210 + 15 = 225\text{ mm}$$

$$\text{Depth of slab at drop} = 225 + 50 = 275\text{ mm}$$

Step 2 - Panel dimensions

Length of panel, $L = l_1 = 6.6\text{ m}$; Width of panel, $B = l_2 = 5.6\text{ m}$

Along length

$$\text{Width of column strip} = 0.25 l_2 \neq 0.25 l_1$$

$$= 0.25 \times 5.6 \neq 0.25 \times 6.6$$

$$= 1.4\text{ m on either side of column center line}$$

$$\text{Width of middle strip} = 6.6 - 1.4 - 1.4 = 3.8\text{ m}$$

Along width


$$\text{Width of column strip} = 0.25 l_2 \neq 0.25 l_1$$

$$= 0.25 \times 6.6 \neq 0.25 \times 5.6$$

= 1.4m on either side of column centre line

Width of middle strip = $5.6 - 1.4 - 1.4$

= 2.8m



Step 3 - Size of drop

Along length

Length of drop = $\frac{1}{3} \times \text{Panel length} = \frac{1}{3} \times 6.6 = 2.2\text{m}$

However keep length of drop equal to column strip (2.8m)

∴ Provide drop of size 2.8m x 2.8m

Along width

Length of drop = $\frac{1}{3} \times \text{Panel length} = \frac{1}{3} \times 5.6 = 1.867\text{m}$

However keep length of drop equal to column strip (2.8m)

∴ Provide drop of size 2.8m x 2.8m

Step 4 - loads

Self weight of slab = $0.275 \times 25 = 6.875 \text{ kN/m}^2$

live load = 7.75 kN/m^2

$$\text{Total working load} = 14.625 \text{ kN/m}^2$$

$$\text{Total factored load} = 1.5 \times 14.625 = 21.94 \text{ kN/m}^2$$

Step 5 - Moments along longer span

Let the column have a column head of diameter one fifth of average span.

$$\text{Average span} = \frac{1}{2}(L+B) = \frac{1}{2}(6.6 + 5.6) = 6.1 \text{ m}$$

$$\text{Column head (dia)} = \frac{1}{5} \times 6.1 = 1.22 \text{ m, Assume height of column}$$

$$\text{Total moment, } M_0 = \frac{w l_n}{8} \quad \left\{ \begin{array}{l} \text{head as } 500 \text{ mm, column} \\ \text{diameter as } 400 \text{ mm} \end{array} \right.$$

where w = Design load on area l_n .

$$\text{Equivalent square, } a^2 = \frac{\pi d^2}{4}$$

$$a^2 = \frac{\pi \times 1.22^2}{4}$$

$$a = \sqrt{\frac{\pi \times 1.22^2}{4}}$$

$$a = 1.08 \text{ m.}$$

$$l_n = 6.6 - \frac{1.08}{2} - \frac{1.08}{2} = 5.52 \text{ m}$$

$$w = 21.94 \times 5.6 \times 5.52$$

$$= 678.21 \text{ kN}$$

$$\text{Total moment, } M_0 = \frac{678.21 \times 5.52}{8} = 467.96 \text{ kNm}$$

In interior span, the total design moment shall be distributed in full proportions (IS 456 Pg 55 - 31.4.3.2)

$$\text{Negative design moment} = 0.65 \times 467.96 = 304.17 \text{ kNm}$$

$$\text{Positive design moment} = 0.35 \times 467.96 = 163.79 \text{ kNm}$$

The BM is distributed across column strip (IS 456

Pg 57 - 31.5.5.1, 31.5.5.3) and middle strip (IS 456 - Pg 57 - 31.5.5.4)

as below,

Moment	Column Strip (kNm)	Middle strip (kNm)
-ve	$0.75 \times 304.17 = 228.13$	$0.25 \times 304.17 = 76.04$
+ve	$0.6 \times 163.79 = 98.27$	$0.4 \times 163.79 = 65.52$

Step 6 - Moments along shorter span

$$\text{Total moment, } M_0 = \frac{w l_n^2}{8}$$

Where w = Design load on area l_1, l_{n_b}

$$l_{n_b} = l_2 - \frac{1.08}{2} - \frac{1.08}{2}$$

$$= 5.6 - \frac{1.08}{2} - \frac{1.08}{2}$$

$$= 4.52 \text{ m}$$

$$\therefore w = 21.74 \times 6.6 \times 4.52$$

$$= 654.51 \text{ kN}$$

$$\text{Total moment, } M_0 = \frac{654.51 \times 4.52^2}{8} = 369.8 \text{ kNm}$$

Design moment is distributed as,

$$\text{Negative design moment} = 0.65 \times 369.8 = 240.37 \text{ kNm}$$

$$\text{Positive design moment} = 0.35 \times 369.8 = 129.43 \text{ kNm}$$

Moment distribution across column and middle strip,

Moment	Column Strip (kNm)	Middle Strip (kNm)
-ve	$0.75 \times 240.37 = 180.28$	$0.25 \times 240.37 = 60.09$
+ve	$0.6 \times 129.43 = 77.66$	$0.4 \times 129.43 = 51.77$

Check for limiting moment

$$M_{lim} = 0.138 f_{ck} b d^2$$

Where b = width of column strip = 2800mm

$$d = 275 - 15 = 250 \text{ mm}$$

$$M_{lim} = 0.138 \times 20 \times 2800 \times 250^2 = 4.83 \times 10^8 \text{ Nmm}$$

$$= 483 \text{ kNm, Hence safe}$$

Step 7 - Check for shear


The critical section for shear is at a distance $d/2$ from

face of drop. Hence periphery of critical section is square of

$$\text{size} = 2800 + \frac{d}{2} + \frac{d}{2}$$

$$= 2800 + \frac{250}{2} + \frac{250}{2}$$

$$= 3050 \text{ mm}$$



Shear force to be resisted = Shear force on panel - Shear force on square area

$$= (21.94 \times 6.6 \times 5.6) - (21.94 \times 3.05 \times 3.05)$$

$$= 606.806 \text{ kN}$$

Nominal shear stress, $\tau_v = \frac{V}{b_o d}$

$$= \frac{606.806 \times 10^3}{4 \times 3050 \times 250}$$

$$= 0.199 \text{ N/mm}^2$$

$$\tau_v = 0.199 \text{ N/mm}^2$$

$$\text{Permissible shear stress} = k_s \tau_c$$

$$k_s = 0.5 + \beta_c \text{ where } \beta_c = \frac{L_1}{L_2} = \frac{6.6}{5.6} = 1.179$$

$$k_s = 0.5 + 1.179 = 1.679 > 1$$

$$\therefore k_s = 1, \tau_c = 0.25 \sqrt{f_{ck}} = 0.25 \times \sqrt{20} = 1.12 \text{ N/mm}^2$$

$$k_s \tau_c = 1 \times 1.12$$


$$= 1.12 \text{ N/mm}^2$$

$$\tau_v < k_s \tau_c$$

Hence safe

The critical section is at a distance $d/2$ from column head.

$$\begin{aligned} \text{Diameter} &= 1.22 + \frac{0.25}{2} + \frac{0.25}{2} \\ &= 1.45 \text{ m} \end{aligned}$$



$$\text{Shear force to be resisted} = (21.94 \times 6.6 \times 5.6) -$$

$$\left(21.94 \times \frac{\pi \times 1.45^2}{4} \right)$$

$$= 774.673 \text{ kN}$$

$$\text{Nominal shear stress, } \tau_v = \frac{V}{b_o d}$$

$$\text{where } b_o = \text{circumference} = \pi \times d = \pi \times 1.45$$

$$\therefore \tau_v = \frac{774.673 \times 10^3}{\pi \times 1.45 \times 250}$$

$$= 0.68 \text{ N/mm}^2 < k_s \tau_c$$

Step 8 - Reinforcement along longer span

(i) Column strip

For -ve moment, $M_u = 228.13 \text{ kNm}$, $d = 225 \text{ mm}$, $b = 2800 \text{ mm}$

$$M_u = 0.87 f_y A_{st} d \left[1 - \frac{f_y A_{st}}{b d f_k} \right]$$

$$228.13 \times 10^6 = 0.87 \times 415 \times A_{st} \times 225 \times \left[1 - \frac{415 \times A_{st}}{2800 \times 225 \times 20} \right]$$

$$A_{st} = 3131.14 \text{ mm}^2$$

Provide 12 mm dia bars, spacing = $\frac{2800 \times \pi \times 12^2}{4 \times 3131} = 163.956 \text{ mm}$

Provide 12 mm dia bars @ 160 mm c/c

$$\text{Provided } A_{st} = \frac{2800 \times \pi \times 12^2}{4 \times 160} = 3208.564 \text{ mm}^2$$

For +ve moment, $M_u = 98.27 \text{ kNm}$, $d = 210 \text{ mm}$, $b = 2800 \text{ mm}$

$$98.27 \times 10^6 = 0.87 \times 415 \times A_{st} \times 210 \times \left[1 - \frac{415 \times A_{st}}{2800 \times 210 \times 20} \right]$$

$$A_{st} = 1361.503 \text{ mm}^2$$

Provide 10 mm dia bars, spacing = $\frac{2800 \times \pi \times 10^2}{4 \times 1361.503} = 161.52 \text{ mm}$

Provide 10 mm dia bars @ 160 mm c/c

$$\text{Provided } A_{st} = \frac{2800 \times \pi \times 10^2}{4 \times 160} = 1374.447 \text{ mm}^2$$

(ii) Middle strip

For -ve moment, $M_u = 76.04 \text{ kNm}$ and for +ve moment,

$M_u = 65.52 \text{ kNm}$, $d = 210 \text{ mm}$, $b = 2800 \text{ mm}$

$$76.04 \times 10^6 = 0.87 \times 415 \times A_{st} \times 210 \times \left[1 - \frac{415 \times A_{st}}{2800 \times 210 \times 20} \right]$$

$$A_{st} = 1041.148 \text{ mm}^2$$

Provide 10mm dia bars, Spacing = $\frac{2800 \times \pi \times 10^2}{4} = 211.22 \text{ mm}$
 $\frac{1041.148}{5} = 208.23 \text{ mm}$

Provide 10mm dia bars @ 200mm c/c

$$A_{st} \text{ provided} = \frac{2800 \times \pi \times 10^2}{4} = 1099.56 \text{ mm}^2$$

Step 8 - Reinforcement along short span

(i) Column strip

For -ve moment, $M_u = 180.28 \text{ kNm}$, $d = 225 \text{ mm}$, $b = 2800 \text{ mm}$

$$180.28 \times 10^6 = 0.87 \times 415 \times \frac{A_{st}}{225} \times \left[1 - \frac{415 \times A_{st}}{2800 \times 225 \times 20} \right]$$

$$A_{st} = 2410.6 \text{ mm}^2$$

Provide 12mm dia bars, Spacing = $\frac{2800 \times \pi \times 12^2}{4} = 131.367 \text{ mm}$
 $\frac{2410.6}{18.36} = 131.367 \text{ mm}$

Provide 12mm dia bars @ 130mm c/c

$$A_{st} \text{ provided} = \frac{2800 \times \pi \times 12^2}{4} = 2435.943 \text{ mm}^2$$

For +ve moment, $M_u = 77.66 \text{ kNm}$, $d = 210 \text{ mm}$, $b = 2800 \text{ mm}$

$$77.66 \times 10^6 = 0.87 \times 415 \times 210 \times A_{st} \times \left[1 - \frac{415 \times A_{st}}{2800 \times 210 \times 20} \right]$$

$$A_{st} = 1064.229 \text{ mm}^2$$

Provide 10mm dia bars, Spacing = $\frac{2800 \times \pi \times 10^2}{4} = 206.639 \text{ mm}$
 $\frac{1064.229}{5.15} = 206.639 \text{ mm}$

Provide 10mm dia @ 200mm c/c

$$A_{st} \text{ provided} = \frac{2800 \times \pi \times 10^2}{4} = 1099.56 \text{ mm}^2$$

(ii) Middle Strip

For -ve moment, $M_u = 60.09 \text{ kNm}$ and +ve moment, $M_u = 51.77 \text{ kNm}$

$d = 210 \text{ mm}$, $b = 2800 \text{ mm}$



$$60.09 \times 10^6 = 0.87 \times 415 \times A_{st} \times 210 \times \left[1 - \frac{415 \times A_{st}}{2800 \times 210 \times 20} \right]$$

$$A_{st} = 816.029 \text{ mm}^2$$


Provide 10mm dia bars, spacing = $\frac{2800 \times \pi \times 10^2}{4} = 267.49\text{mm}$

Provide 10mm dia bars at 260mm c/c

$$A_{st} \text{ provided} = \frac{2800 \times \pi \times 10^2}{4} = 845.813\text{mm}^2$$



Section along column strip (C1L, C2L) - longer span



Section along middle strip (M1E, M2E) - longer span

Ex No. 6

RCC DECK SLAB (or) SLAB CULVERT

DATE:

AIM

Design a RCC culvert for a national highway to suit following data carriage way = 7.5 m wide, foot path = 1m on either side, clear span = 7m take loading IRC class AA tracked vehicle. Sketch the details of reinforced in the longitudinal and cross section of the slab.

DESIGN DATA

Clear span = 7 m

Wearing coat = 80mm thk (Assume)

Width of carriage way = 7.5m (2 lane)

Width of foot path = 1m (on either side)

Grade - M25 & Fe 415

Codes - IS 456 & IRC 21

IRC 21-2000, $\sigma_{cbc} = 8.33 \text{ N/mm}^2$, Table 9.

Slabs	Grade			
	M15	M20	M25	M30
Unrepaired				
Distress				
FC slab		8.33		

Step 1 - Permissible stresses

Permissible flexural compressive stress, $\sigma_{cbc} = 8.33 \text{ N/mm}^2$ (IS 21 - 2000, Table 9)

Permissible stress in steel, $\sigma_{st} = 200 \text{ N/mm}^2$ (IS 21 - 2000, Table 10)

$$m = 280/3 \sigma_{cbc} = 280/(3 \times 8.33) = 11.2$$

$$k = 1/[1 + (\sigma_{st}/m \sigma_{cbc})] = 0.32$$

$$j = 1 - k/3 = 0.89$$

$$Q = 0.5 \sigma_{cbc} k j = 1.19$$

Bar grade	Type of stress	Permissible stress
Fe 240	Tension in flexure	125
Fe 415	shear, bending	200
Fe 500		240

Step 2 - Depth of slab

Deck slab thk = 80mm/m of span = $80 \times 7 = 560 = 600 \text{ mm}$

Effective thk = $600 - 25 - (25/2) = 562.5 \text{ mm}$

Width of bearing = 400mm

Effective span

c/c of support = $7 + 0.4 = 7.4$

Clear span + d = $7 + 0.5625 = 7.5625$

Effective span = 7.4 m

Step 3 - Dead Load BM & SF

Self weight of slab = $0.6 \times 25 = 15 \text{ kN/m}^2$

Self weight of wearing coat = $0.08 \times 22 = 1.76 \text{ kN/m}^2$

Total DL = 16.76 kN/m^2

DL BM = $Wl^2/8 = 114.722 \text{ kNm}$

DL SF = $Wl/2 = 62.012 \text{ kN}$

Step 4 - Live Load BM

Effective length

Effective length = $3.6 + (2 \times (0.6 + 0.08)) = 4.96$

Effective width


Effective width, $b_e = kx(1-x/L) + b_w$ *IS 21 - Pg 52*

Maximum BM occurs at centre of span, $x = 7.4/2 = 3.7 \text{ m}$

$L = 7.4 \text{ m}$, $B = 7.5 + 1 + 1 = 9.5 \text{ m}$, For $B/L = 1.284$, $k = 2.707$ (IRC 21, Pg 53 - Simply supported slab)

$b_w = \text{Wheel base} + (2 \times \text{wearing coat}) = 0.85 + (2 \times 0.08) = 1.01 \text{ m}$

Substituting the values, Effective width, $b_e = 6.018 \text{ m}$



Net Effective width = $2.625 + 2.05 + (6.018/2) = 7.684 \text{ m}$

Load

Load for IRC class AA tracked vehicle = 700 kN

Impact factor for 7.4 m span = 16% (IRC 6 - Pg 16) *- Pg 22 - 211.3*

Load with impact = $700 \times 1.16 = 812 \text{ kN}$


Average intensity of load = $812 / (7.684 \times 4.96) = 21.305 \text{ kN/m}^2$

Bending Moment

Total downward load = $21.305 \times 4.96 = 105.673 \text{ kN}$


Reaction = $105.673 / 2 = 52.537 \text{ kN}$

BM @ centre = $(52.537 \times 3.7) - (21.305 \times 2.48 \times (2.48/2)) = 128.87 \text{ kNm}$



B/L	sb	Const.
1.2	2.64	2.40
1.284	2.72	2.48


$$2.64 + \left(\frac{2.72 - 2.64}{1.3 - 1.2} \right) \times (1.284 - 1.2)$$




$$\begin{aligned} T_{0 \text{ km}} &= 70 \times 10^3 \text{ kg} \\ &= 70 \times 10^3 \times 10 \\ &= 700 \text{ kN} \end{aligned}$$

For span less than 7m - Tracked vehicle

25' span up to 5m
10' 9m



$$25 - \left(\frac{25 - 10}{9 - 5} \right) \times (9.4 - 5)$$



Step 5 – Live Load SF

Effective length

$$\text{Effective length} = 3.6 + (2 * (0.6 + 0.08)) = 4.96$$

Effective width


$$\text{Effective width, } b_e = kx(1-x/L) + b_w$$

Maximum SF occurs at support, $x = 4.96/2 = 2.48$ m

$L = 7.4$ m, $B = 7.5 + 1 + 1 = 9.5$ m, For $B/L = 1.284$, $k = 2.707$ (IRC 21, Pg 53 – Simply supported slab)

$$b_w = \text{Wheel base} + (2 * \text{wearing coat}) = 0.85 + (2 * 0.08) = 1.01 \text{ m}$$

Substituting the values. Effective width, $b_e = 5.473$ m



$$\text{Net Effective width} = 2.625 + 2.05 + (5.473/2) = 7.412 \text{ m}$$

Load


Load for IRC class AA tracked vehicle = 700 kN

Impact factor for 7.4 m span = 16% (IRC 6 – Pg 16)

$$\text{Load with impact} = 700 * 1.16 = 812 \text{ kN}$$

$$\text{Average intensity of load} = 812 / (7.412 * 4.96) = 22.087 \text{ kN/m}^2$$

Shear force



Total downward load = ~~22.087~~ * 4.96 = ~~105.673~~ kN 109.55 kN

Reactions $R_B = 36.715$ kN & $R_A = 72.837$ kN

SF @ support = 72.837 kN

Step 6 - Design of deck slab

Main reinforcement

Total Moment = Dead load moment + Live load moment = 114.722 + 128.87 = 243.592 kNm

Hence safe $d = \sqrt{\frac{M}{Q_b}} = \sqrt{\frac{243.592 \times 10^6}{114 \times 1000}} = 452.437$ mm < 562.5 mm. Hence safe

Provide 25 mm dia bars, $S = [1000 * (\pi/4) * 25^2] / 2432.879 = 201.767$ mm

Provide 25 mm dia bars at 200 mm c/c ($A_{st} = 2454.369$ mm²)

$A_{st} = \frac{M}{\sigma_{st} j d} = \frac{243.592 \times 10^6}{200 \times 0.89 \times 562.5} = 2432.879$

Distributor reinforcement

Total Moment = 0.3M_L + 0.2M_D = (0.3 x 128.87) + (0.2 x 114.722) = 61.605 kNm

$A_{st} = \frac{M}{\sigma_{st} j d} = \frac{61.605 \times 10^6}{200 \times 0.89 \times 562.5} = 615.281$ mm²

Provide 12 mm dia bars, $S = [1000 * (\pi/4) * 12^2] / 615.281 = 183.814$ mm

Provide 12 mm dia bars at 180 mm c/c ($A_{st} = 628.319$ mm²)

Step 7 - Check for shear stress

Total Shear = Dead load shear + Live load shear = 62.012 + 72.837 = 134.849 kN

Permissible shear stress for slabs without shear reinforcement is given as

$k_1 = 1.14 - 0.7 d \geq 0.5$

= 1.14 - (0.7 x 0.5625) = 0.746

$k_2 = 0.5 + 0.25 p \geq 1$, $P = \frac{100 A_{st}}{b d} = \frac{100 \times 2454.369}{1000 \times 562.5} = 0.436$

$k_2 = 0.5 + (0.25 \times 0.436) = 0.609 \geq 1 = 1$

$\tau_{c0} = 0.4 \text{ N/mm}^2$

Hence $\tau_c = 0.746 \times 0.436 \times 0.4 = 0.298$ N/mm². Hence $\tau_v < \tau_c$

Also, hence provide minimum shear reinforcement.

Minimum shear reinforcement is given by $A_{sv} / (b * S_v) = 0.4 / (0.87 * f_y)$

$A_{sv} = 2 \times \frac{\pi}{4} \times 10^2 = 157.08$ mm², $\frac{157.08}{1000 \times S_v} = \frac{0.4}{0.87 \times 415}$

$S_v = 141.78$ mm

$\tau_v = \frac{V_u}{b d}$
 $= \frac{134.849 \times 10^3}{1000 \times 562.5}$
 $= 0.24$ N/mm²

Provide 2 legged 10 mm dia stirrups at 140 mm c/c.

Step 8 - Design of kerb


Assuming depth of kerb above deck slab as 300 mm, total depth = $300 + 562.5 = 862.5$ mm, $b = 1000$ mm

At bottom, $A_{st} = \frac{0.85bd}{f_{yt}} = \frac{0.85 \times 1000 \times 862.5}{415} = 1766.56 \text{ mm}^2$ (first path)


Provide 4 No's of 25 mm dia ($A_{st} = 1963.495 \text{ mm}^2$)

At top, $A_{st} = 0.12 \% bd = (0.12/100) \times 1000 \times 300 = 360 \text{ mm}^2$ (top depth = 300 mm)

Provide 4 No's of 12 mm dia ($A_{st} = 482.389 \text{ mm}^2$)



CROSS SECTION OF RC DECK SLAB



LONGITUDINAL SECTION OF RC DECK SLAB

Unit III - Liquid Storage Structures

RCC water tanks - on ground, elevated circular, underground

Rectangular Tanks - Hemispherical Bottomed Steel Water

Tank - Design and Drawing

ii) Concrete Water Tanks

Tanks resting on ground

- 1) Rectangular Water Tank with L/B ratio > 2
- 2) Rectangular Water Tank with L/B ratio < 2
- 3) Circular Water Tank with open top (fixed base)
- 4) Circular Water Tank with open top (flexible base) \otimes
- 5) Circular Water Tank with domical top and flat base
supported on masonry lower (flexible base)
- 6) Circular water tank with domed bottom and top

Tanks resting underground

i) Rectangular water tank

Elevated water tanks

1) Intra type water tank

2) Circular water tank

II) Steel water tanks

1) Hemispherical bottomed steel water tank

Design the sidewalls of a rectangular reinforced concrete water tank of dimensions 6m by 2m and having a maximum depth of 2.5m, using M20 grade concrete and Fe 415 HYSD bars

Rectangular WT with $L/B > 2$

on ground

Given

Size of tank, $L \times B = 6\text{m} \times 2\text{m}$

Depth of tank, $H = 2.5\text{m}$

Materials - M20 grade concrete and Fe 415 HYSD bars

Solution

Step 1 - Permissible Stress

From IS 456-2000 - Table 21,

Permissible stress in direct compression, $\sigma_{cc} = 5\text{N/mm}^2$

Permissible stress in bending compression, $\sigma_{cbc} = 7\text{N/mm}^2$

Permissible stress in steel, $\sigma_{st} = 0.6f_y = 0.6 \times 250$
 $= 150\text{N/mm}^2$

$$m = \frac{280}{3\sigma_{cbc}} = \frac{280}{3 \times 7} = 13.33$$

$$k = \frac{1}{1 + \frac{\sigma_{st}}{m\sigma_{cbc}}} = \frac{1}{1 + \frac{150}{13.33 \times 7}} = 0.38$$

$$j = 1 - \frac{k}{3} = 1 - \frac{0.38}{3} = 0.87$$

$$Q = 0.5\sigma_{cbc}kj = 0.5 \times 7 \times 0.38 \times 0.87 = 1.16$$

Step 2 - Dimensions of tank


$$L = 6\text{m} \quad \text{and} \quad B = 2\text{m}$$

$$\text{Ratio } L/B = 6/2 = 3 > 2$$

Long walls are designed as vertical cantilevers fixed at base and short walls are designed as horizontal slabs between long walls. These horizontal slabs bend horizontally.

Steps - Design of ^{side} long walls (Vertical eff)

$$\begin{aligned} \text{Maximum BM in long walls} &= \left[\frac{1}{2} wH \times H \right] \times \frac{H}{3} \\ &= \frac{wH^3}{6} \\ &= \frac{10 \times 2.5^3}{6} \end{aligned}$$



$$M_L = 26.04 \text{ kNm}$$

$$M = Qbd^2$$

$$26.04 \times 10^6 = 1.16 \times 1000 \times d^2$$

$$\Rightarrow d = 149.83 \text{ mm}$$

Adopt effective depth, $d = 150 \text{ mm}$

$$\text{Overall depth, } D = d + \text{cover} = 150 + 30 = 180 \text{ mm}$$

$$A_{st} = \frac{M}{\sigma_{st} j d} = \frac{26.04 \times 10^6}{150 \times 0.87 \times 150} = 1330.27 \text{ mm}^2$$

Provide 16mm diameter bars, spacing = $\frac{b \times A_{st}}{A_{st}}$

$$= \frac{1000 \times \frac{\pi}{4} \times 16^2}{1330.27}$$

$$= 151.14 \text{ mm}$$

Provide 16mm diameter bars at 150mm c/c as vertical reinforcement ($A_{st} \text{ provided} = \frac{1000 \times \pi \times 16^2}{4 \times 150} = 1340.41 \text{ mm}^2$)

Step 4 - Design of long wall (horizontal reinforcement)

Intensity of water pressure, $p = w(h - h)$ where

$h = 1.75$ or 1m whichever is greater

$h = 2.5/4$ (or) $1\text{m} =$

$= 0.63$ (or) 1m

$\therefore h = 1\text{m}$

Intensity, $p = 10(2.5 - 1) = 15 \text{ kN/m}^2$

Direct tension in long wall, $T_x = \frac{PB}{2} = \frac{15 \times 2}{2} = 15 \text{ kN}$

$A_{st} = \frac{T_x}{\sigma_{st}} = \frac{15 \times 10^3}{150} = 100 \text{ mm}^2$

Min $A_{st} = 0.3\% \cdot bD = \frac{0.3}{100} \times 1000 \times 180 = 540 \text{ mm}^2 = 270 \text{ mm}^2$ on each face

Providing 16mm diameter bars,

Spacing = $\frac{b \times a_{st}}{A_{st}} = \frac{1000 \times \pi \times 16^2}{4 \times 540}$

$= 290.89 \text{ mm}$

Provide 16mm diameter bars at 280mm c/c on both faces of long wall in horizontal direction

Step 5 - Design of short wall (horizontal reinforcement)

Direct tension in short wall = $P \times 1$ (perm)

$= 15 \times 1$

$T_y = 15 \text{ kN}$

Bending moment, $M = \frac{PB^2}{12}$ where $B = 2\text{m} + \frac{0.18}{2} + \frac{0.18}{2}$ (c/c)

$$B = 2.18 \text{ m}$$

$$M = \frac{15 \times 2.18^2}{12} = 5.94 \text{ kNm}$$

$$A_{st} = \frac{M - T_y}{\sigma_{st} d} + \frac{T_y}{\sigma_{st}}$$

$$= \frac{(5.94 \times 10^6) - (15 \times 10^3)}{150 \times 0.87 \times 150} + \frac{15 \times 10^3}{150}$$

$$A_{st} = 402.68 \text{ mm}^2$$

$$\text{Min } A_{st} = 0.3\% \cdot bD = \frac{0.3}{100} \times 1000 \times 180 = 540 \text{ mm}^2 = 270 \text{ mm}^2 \text{ on each face}$$

Providing 10mm diameter bars,

$$\text{Spacing} = \frac{b \times a_{st}}{A_{st}} = \frac{1000 \times \pi \times 10^2}{270}$$
$$= 290.89 \text{ mm}$$

Provide 10mm diameter bars at 280mm c/c on both faces of short wall in horizontal direction.

Step 6 - Design of reinforcement for cantilever action

$$\text{Cantilever moment} = \left(\frac{1}{2} wH \times h \right) \times \frac{h}{3}$$
$$= \frac{1}{2} \times 10 \times 2.5 \times 1 \times \frac{1}{3}$$
$$= 4.17 \text{ kNm}$$

$$A_{st} = \frac{M}{\sigma_{st} d} = \frac{4.17 \times 10^6}{150 \times 0.87 \times 150} = 213.03 \text{ mm}^2$$

$$\text{Min } A_{st} = 0.3\% \cdot bD = \frac{0.3}{100} \times 1000 \times 180 = 540 \text{ mm}^2 = 270 \text{ mm}^2 \text{ on each face}$$

Provide 10mm diameter bars at 280mm c/c at junction of side wall and base slab on both faces


Step 7 - Design of base slab

Take overall $h_k = 180\text{mm}$ and effective $h_k = 150\text{mm}$


$$\text{Minimum } A_{s1} = 0.3\% \cdot bD = \frac{0.3}{100} \times 1000 \times 180 = 540\text{mm}^2$$

$= 270\text{mm}^2$ on each

Provide 10mm @ 280mm c/c as main and distribution face bar on both faces.



Sectional Elevation



Plan

A rectangular RCC water tank resting on ground with an open top is required to store 80000 litres of water. The inside dimension of the tank may be taken as 6 x 4 m. The tank rests on wall on all four sides. Design the side walls of the tank using M20 concrete and Fe 415 steel.

Draw the following,

- (i) Cross sectional elevation of rectangular water tank
- (ii) Plan of rectangular water tank

DESIGN DATA

Volume of tank = 80000 litres

Size of tank = 6 m x 4 m

Grade – M20 & Fe415

SOLUTION

Step 1 – Permissible stresses

From IS : 456 – 2000 – Table 21,

Permissible stress in direct compression, $\sigma_{cc} = 5 \text{ N/mm}^2$

Permissible stress in bending compression, $\sigma_{cbc} = 7 \text{ N/mm}^2$

Permissible stress in steel, $\sigma_{st} = 0.6 f_y = 150 \text{ N/mm}^2$ (Assume)

$$m = \frac{280}{3 \sigma_{cbc}} = \frac{280}{(3 \times 7)} = 13.333 \quad k = \frac{1}{[1 + (\sigma_{st} / m \sigma_{cbc})]} = 0.38$$

$$j = 1 - k/3 = 0.87$$

$$Q = 0.5 \sigma_{cbc} k j = 1.16$$

Step 2 – Dimensions of tank

Depth of tank = Volume/Area = $(80000 \times 10^{-3}) / (6 \times 4) = 3.33 \text{ m}$ Assuming free board as 150 mm, Depth = $3.33 + 0.15 = 3.48 \text{ m}$

Hence take depth of tank as 3.5 m

$L/B = 6/4 = 1.5 < 2$, Hence walls are designed as continuous slab subjected to water pressure above an height of $H/4$ or 1m, whichever is greater, $h = 3.5/4$ (or) $1 = 1 \text{ m}$

Intensity of water pressure, $p = \rho (H-h) = 10(3.5 - 1) = 25 \text{ kN/m}^2$

Step 3 – Moment on side walls

Long wall



BM at fixed end of long wall = $(pL^2)/12 = (25 \times 6^2)/12 = 75 \text{ kNm}$

BM in centre of long wall = $(pL^2)/8 = (25 \times 6^2)/8 = 112.5 \text{ kNm}$

Short wall

BM at fixed end of short wall = $(pB^2)/12 = (25 \times 4^2)/12 = 34 \text{ kNm}$

BM in centre of short wall = $(pB^2)/8 = (25 \times 4^2)/8 = 50 \text{ kNm}$



Step 4 – Design of side walls (vertical reinforcement)

Maximum moment, $Qbd^2 = 59 \text{ kNm}$

$d = 225.53 \text{ mm}$, Eff depth = 225 mm, Overall depth = 250 mm

Minimum $A_{st} = 0.3\% b D = 750 \text{ mm}^2$

Provide 12mm dia bars, Spacing = $(1000 \times (\pi/4) \times 12^2) / 750 = 150.08 = 150 \text{ mm}$

Provide 12mm dia bars @ 150 mm c/c as vertical reinforcement in side walls

Provided $A_{st} = (1000 \times (\pi/4) \times 12^2) / 160 = 753.98 \text{ mm}^2$

Step 5 – Design of long walls (horizontal reinforcement)

Direct tension in long wall, $T_x = pB/2 = (25 \times 4)/2 = 50 \text{ kN}$

Moment at long wall ends, $M = 59 \text{ kNm}$

$A_{st} \text{ (long wall corners)} = \frac{M - T_x}{\sigma_{st} j d} + \frac{T_x}{\sigma_{st}} = 2341 \text{ mm}^2$

Provide 20 mm dia bars, Spacing = $(1000 \times (\pi/4) \times 20^2) / 2341 = 134.20 = 130 \text{ mm}$

Provide 20 mm dia bars @ 130 mm c/c as horizontal reinforcement at corner of long wall.

$$\text{Provided } A_{st} = (1000 \times (\pi/4) \times 20^2) / 130 = 2416.61 \text{ mm}^2$$

Moment at long wall centre, $M = 53.5 \text{ kNm}$

$$A_{st} (\text{long wall centre}) = 2153.68 \text{ mm}^2$$

Provide 20 mm dia bars, Spacing = $(1000 \times (\pi/4) \times 20^2) / 2153.68 = 145.87 = 130 \text{ mm}$

Provide 20 mm dia bars @ 130 mm c/c as horizontal reinforcement at centre of long wall.

$$\text{Provided } A_{st} = (1000 \times (\pi/4) \times 20^2) / 130 = 2416.61 \text{ mm}^2$$

Step 6 – Design of short walls (horizontal reinforcement)

Direct tension in short wall, $T_y = pL/2 = (25 \times 6)/2 = 75 \text{ kN}$

$$A_{st} (\text{short wall corners}) = \frac{M - T_y}{\sigma_{st} j d} + \frac{T_y}{\sigma_{st}} = 2506.81 \text{ mm}^2$$

Provide 20 mm dia bars, Spacing = $(1000 \times (\pi/4) \times 20^2) / 2506.81 = 125.32 = 120 \text{ mm}$

Provide 20 mm dia bars @ 120 mm c/c as horizontal reinforcement at corner of short wall.

$$\text{Provided } A_{st} = (1000 \times (\pi/4) \times 20^2) / 120 = 2617.99 \text{ mm}^2$$

Moment at short wall centre, $M = 9 \text{ kNm}$

$$A_{st} (\text{short wall centre}) = 803.96 \text{ mm}^2$$

Provide 12 mm dia bars, Spacing = $(1000 \times (\pi/4) \times 12^2) / 803.96 = 140.68 = 120 \text{ mm}$

Provide 12 mm dia bars @ 120 mm c/c as horizontal reinforcement at centre of short wall.

$$\text{Provided } A_{st} = (1000 \times (\pi/4) \times 12^2) / 120 = 942.48 \text{ mm}^2$$

Step 7 – Design of reinforcement for cantilever action

Cantilever moment = $(1/2 \times 3.5 \times 1 \times 10) \times ((1/3) \times 1) = 5.83 \text{ kNm}$

$$A_{st} = M / \sigma_{st} j d = (5.83 \times 10^6) / (150 \times 0.87 \times 225) = 198.55 \text{ mm}^2$$

$$\text{Minimum } A_{st} = 0.3\% b D = 750 \text{ mm}^2$$

Provide 12 mm dia bars, Spacing = $(1000 \times (\pi/4) \times 12^2) / 750 = 150.08 = 150 \text{ mm}$

Provide 12 mm dia bars @ 150 mm c/c at junction of side wall and base slab

$$\text{Provided } A_{st} = (1000 \times (\pi/4) \times 12^2) / 160 = 753.98 \text{ mm}^2$$

Step 8 – Design of base slab

Taking overall thickness of base slab as 250 mm, effective depth = 225 mm (Cover = 25 mm)


Minimum $A_{st} = 0.3\% b D = 750 \text{ mm}^2$

Provide 12mm dia bars, Spacing = $(1000 \times (\pi/4) \times 12^2) / 750 = 150.08 = 150 \text{ mm}$


Provide 12mm dia bars @ 150 mm c/c as vertical reinforcement in side walls

Provided $A_{st} = (1000 \times (\pi/4) \times 12^2) / 160 = 753.98 \text{ mm}^2$

RECTANGULAR WATER TANK



CROSS SECTION



PLAN

All dimensions are in mm
M20 Grade Concrete
Fe 415 Grade steel

Circular Water Tank

Circular tanks on ground may be designed either with flexible connection of the wall with the base or with a rigid connection of the wall with base. In flexible connection, expansion or contraction of side walls is possible while in rigid connection, the walls are monolithic with the base.

(i) Circular tank with rigid connection (wall restrained at base)

The wall resists the water pressure partly by hoop action and partly by cantilever action, while hoop action is predominant. These tanks are analysed by following methods.

- Reissner's method
- Carpenter's method
- Approximate method
- IS code method

IS code method

The bending moments and hoop tension and shear at base for the tank wall of circular tank may be determined by using appropriate coefficients given by using IS code.

These coefficients depend on the ratio H^2/Dt

- Hoop tension per metre height = Coefficient $\times wH$ (N/m)
- Bending moment per metre run = Coefficient $\times wH^3$ (Nm/m)
- Shear force at base of wall = Coefficient $\times wH^2$ (N)

(Pb) Design a circular tank 12m diameter and 4 metres high. The tank rests on firm ground. The walls of the tank are restrained at the base. Use M20 concrete and Fe250 steel.

Given

Diameter, $D = 12\text{ m}$

Height, $H = 4\text{ m}$

Restrained at base

M20 grade concrete and Fe250 grade steel

Solution

Circular water tank with
fixed base (open top)

Step 1 - Permissible stresses

Permissible stress in direct tension (tank wall), $\sigma_{ct} = 1.2 \text{ N/mm}^2$
(IS 3370, Part II, Table 1)

Permissible stress in steel, $\sigma_{st} = 115 \text{ N/mm}^2$ (Fe 250)
(IS 3370 - Part II)

Permissible stress in direct compression, $\sigma_{cc} = 5 \text{ N/mm}^2$

bending compression, $\sigma_{cbc} = 7 \text{ N/mm}^2$

(IS 456-200 - Table 21)

$$m = 280 / 3\sigma_{cbc}$$

$$= 280 / (3 \times 7)$$

$$= 13.333$$

$$k = 1 / \left(1 + \frac{\sigma_{st}}{m\sigma_{cbc}} \right) = 1 / \left(1 + \frac{115}{13.333 \times 7} \right)$$

$$= 0.448$$

$$j = 1 - k/3 = 1 - \frac{0.448}{3} = 0.851$$

$$Q = 0.5 \sigma_{cbc} k j = 0.5 \times 7 \times 0.448 \times 0.851 = 1.334$$

Step 2 - Dimensions of tank

$$D = 12\text{m}, H = 4\text{m}$$

Thickness of wall is taken as greater of following,

(i) 150mm

(ii) $(3H + 5)\text{cm} = (3 \times 4) + 5 = 17\text{cm} = 170\text{mm}$

\therefore Take ^{thickness} ~~depth~~ = 170mm, Effective ^{thk} ~~depth~~ = $170 - 30 = 140\text{mm}$

Step 3 - Design of side walls for hoop tension

$$\frac{H^2}{Dt} = \frac{4^2}{12 \times 0.17} = 7.8$$

$Dt = 12 \times 0.17$

IS 800-1984, Table 9, Pg 35, for $0.6H$ \otimes


H^2/Dt	Coefficient
----------	-------------

6

0.514

8

0.575



$$\text{Coefficient for hoop tension} = 0.514 + \left(\frac{0.575 - 0.514}{8-6} \right) \times (7.8-6)$$

$$= 0.569$$

$$\text{Hoop tension per metre height} = \text{Coefficient} \times WHR$$

$$= 0.569 \times 9810 \times 4 \times 6$$

$$F_t = 133965.36 \text{ N}$$

$$A_{st} = \frac{F_t}{\sigma_{st}}$$

$$\sigma_{st} \text{ for Fe 250} = 115 \text{ N/mm}^2 \quad (150 \text{ N/mm}^2 \text{ for Fe 415})$$

$$A_{st} = \frac{133965.36}{115}$$

$$= 1164.916 \text{ mm}^2$$

$$A_{st} \text{ for each face} = \frac{1164.916}{2} = 582.458 \text{ mm}^2$$

$$\text{Provide 12 mm dia bars, spacing} = \frac{b \times a_{st}}{A_{st}}$$

$$= \frac{1000 \times \frac{\pi}{4} \times 12^2}{582.458}$$

$$= 194.173 \text{ mm}$$

Provide 12mm diameter bars @ 190mm c/c as horizontal reinforcement ($A_{st} \text{ provided} = 595.249 \text{ mm}^2$) on each face

$$\text{Vertical reinforcement} = 0.3/bD$$

$$= \frac{0.3 \times 1000 \times 170}{100} = 510 \text{ mm}^2$$

$$A_{st} \text{ for each face} = \frac{510}{2} = 255 \text{ mm}^2$$

Provide 8mm dia bars. Spacing = $\frac{1000 \times \frac{\pi}{4} \times 8^2}{255}$

= 197.12mm

Provide 8mm dia bars at 190mm c/c as vertical reinforcement (A_{st} provided = 264.555mm²) on each face

Step 4 - Design of side wall for cantilever moment

IS 3370 - Part IV, Table 10, Pg 36 for 1.0 H, (X)

H ² /Dt	Coeff
6	0.0187
8	0.0146



Coefficient for moment = $\frac{0.0187 - 0.0146}{8 - 6} \times (7.8 - 6) + 0.0146$

Coefficient for moment = $0.0187 - \frac{(0.0187 - 0.0146) \times (7.8 - 6)}{8 - 6}$

= 0.016

Moment = coefficient $\times w H^3$

= $0.016 \times 9810 \times 4^3$

Moment = 10045.44 Nm

$A_{st} = \frac{M}{\sigma_{st} d} = \frac{10045.44 \times 10^3}{115 \times 0.851 \times 140} = 733.185 \text{ mm}^2$

Minimum $A_{st} = 0.31 \cdot bD = \frac{0.3 \times 1000 \times 170}{100} = 510 \text{ mm}^2$

Provide A_{st} on one face = $\frac{733.185}{2} = 366.593 \text{ mm}^2$

Provide 8mm dia bars, $A_{st} = \frac{1000 \times \pi \times 8^2}{4} = 137.115 \text{ mm}^2$

Provide 8mm dia bars at 130mm c/c as cantilever reinforcement on both faces ($A_{st} = \frac{1000 \times \pi \times 8^2}{4} = 386.658 \text{ mm}^2$)

Steps - Design of base slab

Provide base slab of thickness = 200mm, $d = 170 \text{ mm}$

$$A_{st} = 0.3 \cdot b \cdot D$$

$$A_{st} = \frac{0.3}{100} \times 1000 \times 200 = 600 \text{ mm}^2$$

$$A_{st} \text{ on each face} = \frac{600}{2} = 300 \text{ mm}^2$$


Provide 8mm dia bars, spacing = $\frac{b \times q_{st}}{A_{st}}$

$$= \frac{1000 \times \frac{\pi}{4} \times 8^2}{300}$$

$$= 167.552 \text{ mm}$$

Provide 8mm dia bars at 160mm c/c on both faces.

$$(A_{st} = \frac{1000 \times \pi}{4} \times 8^2 = 314.159 \text{ mm}^2)$$



P6) Design a circular tank resting on firm ground to the following particulars.

Circular water tank with flexible base (open top)

- (i) Diameter of tank = 3.50m
 - (ii) Depth of water = 3m
 - (iii) The wall and base are not monolithic with each other
 - (iv) Specific weight of water = 9810 N/m^3
- Use M25 concrete and Fe250 steel

Step 1 - Permissible stress

Permissible stress in direct tension = 1.2 N/mm^2 (IS 3370 - Part II Table 1)

Permissible stress in steel = 150 N/mm^2 (Fe 415 grade)

Permissible stress in direct compression, $\sigma_{cc} = 5 \text{ N/mm}^2$

Permissible stress in bending compression, $\sigma_{cbc} = 7 \text{ N/mm}^2$
(IS 456 - 2001 Table 1)

$$m = \frac{280}{3\sigma_{cbc}} = \frac{280}{3 \times 7} = 13.333$$

$$k_c = \frac{1}{1 + \frac{\sigma_{st}}{m\sigma_{cbc}}} = \frac{1}{1 + \frac{150}{13.33 \times 7}} = 0.384$$

$$j = 1 - \frac{k_c}{3} = 1 - \frac{0.384}{3} = 0.87$$

$$Q = 0.5 \sigma_{cbc} k_j = 0.5 \times 7 \times 0.387 \times 0.87 = 1.16$$

Step 2 - Dimensions of tank

$$D = 3.5 \text{ m}, H = 3 \text{ m}$$

Thickness of wall is taken as greater of following,

(i) 150 mm

$$(ii) (3H + 5) \text{ cm} = (3 \times 3) + 5 = 14 \text{ cm} = 140 \text{ mm}$$

Take thickness = 150 mm

Step 3 - Design of side wall

Consider 1 m height of wall.

~~$$\text{Hoop tension} = \frac{p_w \times H \times D}{2} = \frac{9.81 \times 3 \times 3.5}{2} = 17.168 \text{ kN}$$~~

$$\text{Hoop tension} = \frac{p_w \times H \times D}{2} = \frac{9.81 \times 2.5 \times 3.5}{2} = 42.919 \text{ kN}$$

$$F_{st} = 42.919 \text{ kN}$$

$$A_{st} = \frac{F_{st}}{\sigma_{st}} = \frac{42.919 \times 10^3}{115} = 373.209 \text{ mm}^2$$

$$\text{Minimum } A_{st} = 0.3\% b D = \frac{0.3}{100} \times 1000 \times 150 = 450 \text{ mm}^2$$

$$A_{st} \text{ on one face} = 450/2 = 225 \text{ mm}^2$$

Provide 10mm dia bars, $\text{Spacing} = \frac{b \times A_{st}}{A_{st}}$

$$= \frac{1000 \times \frac{\pi}{4} \times 10^2}{225}$$

$$= 347.066 \text{ mm}$$

Provide 10mm dia bars @ 300mm c/c (A_{st} provided = $\frac{1000 \times \frac{\pi}{4} \times 10^2}{300} = 261.799 \text{ mm}^2$) on horizontal and vertical reinforcement on both faces.

Permissible stress in tank wall = $\frac{F_t}{A_c + m A_{st}}$

$$= \frac{42.919 \times 10^3}{(1000 \times 150) + (13.33 \times 2 \times 261.799)}$$

$$= 0.273 \text{ N/mm}^2$$

$$< 1.2 \text{ N/mm}^2$$

Step 4 - Design of base slab

Provide base slab of thickness 200mm, $d = 170 \text{ mm}$

$$A_{st} = 0.3\% \cdot b D = \frac{0.3}{100} \times 1000 \times 200$$

$$= 600 \text{ mm}^2$$


$$A_{st} \text{ on each face} = \frac{600}{2} = 300 \text{ mm}^2$$

Provide 8mm dia bars, $\text{spacing} = \frac{1000 \times \frac{\pi}{4} \times 8^2}{300}$

$$= 167.552 \text{ mm}$$

Provide 8mm dia bars at 160mm c/c on both faces

$$A_{st} \text{ provided} = \frac{1000 \times \frac{\pi}{4} \times 8^2}{160} = 314.159 \text{ mm}^2$$



Design an RCC circular tank resting on ground with a flexible base and a spherical dome for a capacity of 500000 litres. The depth of storage is to be 4m. And free board is 200mm. Materials used are M20 grade concrete and Fe 415 HYSD bars. Draw the following,

(i) Cross section of the tank showing reinforcement details in dome, tank walls and floor slabs.

(ii) Plan of the tank showing reinforcement details.

DESIGN DATA

Capacity of tank = 500000 litres = 500 m³

Depth of storage = 4 m

Grade – M20 & Fe415

Codes – IS 456 & IS 3370

SOLUTION

Step 1 – Permissible stresses

Permissible stress in direct tension (tank wall), $\sigma_{ct} = 1.2 \text{ N/mm}^2$ (IS 3370 (Part II) – 1965, Table 1)

Permissible stress in direct tension (dome & ring beam), $\sigma_{ct} = 2.8 \text{ N/mm}^2$ (IS 456 -2000, Pg 80)

Permissible stress in steel, $\sigma_{st} = 0.6 f_y = 150 \text{ N/mm}^2$ (IS 800)

Permissible stress in direct compression, $\sigma_{cc} = 5 \text{ N/mm}^2$ (IS 456 – 2000, Table 21)

Permissible stress in bending compression, $\sigma_{cbc} = 7 \text{ N/mm}^2$ (IS : 456 – 2000, Table 21)

$$m = 280/3 \quad \sigma_{cbc} = 280/(3*7) = 13.333$$

$$k = 1/[1 + (\sigma_{st}/m \sigma_{cbc})] = 0.38$$

$$j = 1 - k/3 = 0.87$$

$$Q = 0.5 \sigma_{cbc} k j = 1.16$$

Step 2 – Dimensions of tank

Depth of tank = 4 + 0.2 = 4.2 m

Volume of tank = $(\pi D^2/4) * 4.2 = 500$

$$D = 12.93 \text{ m}$$

$$\text{Central rise} = (1/5 \text{ to } 1/6) D = (1/6) D = 2.16 \text{ m}$$

$$\text{Radius of dome, } R^2 = [6.465^2 + (R-2.16)^2]$$

$$R = 10.755 \text{ m}$$

$$\sin q = 6.465/10.755 = 0.6, \cos q = 8.595/10.755 = 0.8, q = 36.87$$

Step 3 – Design of top spherical dome

Thickness of top dome, $t = 100 \text{ mm}$ (Assume)

Load calculation

$$\text{Self weight} = 0.1 * 25 = 2.5 \text{ kN/m}^2$$

$$\text{Live load \& finishes} = 2 \text{ kN/m}^2$$

$$\text{Total load, } w = 4.5 \text{ kN/m}^2$$

Meridional stress

$$\text{Meridional thrust, } T_1 = wR / (1 + \cos q) = (4.5 * 10.755) / (1 + 0.8) = 26.888 \text{ kN/m}$$

$$\text{Meridional stress} = T_1 / t = 26.888 / 100 = 0.269 \text{ N/mm}^2 < 5 \text{ N/mm}^2$$

Hoop stress

$$\text{Circumferential force, } T_2 = wR \{ \cos q - (1 / [1 + \cos q]) \}$$

$$= 4.5 * 10.755 * \{0.8 - (1 / [1 + 0.8])\} = 11.831 \text{ kN/m}$$

$$\text{Hoop stress} = T_2 / t = 11.831/100 = 0.118 \text{ N/mm}^2 < 5 \text{ N/mm}^2$$

Reinforcement

$$A_{st} = 0.3 \% bd = (0.3/100) * 1000 * 100 = 300 \text{ mm}^2$$

$$S = [1000 * (\pi/4) * 8^2] / 300 = 167.55 \text{ mm}$$

Provide 8mm dia bars at 160mm c/c circumferentially & meridionally

Step 4 – Design of top ring beam

Reinforcement

$$\text{Hoop tension, } F_t = T_1 * \cos q * D_t/2 = 26.888 * 0.8 * (12.93/2) = 139.065 \text{ kN}$$

$$A_{st} = F_t / \sigma_{st} = (139.065 * 10^3) / 150 = 927.1 \text{ mm}^2$$

Provide 3 no's of 20 mm dia bars ($A_{st} = 942.478 \text{ mm}^2$)

Minimum shear reinforcement is given by $A_{sv} / (b * S_v) = 0.4 / (0.87 * f_y)$

Provide 2 legged 6 mm dia stirrups at 250mm c/c.

Size

Permissible stress in ring beam = $F_t / (A_c + mA_{st})$

$$2.8 = (139.065 * 10^3) / (A_c + 13.33 * 942.478)$$

$$A_c = 37102.84$$

Provide top ring beam of size 200 x 200 mm

Step 5 – Design of tank walls

Horizontal reinforcement

Hoop tension, $F_t = g_w * H * D_t / 2 = 9.81 * 4.2 * 12.93 / 2 = 266.371$ kN/m

$$A_{st} = F_t / \sigma_{st} = (266.371 * 10^3) / 150 = 1775.807 \text{ mm}^2/\text{m}$$

$$A_{st} \text{ on one face} = 1775.807 / 2 = 887.904 \text{ mm}^2/\text{m}$$

Provide 16 mm dia bars, $S = [1000 * (\pi/4) * 16^2] / 887.904 = 226.446$ mm

Provide 16 mm dia bars at 200 mm c/c on both faces ($A_{st} = 2010.62 \text{ mm}^2$)

Size

Permissible stress in tank wall = $F_t / (A_c + mA_{st})$

$$1.2 = (266.371 * 10^3) / (A_c + 13.33 * 2010.62)$$

$$A_c = 195174.269$$

$$1000 * t = 195174.269$$

Provide tank wall of thickness 200 mm throughout the tank wall

Vertical reinforcement

$$A_{st} = 0.3 \% bd = (0.3/100) * 1000 * 200 = 600 \text{ mm}^2$$

$$A_{st} \text{ on one face} = 600/2 = 300 \text{ mm}^2$$

Provide 10 mm dia bars, $S = [1000 * (\pi/4) * 10^2] / 300 = 261.8$ mm

Provide 10 mm dia bars at 250 mm c/c on both faces ($A_{st} = 628.319 \text{ mm}^2$)

Step 6 – Design of tank floor slab



Reinforcement

$$A_{st} = 0.3 \% bd = (0.3/100) * 1000 * 200 = 600 \text{ mm}^2$$


$$A_{st} \text{ on one face} = 600/2 = 300 \text{ mm}^2$$

Provide 10 mm dia bars, $S = [1000 * (\pi/4) * 10^2] / 300 = 261.8$ mm


Provide 10 mm dia bars at 250 mm c/c on both faces ($A_{st} = 628.319 \text{ mm}^2$)



A Sectional Elevation



Reinforcement in top dome



Reinforcement in base slab

Plan

Underground water tanks

Underground water tanks are commonly used for storage of water received from water supply mains operating at low pressure. Underground water tanks are usually of two shapes circular shape and rectangular. For tanks of smaller capacity the cost of shuttering for circular tanks becomes high, hence rectangular tanks are used in such circumstances. Rectangular tanks are normally not used for large capacities since they are uneconomical and analysis is difficult.

When circular and rectangular tanks are situated underground, the walls of the tank to be designed for earth pressure as well as water pressure acting separately and also acting simultaneously. Similarly the floors of tanks are to be designed for hydrostatic water pressure (if water table is higher)

acting upwards.

Earth pressure on tank walls


→ Tank wall supporting a dry or moist backfill of cohesionless soil. The intensity of active earth pressure at base of wall,

$$P_a = k_a \gamma H$$

Total active earth pressure

$$P_a = \frac{1}{2} k_a \gamma H \times H$$

$$= \frac{1}{2} k_a \gamma H^2$$




acting at $H/3$ above base.

→ In case of submerged backfill (backfill saturated with water) intensity of base of wall

$$P_a = k_a \gamma' H + \gamma_w H$$

→ If backfill is partly submerged, (i.e) the backfill is moist to a depth H_1 below ground level and then it is submerged.



$$P_a = k_a \gamma H_1 + k_a \gamma' H_1 + \gamma_w H_2$$


where $\gamma \rightarrow$ Unit wt of soil

$\gamma' \rightarrow$ submerged unit weight = $\gamma_{sat} - \gamma_w$

$\gamma_w \rightarrow$ Unit weight of water

$\gamma_{sat} \rightarrow$ saturated unit wt

Uplift pressure on the floor on the tank



If the water table is below the floor level, the floor of the tank is designed for the load of tank wall, tank roof etc assumed to distributed evenly

The weight of water standing on the floor and the self weight of floor are assumed to pass directly to the foundation. If the sub soil water level (or ground water level) is above the floor level of the tank uplift pressure will be induced. When tank is empty it should not float. The weight of empty tank must exceed the flotation value to give a small factor of safety 1.1 to 1.25

Pb) Design an underground water tank $4m \times 10m \times 3m$ deep. The sub soil consists of sand having angle of repose of 30° and saturated unit weight of 17 kN/m^3 . The water table is likely to rise upto ground level. Use M30 concrete and Fe 415 HYSD bars. Take unit weight of water as 9.81 kN/m^3

Solution

Step 1 - Permissible stresses

Permissible stress in steel under direct tension, $\sigma_{st} = 150 \text{ N/mm}^2$

Permissible compressive stress in columns, $\sigma_{sc} = 17.5 \text{ N/mm}^2$
 subjected to direct load (IS 3370 - Part II)

Permissible stress in direct compression, $\sigma_{cc} = 5 \text{ N/mm}^2$

" " bending " " $\sigma_{cbc} = 7 \text{ N/mm}^2$

(IS 456, Table 21)

$$M = \frac{280}{3\sigma_{cbc}} = \frac{280}{3 \times 7} = 13.33$$

$$k = \frac{1}{1 + \frac{\sigma_{st}}{m\sigma_{cbc}}} = \frac{1}{1 + \frac{150}{15.33 \times 7}} = 0.38$$

$$1 + \frac{\sigma_{st}}{m\sigma_{cbc}} = 1 + \frac{150}{15.33 \times 7}$$

$$j = 1 - \frac{lc}{3} = 1 - \frac{0.38}{3} = 0.87$$

$$Q = 0.5 \sigma_{bc} l j = 0.5 \times 7 \times 0.38 \times 0.87 = 1.16$$

Step 2 - Dimensions of tank

Length, $L = 10\text{m}$, Breadth, $B = 4\text{m}$, Depth, $D = 3\text{m}$

The base slab will be designed for uplift pressure as water table is above ground level.

$$\frac{L}{B} = \frac{10}{4} = 2.5 > 2$$

Long walls are designed as vertical cantilevers fixed at base and short walls are designed as horizontal slabs between long walls in top portion and bottom one meter height is designed as cantilevers.

Step 3 - Design of long walls

(a) Tank empty with pressure of saturated soil from outside

(i) Main bars (vertical)

In case of submerged backfill, intensity of \pm at base of wall,

$$P_a = k_a \gamma' H + \gamma_w H$$

where $\gamma' \rightarrow$ Submerged unit wt = $\gamma_{\text{sat}} - \gamma_w$

$\gamma_w \rightarrow$ Unit wt of water = 9.81 kN/m^3

$\gamma_{\text{sat}} \rightarrow$ Saturated unit wt = 17 kN/m^3

$H \rightarrow$ Height of tank = 3m


$k_a \rightarrow$ Coefficient of active earth pressure

$$= \frac{1 - \sin \phi}{1 + \sin \phi}$$

$$\gamma' = \gamma_{sat} - \gamma_w = 17 - 9.81 = 7.19 \text{ kN/m}^3$$

$$k_a = \frac{1 - \sin 30}{1 + \sin 30} = 0.333$$

$$P_a = (0.333 \times 7.19 \times 3) + (9.81 \times 3)$$
$$= 36.613 \text{ kN/m}^2$$



Total active earth pressure, $P_a = \frac{1}{2} \times 36.613 \times 3$

$$= 54.92 \text{ kN/m}$$

$$\text{Moment} = P_a \times \frac{h}{3} = 54.92 \times \frac{3}{3} = 54.92 \text{ kNm}$$

$$M = Qbd^2$$

$$54.92 \times 10^6 = 1.16 \times 1000 \times d^2$$

$$\Rightarrow d = 217.589 \text{ mm}$$

Provide effective depth, $d = 225 \text{ mm}$, cover = 25 mm

Overall depth = eff depth + cover

$$= 225 + 25$$

$$= 250 \text{ mm}$$

$$A_{st} = \frac{M}{\sigma_{st} f d} = \frac{54.92 \times 10^6}{150 \times 0.87 \times 225} = 1870.413 \text{ mm}^2$$

Provide 16 mm dia bars, spacing = $\frac{b \times a_{st}}{A_{st}}$

$$\text{Spacing} = \frac{1000 \times \frac{\pi}{4} \times 16^2}{1870.413}$$

$$= 107.496 \text{ mm}$$

Provide 16mm dia bars @ 100mm c/c on outside face at bottom of long wall as vertical reinforcement.

Development of reinforcement

As BM is proportional to h^3 , we have

$$\frac{A_{st} h}{A_{st} H} = \frac{h^3}{H^3}$$

$$\Rightarrow h = \left(\frac{A_{st} h}{A_{st} H} \right)^{1/3} \times H$$

→ Half the bars are curtailed, $\therefore A_{st} h = \frac{1}{2} A_{st} H$

$$h = \left(\frac{A_{st} h}{2 A_{st} H} \right)^{1/3} \times H$$

$$= \left(\frac{1}{2} \right)^{1/3} \times 3$$

$$= 2.38 \text{ m}$$

Height from base = $3 - 2.38 = 0.62 \text{ m}$

As per IS 456, the bars are to be continued for a distance of

$$(i) 12 \phi = 12 \times 16 = 192 \text{ mm}$$

$$(ii) d = 225 \text{ mm}$$

whichever is more
half the

Hence, bars are curtailed at a distance of

$$0.62 + 0.225 = 0.845 \text{ m from base}$$

→ one fourth bars are curtailed, $A_{st} = \frac{1}{4} A_{stH}$

$$h = \left(\frac{A_{st} h}{A_{stH}} \right)^{1/3} \times H$$

$$= \left(\frac{A_{st}}{4 A_{stH}} \right)^{1/3} \times H$$

$$= \left(\frac{1}{4} \right)^{1/3} \times 3$$

$$= 1.89 \text{ m}$$

Height from base = $3 - 1.89 = 1.11 \text{ m}$

As per IS 456, the bars are to be continued for a distance of

(i) $12\phi = 12 \times 16 = 192 \text{ mm}$

(ii) $d = 225 \text{ mm}$

whichever is more

Hence $\frac{3}{4}$ th of bars are curtailed at a distance of

$$1.11 + 0.295 = 1.335 \text{ m from base}$$

$$\text{Min } A_{st} = \frac{0.3\%}{1} bD = \frac{0.3}{100} \times 1000 \times 250 = 750 \text{ mm}^2$$

$$\frac{1}{2} A_{stH} = \frac{1}{2} \times 1870.413 = 935.207 \text{ mm}^2 > 750 \text{ mm}^2$$

$$\frac{1}{4} A_{stH} = \frac{1}{4} \times 1870.413 = 467.603 \text{ mm}^2 < 750 \text{ mm}^2$$

Hence curtailment of half the bars is alone

possible

$$\therefore \text{Spacing of } 16 \text{ mm bars for } \frac{1}{2} A_{st} = \frac{1000 \times \sqrt{16} \times 16^2}{4}$$

$$= \frac{1000 \times 4 \times 256}{4}$$

$$= 256000$$

Provide 16mm diameter bars at 100mm c/c at base for a height of 0.845m and 16mm diameter at 200mm c/c above height of 0.845m. as vertical reinforcement

(ii) Distribution rft (horizontal)

$$\rightarrow \text{Minimum } A_{st} = 0.13 \cdot b \cdot D = \frac{0.13 \times 1000 \times 250}{100} = 750 \text{ mm}^2$$

$$A_{st} \text{ on each face} = \frac{750}{2} = 375 \text{ mm}^2$$

Provide 16mm dia bars, spacing = $\frac{1000 \times \pi \times 16^2}{4 \times 375} = 209.44 \text{ mm}$

Provide 16mm diameter bars at 200mm c/c as ~~distribution bars~~ (horizontal rft) distribution bars

(iii) Direct Compression in long walls

The earth pressure acting on short walls will cause compression in long walls because top portion of short walls act as slab supported on long walls.

Bottom portion height $\frac{h}{4}$ (or) 1m whichever is greater

$$\frac{3}{4} \text{ (or) } 1\text{m} = 0.75 \text{ (or) } 1\text{m} = 1\text{m}, \text{ so } H = 3 - 1 = 2\text{m}$$

Intensity at base of wall, $P_a = K_a \gamma' H + \gamma_w H$

$$P_a = (0.333 \times 7.19 \times 2) + (9.81 \times 2)$$

$$= 24.409 \text{ kN/m}^2$$

$$A_{st} = \frac{48.818 \times 10^3}{150} = 325.453 \text{ mm}^2$$

Direct compression developed on long walls = $P_a \times \frac{B}{2} = 24.409 \times \frac{4}{2} = 48.818 \text{ kW}$

which is less than area of distribution steel. Hence

(b) Tank full with water, and no earth fill outside

main bars (vertical rft)

Intensity at base of wall, $P_a = \gamma_w H$


$$= 9.81 \times 3$$

distribution steel will take care of direct compression

$$= 29.43 \text{ kN}$$

Total active earth pressure = $\frac{1}{2} \times 29.43 \times 3$

$$P_a = 44.145 \text{ kN/m}$$



$$\text{Moment} = P_a \times \frac{h}{3} = 44.145 \times \frac{3}{3} = 44.145 \text{ kNm}$$

$$A_{st} = \frac{m}{\sigma_{st} \cdot d} = \frac{44.145 \times 10^6}{150 \times 0.87 \times 225} = 1503.448 \text{ mm}^2$$

Provide 16mm dia bars, spacing = $\frac{1000 \times \pi \times 16^2}{4 \times 1503.448} = 133.734 \text{ mm}$

Provide 16mm diameter bars at 130mm c/c at inside face at bottom of long wall as vertical reinforcement

Development of reinforcement

As BM is proportional to h^3 we have,

$$\frac{A_{stH}}{A_{stH}} = \frac{h^3}{1.3}$$

$$\Rightarrow h = \left(\frac{A_{stH}}{A_{stH}} \right)^{1/3} \times 1.3$$

\rightarrow Half the bars are curtailed, $A_{stH} = \frac{1}{2} A_{stH}$

$$h = \left(\frac{A_{stH}}{2 A_{stH}} \right)^{1/3} \times 1.3$$

$$= \left(\frac{1}{2} \right)^{1/3} \times 1.3$$

$$= 2.38 \text{ m}$$

Height from base = $3 - 2.38 = 0.62 \text{ m}$

As per IS 456, the bars are to be continued for a distance of

(i) $12 \phi = 12 \times 16 = 192 \text{ mm}$

(ii) $d = 225 \text{ mm}$

Whichever is more

Hence half of bars are curtailed at a distance of $0.62 + 0.225 = 0.845\text{m}$ from base

$$\text{Min } A_{st} = 0.3\% bD = \frac{0.3}{100} \times 1000 \times 250 = 750\text{mm}^2$$

$$\frac{1}{2} A_{st} = \frac{1}{2} \times 1503.448 = 751.724\text{mm}^2 > 750\text{mm}^2$$

$$\text{Spacing of } 16\text{mm dia bars for } \frac{1}{2} A_{st} = \frac{1000 \times \frac{\pi}{4} \times 16^2}{751.724} = 267.468\text{mm}$$

Provide 16mm diameter bars at 130mm c/c at base for a height of 0.845m and 16mm dia bars at 268mm c/c above height of 0.845m as vertical reinforced at inside face

(ii) Distribution eff (Horizontal eff)

(PTG)

$$\text{Minimum } A_{st} = 0.3\% \cdot bD = \frac{0.3}{100} \times 1000 \times 250 = 750 \text{ mm}^2$$

$$A_{st} \text{ on each face} = \frac{750}{2} = 375 \text{ mm}^2$$

$$\text{Provide } 10 \text{ mm dia bars, spacing} = \frac{1000 \times \frac{\pi}{4} \times 10^2}{375} = 209.44 \text{ mm}$$

Provide 10mm diameter bars at 200mm c/c as horizontal reinforcement (distribution eff)

(iii) Direct tension in long walls

Since the top portion of short walls act as slab supported on long walls, the water pressure acting on short walls will cause tension in long walls

Bottom portion height $h/4$ (or) 1m whichever is greater

$$3/4 \text{ (or) } 1 \text{ m} = 0.75 \text{ (or) } 1 \text{ m} = 1 \text{ m}, \text{ So } H = 3 - 1 = 2 \text{ m}$$

$$\text{Intensity at base of wall, } P_a = \rho_w H = 9.81 \times 2 = 19.62 \text{ kN/m}^2$$

$$\begin{aligned} \text{Direct } ~~\text{compression}~~ \text{ tension developed on long walls} &= P_a \times \frac{B}{2} = 19.62 \times \frac{4}{2} \\ &= 39.24 \text{ kN} \end{aligned}$$

$$A_{st} = \frac{39.24 \times 10^3}{150} = 261.6 \text{ mm}^2$$

which is less than area of distribution steel. Hence distribution steel will take direct tension


Step 4 - Design of short walls

(P 101)

(a) Tank empty with pressure of saturated soil from outside

(i) Top portion

Bottom portion height $h/4$ or 1m whichever is greater



$h = 3/4$ (or) 1m whichever is greater = 1m

Intensity at base of wall, $P_a = k_a \gamma' h' + \gamma_w h'$

$$P_a = (0.333 \times 7.19 \times 2) + (9.81 \times 2)$$

$$= 24.409 \text{ kN/m}^2$$

$$M_f (\text{Fixed moment at supports}) = \frac{P_a B^2}{12} = \frac{24.409 \times 4^2}{12} = 32.545 \text{ kNm}$$

$$BM \text{ at centre} = \frac{P_0 B^2}{8} = \frac{24.407 \times 4^2}{8} = 48.818 \text{ kNm}$$

$$\text{Net moment at centre} = BM - M_f = 48.818 - 32.545$$

$$\text{At supports, } A_{st} = \frac{M}{\sigma_{st} j d} = 16.273 \text{ kNm}$$

$$= \frac{32.545 \times 10^6}{150 \times 0.87 \times 225}$$

$$= 1108.387 \text{ mm}^2$$

Using 12 mm dia bars, spacing = $\frac{b \times A_{st}}{A_{st}}$

$$= \frac{1000 \times \frac{\pi}{4} \times 12^2}{1108.387}$$

$$= 102.038 \text{ mm}$$

Provide 12 mm diameter bars at 100 mm c/c at outer face at 2m below the top as distribution sft (horizontal)

$$\text{At mid span, } A_{st} = \frac{M}{\sigma_{st} j d}$$

$$= \frac{16.273 \times 10^6}{150 \times 0.87 \times 225}$$

$$= 554.21 \text{ mm}^2$$

$$\text{Using 12 mm dia bars, spacing} = \frac{1000 \times \frac{\pi}{4} \times 12^2}{554.21}$$

$$554.21$$

$$= 904.069 \text{ mm}$$

Hence provide 12 mm diameter bars at outside face ^{spacing same at inner} in vertical direction at 2m below the top as distribution sft (horizontal)

(ii) Bottom portion

Intensity of earth ~~pressure~~ ^{pressure at} ~~at bottom~~ of base of well,

$$P_h = k_a \Delta u' H + \gamma_w H$$

$$\Delta u' = u_{st} - u_w = 17 - 9.81 = 7.19 \text{ kN/m}^3$$

$P_d = 3m$ at base from top

$$P_a = (0.333 \times 7.19 \times 3) + (9.81 \times 3) = 36.613 \text{ kN/m}^2$$

$$\text{Total pressure} = \frac{1}{2} \times 36.613 \times 1 = 18.307 \text{ kN}$$

$$\text{Moment} = 18.307 \times \frac{1}{3} = 6.102 \text{ kNm}$$

$$A_{st} = \frac{M}{\sigma_{st} j d}$$

$$= \frac{6.102 \times 10^6}{150 \times 0.87 \times 225}$$

$$= 207.816 \text{ mm}^2$$

$$\text{Min } A_{st} = 0.13 / b D = \frac{0.13 \times 1200 \times 250}{100} = 750 \text{ mm}^2$$

$$\text{Spacing of 12mm diameter bars, spacing} = \frac{1000 \times \frac{\pi}{4} \times 12^2}{750}$$

Provide 12mm diameter ^{bars} at 150mm c/c at outside face in the vertical direction for bottom 1m height. This space was doubled for upper portion. Hence provide 12mm diameter bars at 300mm c/c at a height above 1m from bottom.

18) Tank full with water and no earthfill outside


(i) Top portion

Bottom portion height $h/4$ or 1m whichever is greater

$$h = 3/4 (or) 1m = 1m$$

$$\text{Intensity} = \rho_w h' = 9.81 \times 2 = 19.62 \text{ kN/m}^2$$

$$M_f (\text{Fixed moment at supports}) = \frac{\rho_w h^2}{12} = \frac{19.62 \times 4^2}{12} = 26.16 \text{ kNm}$$



$$BM \text{ at centre} = \frac{P_1 B^2}{8} = \frac{19.62 \times 4^2}{8} = 39.24 \text{ kNm}$$

$$\text{Net moment at centre} = BM - M_f = 39.24 - 26.16 = 13.08 \text{ kNm}$$

$$\text{At supports, } A_{st} = \frac{M}{\sigma_{st} d}$$

$$= \frac{26.16 \times 10^6}{150 \times 0.87 \times 225}$$

$$= 890.932 \text{ mm}^2$$

$$\text{Using 12mm dia bars, spacing} = \frac{1000 \times \frac{\pi}{4} \times 12^2}{890.932} = 1269.43 \text{ mm}$$

Provide 12mm dia bars at 1200mm/c at outer face at 2m below the top as distribution reinforcement (horizontal)

$$\text{At mid span, } A_{st} = \frac{M}{\sigma_{st} d}$$

$$= \frac{13.08 \times 10^6}{150 \times 0.87 \times 225}$$

$$= 445.466 \text{ mm}^2$$

$$\text{Using 12mm dia bars, spacing} = \frac{1000 \times \frac{\pi}{4} \times 12^2}{445.466} = 253.885 \text{ mm}$$

Hence provide 12mm diameter bars at 250mm/c at inner face at 2m below top as distribution reinforcement (horizontal)

(ii) ~~Bottom~~ Bottom portion

Intensity of pressure at base of well, $P_a = 25.14$

$$= 9.81 \times 3$$

$$= 29.43 \text{ kN/m}^2$$

$$\text{Moment} = \frac{1 \times 29.43 \times 1^3}{2}$$

$$\text{Total pressure} = \frac{1 \times 29.43 \times 1}{2} = 14.715 \text{ kN}$$

$$\text{Moment} = 14.715 \times \frac{1}{3} = 4.905 \text{ kNm}$$

$$A_{st} = \frac{M}{\sigma_{st} j d}$$

$\sigma_{st} j d$

$$= \frac{4.905 \times 10^6}{150 \times 0.87 \times 225}$$

$$= 167.05 \text{ mm}^2$$

$$\text{Min } A_{st} = 0.3\% \cdot b D = \frac{0.3}{100} \times 1000 \times 250 = 750 \text{ mm}^2$$

$$\text{Provide } 12 \text{ mm diameter bars, spacing} = \frac{1000 \times \frac{\pi}{4} \times 12^2}{750}$$

$$= 150.796 \text{ mm}$$

Provide 12mm diameter bars at 150mm c/c ~~outside~~ ^{inside} face in the vertical direction for bottom 1m height. This space was doubled for upper portion. Hence provide 12mm diameter bars at 300mm c/c at height 1m from bottom

Step 5 - Design of top slab

$$\frac{L}{B} = \frac{10}{4} = 2.5 > 2$$

Hence the slab will be designed as one way slab

Load calculation

Assuming slab thickness as 15cm, ($d = 150 - 25 = 125 \text{ mm}$)

$$\text{Self weight of slab} = 0.15 \times 1 \times 25 = 3.75 \text{ kN/m}^2$$

$$\text{Live load (assume)} = 2 \text{ kN/m}^2$$

$$\text{Total load, } w = 5.75 \text{ kN/m}^2$$

Effective span

$$\text{c/c of supports} = 4 + \frac{0.25}{2} + \frac{0.25}{2} = 4.25 \text{ m}$$

$$L_{eff} = 4.25 \text{ m}$$

Moment

$$M = \frac{wl^2}{8} = \frac{5.75 \times 4.25^2}{8} = 12.982 \text{ KNm}$$

Check for depth

$$M = \alpha b d^2$$

$$12.982 \times 10^6 = 1.16 \times 1000 \times d^2$$

$$\Rightarrow d = 105.789 \text{ mm} < 125 \text{ mm} \text{ (Hence safe)}$$

Reinforcement

$$A_t = \frac{M}{\sigma_{st} j d} = \frac{12.982 \times 10^6}{150 \times 0.87 \times 125} = 795.831 \text{ mm}^2$$

$$\text{Min } A_t = 0.8 \cdot b D = \frac{0.5}{100} \times 1000 \times 150 = 450 \text{ mm}^2$$

Provide 10mm diameter bars, spacing = $\frac{1000 \times \pi \times 10^2}{4 \times 795.831} = 1142.112 \text{ mm}$

Provide 12mm diameter bars at 140mm c/c as main bars

Distributor bars, provide 10mm bars, spacing = $\frac{1000 \times \pi \times 10^2}{4 \times 450}$

Provide 10mm diameter bars at 170mm c/c $\lfloor = 174.533 \text{ mm}$


Step 6 - Design of bottom slab as distributor bars

If there were no sub soil water only nominal (min) reinforcement will be required. Because of saturated soil there will be uplift pressure on bottom slab.

Assuming thickness of bottom slab as 300mm,

height upto ground level,

$$H_1 = 3 + 0.3 = 3.3 \text{ m}$$



Uplift pressure on bottom slab, $P_u = \rho_w H_1 = 9.81 \times 3.3$

The whole tank must be checked against flotation when the tank is empty.

Total upward flotation force, $P_u = p_u \times B \times L$

$$= 32.373 \times 4 \times 10$$

$$= 1294.92 \text{ kN}$$

Total downward force is computed from weight of tank,

$$\rightarrow \text{Weight of base slab} = 4 \times 10 \times 0.3 \times 25 = 300 \text{ kN}$$

$$\rightarrow \text{Weight of long wall} = 0.25 \times 10 \times 3 \times 25 \times 2 = 375 \text{ kN}$$

$$\rightarrow \text{Weight of short wall} = 0.25 \times 4 \times 3 \times 25 \times 2 = 150 \text{ kN}$$

$$\rightarrow \text{Weight of roof slab} = 4 \times 10 \times 0.15 \times 25 = 150 \text{ kN}$$

Downward force is less than the upward

flotation force. Hence provide projections of base slab

beyond the face of vertical walls by a distance

'x' all around so that weight of soil column

supported by the projections will provide additional

downward force. It is assumed that if the tank

is floated, the earth would rupture on vertical

planes shown by dotted lines.

\rightarrow Weight of soil supported by projection 'x'

projection 'x'

$$= 2(1+5) \times H \times \gamma \times x \times 2$$

$$= 2(10+5) \times 3 \times \gamma \times 17$$

$$= 1428 \text{ kN}$$

975 kN

$$\rightarrow \text{Weight of base slab} = [4 + (2 \times 0.25) + 2x] \times [10 + (2 \times 0.25) + 2x] \times 0.3 \times 25$$

$$= (4.5 + 2x)(10.5 + 2x) \times 7.5 \text{ kN}$$

$$\rightarrow \text{Weight of long wall} = 375 \text{ kN}$$

$$\rightarrow \text{Weight of short wall} = 150 \text{ kN}$$

$$\rightarrow \text{Weight of roof slab} = 150 \text{ kN}$$

$$\text{Total downward force} = 2103 + (32.375 + 2x)(10.5 + 2x) \times 7.5$$

$$= 2103 + (47.25 + 9x + 21x + 4x^2) \times 7.5$$

$$= 2103 + 354.375 + 225x + 30x^2$$

$$\text{Total downward force} = 2457.375 + 225x + 30x^2 \quad \text{--- (1)}$$

$$\text{Total downward force} = 1428x + (4.5 + 2x)(10.5 + 2x) \times 7.5$$

$$+ 375 + 150 + 150$$

$$= 1428x + (47.25 + 9x + 21x + 4x^2) \times 7.5$$

$$+ 675$$

$$= 1428x + 354.375 + 225x + 30x^2 + 675$$

$$\text{Total downward force} = 30x^2 + 1653x + 1029.375 \quad \text{--- (1)}$$

$$\text{Total uplift force} = 32.373 [4 + (2 \times 0.25) + 2x] +$$

(or) upward flotation force

$$[10 + (2 \times 0.25) + 2x]$$

$$= 32.373 [4.5 + 2x] [10.5 + 2x]$$

$$= 32.373 [47.25 + 9x + 21x + 4x^2]$$

$$\text{Total upward force} = 1529.624 + 971.19x + 129.492x^2 \quad \text{--- (2)}$$

As the bottom slab is projected on its sides, height for calculating uplift pressure 'H' gets reduced to $(3.3 - 0.3)$ 3m.

$$\therefore \text{Uplift pressure on bottom slab, } P_u = \rho_w \cdot H = 9.81 \times 3 = 29.43 \text{ kN/m}^2$$

$$\text{Total upward flotation force, } P_u = P_u \times B \times L$$

$$= 29.43 [4 + (2 \times 0.25) + 2x] [10 + (2 \times 0.25) + 2x]$$

$$= 29.43 [4.5 + 2x] [10.5 + 2x]$$

$$= 29.43 [47.25 + 92x + 21x + 4x^2]$$

$$\text{Total upward force} = 1390.568 + 882.9x + 117.72x^2 \quad \text{--- (1)}$$

Equating (1) + (2)

$$\Rightarrow 36x^2 + 1653x + 1029.375 = 1390.568 + 882.9x + 117.72x^2$$

$$87.72x^2 - 770.1x + 361.193 = 0$$

$$x = 8.282 \text{ m}, 0.497 \text{ m}$$

$$\text{Taking } x = 0.497 \text{ m (least)} \approx 0.5 \text{ m}$$

Check for flotation

Sub value of x in eqn (1) + (2).

$$\begin{aligned} \text{Total downward force} &= 30x^2 + 1653x + 1029.375 \\ &= (30 \times 0.5^2) + (1653 \times 0.5) + 1029.375 \\ &= 1863.375 \text{ kN} \end{aligned}$$

$$\begin{aligned} \text{Total upward force} &= 1390.568 + 882.9x + 117.72x^2 \\ &= 1390.568 + (882.9 \times 0.5) + (117.72 \times 0.5^2) \\ &= 1861.448 \text{ kN} \end{aligned}$$

$$\begin{aligned} \text{Factor of safety against flotation} &= \frac{\text{Total downward force}}{\text{Total upward force}} \\ &= \frac{1863.375}{1861.448} \\ &= 1.001 \end{aligned}$$

A factor of safety of 1.1 is needed

$$\therefore \text{FOS} = 1.1 = \frac{30x^2 + 1653x + 1029.375}{1390.568 + 882.9x + 117.72x^2}$$

$$x = 0.836 \text{ m} \approx 0.85 \text{ m}$$

$$\text{Now, Total downward force} = (30 \times 0.85^2) + (1653 \times 0.85) + 1029.375$$

$$= 2456.1 \text{ kN}$$

$$\text{Total upward force} = 1390.568 + (882.9 \times 0.85) + (117.72 \times 0.85^2)$$


$$= 2226.086 \text{ kN}$$

$$\text{FOS against flotation} = \frac{2456.1}{2226.086} = 1.103$$

Hence ok.

The base slab will be designed by one way slab.

Considering 1 metre length of slab,



→ Uplift pressure, $P_u = \gamma_w H = 9.81 \times 3 = 32.373 \text{ kN/m}^2$

Self wt of slab (perm) = $1 \times 1 \times 0.3 \times 25 = 7.5 \text{ kN/m}^2$

∴ Net upward pressure = $32.373 - 7.5 = 24.873 \text{ kN/m}^2$

→ Weight of wall perm = $0.25 \times 3 \times 1 \times 25 = 18.75 \text{ kN/m}^2$

→ Weight of roof slab transferred to each wall perm = $0.15 \times (2 + 0.25) \times 1 \times 25 = 8.438 \text{ kN/m}^2$

→ Weight of earth on projection = $0.85 \times 3 \times 1 \times 17 = 43.35 \text{ kN/m}$

Net unbalanced force/m = Total upward force - weight of tank

= $(32.373 \times 6.2 \times 1) - [2 \times (18.75 + 8.438 + 43.35)]$

= 59.637 kN

Reaction on each wall = $59.637 / 2 = 29.819 \text{ kN}$

→ Soil pressure from sides, Intensity, $P_a = k_a \gamma H + \Delta u H$


Where $\Delta u = \Delta u_{sat} - \Delta u_w = 17 - 9.81 = 7.19 \text{ kN/m}^3$

$P_a = (0.333 \times 7.19 \times 3) + (17.81 \times 3) = 36.613 \text{ kN/m}^2$

Total active earth pressure = $\frac{1}{2} \times 36.613 \times 3$

= 54.92 kN/m acting at $h/3$

from base $0.3 + \frac{3}{3} = 1.3 \text{ m}$



$$\text{Bending moment at edge of cantilever portion (bottom face)} = \frac{\text{up pressure} \times \text{dis} \times \text{cantilever}}{2} + \text{Pa} \times \text{dis} - \frac{\text{soil on projection} \times \text{dis} \times \text{cantilever}}{2}$$

$$= \left(24.873 \times 0.85 \times \frac{0.85}{2} \right) + (54.92 \times 1.3) - \left(43.35 \times 0.85 \times \frac{0.85}{2} \right)$$

$$= 64.721 \text{ kNm}$$

$$\text{Bending moment at centre of span (top face)} = \frac{\text{up pressure} \times \text{dis} \times \text{cantilever}}{2} + \left[54.92 \times 1.3 \right] - \frac{\text{soil on projection} \times \text{dis} \times \text{cantilever}}{2}$$

$$= \left[24.873 \times 3.1 \times \frac{3.1}{2} \right] + [54.92 \times 1.3] - \left[43.35 \times 0.85 \times \left(\frac{0.85}{2} + 2.25 \right) \right]$$

$$- \left(29.819 \times \frac{4.25}{2} \right) - \left(18.75 \times \frac{4.25}{2} \right)$$

$$- \left(8.438 \times \frac{4.25}{2} \right)$$

$$= 119.515 + 71.396 - 98.567 - 63.365$$

$$- 39.844 - 17.931$$

$$= -28.796 \text{ kNm}$$

$$\rightarrow M = Qbd^2, \text{ Taking max moment, } 64.721 \times 10^6 = 1.16 \times 1000 \times d^2$$

$$\text{Take } d = 250 \text{ mm, } D = d_{\text{truss}} = 250 + 50 = 300 \text{ mm (Same as assumed)}$$

$$\rightarrow A_{sL} = \frac{M}{\sigma_{st} d} = \frac{64.721 \times 10^6}{150 \times 0.87 \times 250} = 1983.785 \text{ mm}^2$$

(bottom face)

$$\text{Provide 16mm dia bars, spacing} = \frac{1000 \times \frac{\pi}{4} \times 16^2}{1983.785} = 101.353 \text{ mm}$$

Provide 16mm diameter bars at 100mm c/c at bottom face

$$\rightarrow A_{sT} (\text{top face}) = \frac{M}{\sigma_{st} d} = \frac{28.796 \times 10^6}{150 \times 0.87 \times 250} = 882.636 \text{ mm}^2$$

$$\text{Provide 12mm diameter bars, spacing} = \frac{1000 \times \frac{\pi}{4} \times 12^2}{882.636} = 128.136 \text{ mm}$$

Provide 12mm diameter bars at 120mm c/c at top face

$$\rightarrow \text{Distribution reinforcement} = 0.3\% \text{ SD} = \frac{0.3 \times 1000 \times 300}{100} = 900 \text{ mm}^2$$

Summary

Long walls

Tank empty with soil - outside face - vertical rft - pressure (U_w, U')
outside - horizontal rft - min Ast

Tank full with water and - inner face - vertical rft - pressure (U_w)
no earth outside - horizontal rft - min Ast

Short walls

Tank empty with soil - top portion - support moment - outer face - ~~horizontal~~^{horizontal}
outside - midspan - inner face - ~~horizontal~~^{horizontal}
- bottom portion - cantilever - vertical - outside

Tank full with water
and no earth outside - do -
- bottom portion - cantilever - vertical - inside

Ex No. 4**INTZE TYPE WATER TANK**

Design the Intze type water tank with capacity of one million litres, supported on an elevated tower comprising of 8 columns. The base of the tank is 16 m above the ground level and the depth of the foundation is 1 m below the ground level. Adopt M20 grade concrete and Fe 415 Steel.

DESIGN DATA

- Capacity of tank = 1 million litres = 1000 m³
- Base of tank = 16 m above ground level
- Depth of foundation = 1 m above ground level
- Grade – M20 & Fe415
- Codes – IS 456 & IS 3370

SOLUTION**Step 1 – Permissible stresses**

Permissible stress in direct tension (tank wall), $\sigma_{ct} = 1.2 \text{ N/mm}^2$ (IS 3370 (Part II) – 1965, Table 1)

Permissible stress in direct tension (dome & ring beam), $\sigma_{ct} = 2.8 \text{ N/mm}^2$ (IS 456 -2000, Pg 80)

Permissible stress in steel, $\sigma_{st} = 0.6 f_y = 150 \text{ N/mm}^2$ (IS 800)

Permissible stress in direct compression, $\sigma_{cc} = 5 \text{ N/mm}^2$ (IS 456 – 2000, Table 21)

Permissible stress in bending compression, $\sigma_{cbc} = 7 \text{ N/mm}^2$ (IS : 456 – 2000, Table 21)

$$m = 280/3 \quad \sigma_{cbc} = 280/(3*7) = 13.333$$

$$k = 1/[1 + (\sigma_{st}/m \sigma_{cbc})] = 0.38$$

$$j = 1 - k/3 = 0.87$$

$$Q = 0.5 \sigma_{cbc} k j = 1.16$$

Step 2 – Dimensions of tank

- Depth of tank = 0.65 D to 0.75 D = 0.75 D_t where 'D_t' is the diameter of tank at top


$$\text{Volume of tank} = (\pi D_t^2/4) * 0.75 D_t = 1000$$

$$D_t = 12\text{m}$$

- Depth of tank = $0.75 D_t = 9\text{ m}$
- Central rise = $(1/5 \text{ to } 1/6) D_t = (1/6) D_t = 2\text{ m}$
- Radius of dome, $R^2 = [6^2 + (R-2)^2]$

$$R = 10\text{ m}$$

- $\sin \theta = 6/10 = 0.6$, $\cos \theta = 8/10 = 0.8$, $\theta = 36.87$



Step 3 – Design of top spherical dome

- Thickness of top dome, $t = 100\text{ mm}$ (Assume)
- Load calculation

$$\text{Self weight} = 0.1 * 25 = 2.5\text{ kN/m}^2$$

$$\text{Live load \& finishes} = 2\text{ kN/m}^2$$

$$\text{Total load, } w = 4.5\text{ kN/m}^2$$

- Meridional stress

$$\text{Meridional thrust, } T_1 = wR / (1 + \cos \theta) = (4.5 * 10) / (1 + 0.8) = 25\text{ kN/m}$$

$$\text{Meridional stress} = T_1 / t = 25 / 100 = 0.25\text{ N/mm}^2 < 5\text{ N/mm}^2$$

- Hoop stress

$$\text{Circumferential force, } T_2 = wR \{ \cos \theta - (1 / [1 + \cos \theta]) \}$$

$$= 4.5 * 10 * \{0.8 - (1 / [1 + 0.8])\} = 11\text{ kN/m}$$

$$\text{Hoop stress} = T_2 / t = 11/100 = 0.11\text{ N/mm}^2 < 5\text{ N/mm}^2$$

- Reinforcement

$$A_{st} = 0.3\% \text{ } bd = (0.3/100) * 1000 * 100 = 300\text{ mm}^2$$

$$S = [1000 * (\pi/4) * 8^2] / 300 = 167.55\text{ mm}$$

Provide 8mm dia bars at 160mm c/c circumferentially & meridionally

Step 4 – Design of top ring beam

- Reinforcement

✓ Hoop tension, $F_t = T_1 * \cos \theta * D_t/2 = 25 * 0.8 * 6 = 120 \text{ kN}$

✓ $A_{st} = F_t / \sigma_{st} = (120 * 10^3) / 150 = 800 \text{ mm}^2$

Provide 4 no's of 16 mm dia bars ($A_{st} = 804.25 \text{ mm}^2$)

✓ Minimum shear reinforcement is given by $A_{sv} / (b * S_v) = 0.4 / (0.87 * f_y)$

Provide 2 legged 6 mm dia stirrups at 250mm c/c.

- Size

Permissible stress in ring beam = $F_t / (A_c + mA_{st})$

$$2.8 = (120 * 10^3) / (A_c + 13.33 * 804.25)$$

$$A_c = 32136.49$$

Provide top ring beam of size 200 x 200 mm

Step 5 – Design of tank walls

- Horizontal reinforcement

✓ Hoop tension, $F_t = \gamma_w * H * D_t/2 = 9.81 * 9 * 6 = 529.74 \text{ kN/m}$

✓ $A_{st} = F_t / \sigma_{st} = (529.74 * 10^3) / 150 = 3531.6 \text{ mm}^2/\text{m}$

$$A_{st} \text{ on one face} = 3531.6 / 2 = 1765.8 \text{ mm}^2/\text{m}$$

Provide 20 mm dia bars, $S = [1000 * (\pi/4) * 20^2] / 1765.8 = 177.91 \text{ mm}$

Provide 20 mm dia bars at 170mm c/c on both faces ($A_{st}=3695.99 \text{ mm}^2$)

Height (from top)	Height (range from top)	F_t	A_{st} on one face	A_{st} provided
3	0-3	176.58	588.6	12 @ 190
6	3-6	353.16	1177.2	16 @ 170
9	6-9	529.74	1765.8	20 @ 170

- Size

Permissible stress in tank wall = $F_t / (A_c + mA_{st})$

$$1.2 = (529.74 * 10^3) / (A_c + 13.33 * 3695.99)$$

$$A_c = 392182.45$$

$$1000 * t = 392182.45$$

Provide tank wall of thickness 400 mm at bottom and gradually reduced to 200 mm at top.

- Vertical reinforcement

- ✓ $A_{st} = 0.3 \% bd = (0.3/100) * 1000 * 300 = 900 \text{ mm}^2$

- ✓ $A_{st} \text{ on one face} = 900/2 = 450 \text{ mm}^2$

Provide 10 mm dia bars, $S = [1000 * (\pi/4) * 10^2] / 450 = 174.53 \text{ mm}$

Provide 10 mm dia bars at 170 mm c/c on both faces ($A_{st} = 923.99 \text{ mm}^2$)

Step 6 – Design of bottom ring beam

- Reinforcement

- ✓ Load due to top spherical dome = $T * \sin \theta = 25 * 0.6 = 15 \text{ kN/m}$

Load due to top ring beam = $0.2 * 0.2 * 25 = 1 \text{ kN/m}$

Load due to tank wall = $0.3 * 9 * 25 = 67.5 \text{ kN/m}$

Assuming size of bottom ring beam as 1.2m x 0.6m, load due to bottom ring beam

$$= 1.2 * 0.6 * 25 = 18 \text{ kN/m}$$

Total vertical load = 101.5 kN/m

Total horizontal load = $101.5 * \cot 45 = 101.5 \text{ kN/m}$

- ✓ Hoop tension due to vertical load, $F_t = 101.5 * D_t/2 = 609 \text{ kN}$

- ✓ Hoop tension due to water, $F_t = \gamma_w * H * h * D_t/2 = 9.81 * 9 * 0.6 * 6 = 317.84 \text{ kN}$

- ✓ Hoop tension, $F_t = 609 + 317.84 = 926.84 \text{ kN}$

- ✓ $A_{st} = F_t / \sigma_{st} = (926.84 * 10^3) / 150 = 6178.93 \text{ mm}^2$

Provide 8 no's of 32 mm dia bars ($A_{st} = 6433.98 \text{ mm}^2$)

- ✓ Minimum shear reinforcement is given by $A_{sv} / (b * S_v) = 0.4 / (0.87 * f_y)$

Provide 2 legged 8 mm dia stirrups at 150mm c/c.


Step 7 – Design of conical dome

- Dimensions

Length of bottom of tank = $12 - 2 - 2 = 8$ m

Average dia of conical dome, $D_c = (12 + 8) / 2 = 10$ m

Average depth of water, $H_c = 9 + (2/2) = 10$ m



- Load Calculation

Weight of water above conical dome = $(\pi D_c * H_c * 2) * 9.81 = 6163.8$ kN

Assuming thickness of conical dome as 600 mm, self weight of conical dome

$$= (\pi D_c * 0.6 * \sqrt{(2^2 + 2^2)}) * 25 = 1332.865 \text{ kN}$$

Total horizontal load = $101.5 * \pi D_t = 101.5 * \pi * 12 = 3826.46$ kN

Total load = 11323.125 kN

Load/m length = $11323.125 / (\pi * D_b) = 11323.125 / (\pi * 8) = 450.533$ kN/m

- Meridional stress

Meridional thrust, $T_1 = 450.533 * \text{cosec } 45 = 637.15$ kN/m

Meridional stress = $T_1 / t = 637.15 / 600 = 1.062$ N/mm² < 5 N/mm²

- Horizontal Reinforcement

✓ Hoop tension, $F_t = (p \text{ cosec } \theta + q \text{ cot } \theta) * D_t / 2$

Where p = Water pressure = $9.81 * D_b = 9.81 * 8 = 78.4$ kN/m²

q = Self weight of conical dome = $0.6 * 25 = 15$ kN/m²

$F_t = (78.4 \text{ cosec } 45 + 15 \text{ cot } 45) * 12 / 2 = 755.246$ kN

✓ $A_{st} = F_t / \sigma_{st} = (755.246 * 10^3) / 150 = 5034.973$ mm²

A_{st} on one face = $5034.973 / 2 = 2517.487$ mm²

Provide 20 mm dia bars, $S = [1000 * (\pi/4) * 20^2] / 2517.487 = 124.791$ mm

Provide 20 mm dia bars at 120mm c/c on both faces ($A_{st} = 5235.988$ mm²)

- Vertical reinforcement

✓ $A_{st} = 0.3 \% bd = (0.3/100) * 1000 * 600 = 1800 \text{ mm}^2$

✓ $A_{st} \text{ on one face} = 1800/2 = 900 \text{ mm}^2$

Provide 12 mm dia bars, $S = [1000 * (\pi/4) * 12^2] / 900 = 125.66 \text{ mm}$

Provide 12 mm dia bars at 120mm c/c on both faces ($A_{st} = 1884.956 \text{ mm}^2$)

- Stress check

Permissible stress in conical dome = $F_t / (A_c + mA_{st})$

$$= (755.246 * 10^3) / (600*1000 + 13.33*5235.988)$$

$$= 1.128 \text{ N/mm}^2 < 2.8 \text{ N/mm}^2$$

Step 8 – Design of bottom spherical dome

- Diameter at bottom, $D_b = 8\text{m}$

Central rise = $(1/5 \text{ to } 1/6) D_b = (1/6) D_b = 1.33\text{m}$

Radius of dome, $R^2 = [4^2 + (R-1.33)^2]$

$$R = 6.68\text{m}$$

$\sin \theta = 4/6.68 = 0.6$, $\cos \theta = 5.35 / 6.68 = 0.8$, $\theta = 36.87$

- Thickness of bottom dome = 300mm (Assume)

- Load calculation

Self weight = $(2\pi * 6.68 * 1.33) * 0.3 * 25 = 418.667 \text{ kN}$

Volume of water = $[\pi r^2 h - (2/3) * \pi r^2 h]$

$$= [\pi * 4^2 * 11 - (2/3) * \pi * 4^2 * 1.33] = 508.352\text{m}^3$$


Weight of water = $508.352 * 9.81 = 4986.933 \text{ kN}$

Total load = 5405.6 kN

Load/ m^2 = $5405.6 / (\pi * 4^2) = 107.541 \text{ kN/m}^2$

- Meridional stress

Meridional thrust, $T_1 = wR / 1 + \cos \theta = (107.541 * 6.68) / (1 + 0.8) = 399.097 \text{ kN/m}$



Meridional stress = $T / t = 399.097/300 = 1.33 \text{ N/mm}^2 < 5 \text{ N/mm}^2$

- Hoop stress

Circumferential force, $T_2 = wR\{\cos \theta - (1/[1 + \cos \theta])\}$

$$= 107.541 * 6.68 * \{0.8 - (1/[1 + 0.8])\} = 175.603 \text{ kN/m}$$

Hoop stress = $175.603/300 = 0.585 \text{ N/mm}^2 < 5 \text{ N/mm}^2$

- Reinforcement

$A_{st} = 0.3 \% bd = (0.3/100) * 1000 * 300 = 900 \text{ mm}^2$

$S = [1000 * (\pi/4) * 12^2] / 900 = 125.66 \text{ mm}$

Provide 12mm dia bars at 120mm c/c circumferentially & meridionally

Step 9 – Design of girder

- Thrust from conical dome, $T_1 = 637.15 \text{ kN/m}$, $\alpha = 45$

Thrust from bottom spherical dome, $T_2 = 399.097 \text{ kN/m}$, $\beta = 36.87$

- Stress check

Horizontal force = $T_1 \cos \alpha - T_2 \cos \beta$

$$= 131.256 \text{ kN/m}$$


Hoop tension, $T = 131.256 * D_b / 2$

$$= 131.256 * 8 / 2$$

$$= 525.024 \text{ kN}$$

Hoop stress = $(525.024 * 10^3) / (600 * 1200)$

$$= 0.729 \text{ N/mm}^2 < 5 \text{ N/mm}^2$$



- Load on girder

✓ Vertical load on beam = $T_1 \sin \alpha + T_2 \sin \beta = 689.99 \text{ kN/m}$

✓ Assuming size of girder as 0.6m x 1.2m, load due to self weight of girder

$$= 0.6 * 1.2 * 25 = 18 \text{ kN/m}$$

Total load, $w = 707.99 \text{ kN/m}$

Total design load on girder, $W = 707.99 * \pi * D_b = 707.99 * \pi * 8 = 17793.73 \text{ kN}$

- BM & SF

For 8 columns,

- ✓ Negative BM = $0.0083 * W * R = 0.0083 * 17793.73 * 4 = 590.752 \text{ kNm}$
- ✓ Positive BM = $0.0041 * W * R = 0.0041 * 17793.73 * 4 = 291.817 \text{ kNm}$
- ✓ Torsional moment = $0.0006 * W * R = 0.0006 * 17793.73 * 4 = 42.705 \text{ kNm}$
- ✓ Shear force at support = $[w * R * (\pi/4)]/2 = [707.99 * 4 * (\pi/4)]/2 = 1112.108 \text{ kN}$
- ✓ SF at maximum tension = $1112.108 - [w * R * (9.55 * \pi/180)]$
 $= 1112.108 - [707.99 * 4 * 9.55 * \pi/180] = 640.08 \text{ kN}$

TABLE 4.1 Moment Coefficients in Circular Girders Supported on Columns
Moment Coefficients

Number of columns n		Negative Bending moment at support K_1	Positive Bending moment at centre of spans K_2	Maximum Twisting moment or Torque K_3	Angular distance for maximum torsion
4	90°	0.0342	0.0176	0.0053	19° - 12'
5	60°	0.0148	0.0075	0.0015	12° - 44'
8	45°	0.0083	0.0041	0.0006	9° - 33'
10	36°	0.0054	0.0023	0.0003	7° - 30'
12	30°	0.0037	0.0014	0.0017	7° - 15'

A_{st} at support:

$M = 590.752 \text{ kNm}$, $V = 1112.108 \text{ kN}$

$$d = \sqrt{\frac{M}{Qb}} = \sqrt{\frac{590.752 \times 10^6}{1.16 \times 600}} = 921.293 \text{ mm} < 1200 \text{ mm}$$

Hence safe

Adopt effective depth = 1150 mm, Cover = 50 mm

$$A_{st} = \frac{M}{\sigma_{st} j d} = \frac{590.752 \times 10^6}{150 \times 0.87 \times 1150} = 3936.378 \text{ mm}^2$$

$$\text{Minimum } A_{st} = 0.3 \% bd = \left(\frac{0.3}{100}\right) \times 600 \times 1200 = 2160 \text{ mm}^2$$

Provide 5 no's of 32 mm diameter ($A_{st} = 4021.24 \text{ mm}^2$)

$$\tau_v = \frac{V_u}{bd} = \frac{1112.102 \times 10^3}{600 \times 1150} = 1.612 \text{ N/mm}^2$$

$$\frac{100A_{st}}{bd} = \frac{100 \times 4021.24}{600 \times 1150} = 0.583, \text{ Hence } \tau_c = 0.327 \text{ N/mm}^2$$

Also $\tau_c < \tau_v$, hence provide shear reinforcement.

$$V_s = V_u - \tau_c bd = (1112.102 \times 10^3) - (0.327 \times 600 \times 1150) = 806.472 \text{ kN}$$

Provide 4 legged 12 mm dia stirrups, $A_{sv} = 4 \times \left(\frac{\pi}{4}\right) \times 10^2 = 314.159 \text{ mm}^2$

$$\text{Spacing is given by } V_{us} = \frac{0.87 f_y A_{sv} d}{S_v}$$

Substituting the values, $S_v = 161.743 \text{ mm}$

Provide 4 legged 12 mm dia stirrups at 160 mm c/c

A_{st} at middle:

$M = 291.817 \text{ kNm}$, $V = 640.08 \text{ kN}$

$$A_{st} = \frac{M}{\sigma_{st} j d} = \frac{291.817 \times 10^6}{150 \times 0.87 \times 1150} = 1944.47 \text{ mm}^2$$

$$\text{Minimum } A_{st} = 0.3 \% bd = \left(\frac{0.3}{100}\right) \times 600 \times 1200 = 2160 \text{ mm}^2$$

Provide 5 no's of 25 mm diameter ($A_{st} = 2454.37 \text{ mm}^2$)

$$\tau_v = \frac{V_u}{bd} = \frac{640.08 \times 10^3}{600 \times 1150} = 0.928 \text{ N/mm}^2$$

$$\frac{100A_{st}}{bd} = \frac{100 \times 2454.37}{600 \times 1150} = 0.356$$

$$\text{Hence } \tau_c = 0.25 \text{ N/mm}^2$$

Also $\tau_c < \tau_v$, hence provide shear reinforcement.

$$V_s = V_u - \tau_c bd = (640.08 \times 10^3) - (0.25 \times 600 \times 1150) = 467.58 \text{ kN}$$


Provide 4 legged 12 mm dia stirrups, $A_{sv} = 4 \times \left(\frac{\pi}{4}\right) \times 10^2 = 314.159 \text{ mm}^2$

Spacing is given by

$$V_{us} = \frac{0.87 f_y A_{sv} d}{S_v}$$

Substituting the values, $S_v = 278.97 \text{ mm}$

Provide 4 legged 12 mm dia stirrups at 250 mm c/c



CROSS SECTION OF INTZE TYPE WATER TANK

All dimensions are in mm
 M20 Grade Concrete
 Fe 415 Grade steel

Step 10 - Design of columns of supporting tower

- The supporting tower comprises of 8 columns equally spaced on a circle of 8m diameter. (Equal to bottom dome diameter)
- Spacing of bracing = 4m
- Base of tower is 16m above ground level

Load on columns (weight)

- Vertical load on each column = $\frac{\text{Total design load on girder}}{\text{No. of columns}}$

$$= \frac{17793.73}{8} = 2224.216 \text{ kW}$$

- Self weight of column of height 16m and dia 650mm = $\frac{\pi}{4} \times 0.65^2 \times 16 \times 25 = 132.732 \text{ kW}$

- Self weight of bracing (3 nos at 4m intervals)

size of bracing is 500mm x 500mm

$$= 3 \times (0.5 \times 0.5 \times \frac{\pi}{4}) \times 25 = 58.905 \text{ kW}$$

For one column = $\frac{471.239}{8} = 58.905 \text{ kW}$

Total vertical load on each column = $2224.216 + 132.732 + 58.905$

$$= 2415.853 \text{ kW} \quad \text{--- (1)}$$


Wind force on columns

Intensity of wind pressure = 1.5 kN/m^2

Reduction coefficient for circular shapes = 0.7

→ Wind force on top dome and cylindrical well = $(9 + \frac{2}{2}) \times 12 \times 0.7 \times 1.5$

→ Wind force on bottom ring beam = $1.2 \times 8 \times 0.7 \times 1.5 = 10.08 \text{ kW}$



→ Wind force on conical dome = $(8+2)^{BD+proj. L} \times 2 \times 0.7 \times 1.5 = 28.0 \text{ kN}$

→ Wind force on five columns = $5 \times 0.65 \times 16 \times 0.7 \times 1.5 = 54.6 \text{ kN}$
 (Columns gets exposed in one direction)

→ Wind force on bracings = $3 \times 0.5 \times 8 \times 1.5 = 18 \text{ kN}$

∴ Total wind force = $126 + 28.08 + 21 + 54.6 + 18 = 226.68 \text{ kN}$

Assuming point of contraflexure at mid height of column and fixed at base due to raft foundation, moment at base of column is calculated as,

Fixing Moment, $M_F = \frac{\text{Total wind force} \times \text{column height}}{2}$
 $= \frac{226.68 \times 4}{2}$
 $= 453.36 \text{ kNm}$

If M_R is moment of resistance at base of columns due to wind

leads,

$$M_R = \left(126 \times \left[18 + \left(\frac{9+2}{2} \right) \right] \right) + \left[21 \times \left(16 + \frac{2}{2} \right) \right] + (10.08 \times 16)$$

$+ (6 \times 12) + (6 \times 8) + (6 \times 4)$

$M_R = 3623.28 \text{ kNm}$

$M_R = M_F + \frac{V}{r} \leq a^2$

Where $M_F \rightarrow$ Fixing Moment, $M_R \rightarrow$ Moment of resistance


$V \rightarrow$ Reaction

$r \rightarrow$ Radius

$a \rightarrow$ Distance of column from centre

$3623.28 = 453.36 + \frac{V}{4} \left[(2 \times 4^2) + (4 \times 2.828^2) + (2 \times 0^2) \right]$

$3623.28 - 453.36 = 16V$



$\sin \alpha = \frac{a}{r}$
 $\sin 45 = \frac{a}{4}$
 $a = 2.828 \text{ m}$

Reaction, $V = 198.12 \text{ kN}$ - (2)

Total load on column = Vertical load due to weight + Reaction due to wind load (1+2)

$$= 2415.853 + 198.12$$

$$\underline{P = 2613.973 \text{ kN}}$$

Moment in each column = $\frac{\text{Fixing moment}}{\text{no of columns}} = \frac{453.36}{8}$

$$\underline{M = 56.67 \text{ kNm}}$$

Reinforcement in column

Eccentricity, $e = \frac{M}{P} = \frac{56.67 \times 10^6}{2613.973 \times 10^3} = 21.68 \text{ mm}$

IS 456, Pg 42, 25.4, minimum eccentricity is 20mm

Use #2 bars of 32mm diameter and lateral ties of 10mm diameter at 300mm c/c.

$$A_{sc} = 19 \times \frac{\pi}{4} \times 32^2 = 9650.973 \text{ mm}^2$$

Effective area, $A_e = A_c + m A_{sc}$

$$= \left(\frac{\pi \times 650^2}{4} \right) + (13 \times 13.333 \times 9650.973)$$

$$= 4.605 \times 10^5 \text{ mm}^2$$

Equivalent area of column = $\left(\frac{\pi \times D^2}{4} \right) + m A_{sc}$

$$= \left(\frac{\pi \times 650^2}{4} \right) + [13.333 \times 9650.973]$$

$$= 460507.147 \text{ mm}^2$$

Equivalent moment of inertia, $I_e = \frac{\pi D^4}{64} + \frac{(m-1) A_{sc} d^2}{8}$

$$d = D - \text{cover} = 650 - 50 = 600 \text{ mm}$$

$$= \frac{\pi \times 650^4}{64} + \frac{(13.333 - 1) \times 9650.973 \times 600^2}{8}$$

$$= 1.412 \times 10^{10} \text{ mm}^4$$

According to IS code, when effect of wind load is considered, the permissible stress in materials may be increased by 33 1/3%. (33.33% = 1.333)

For safety of column, we have

$$\frac{\sigma_{cc}'}{\sigma_{cc}} + \frac{\sigma_{bc}'}{\sigma_{bc}} < 1 \quad \text{--- (1)}$$

where $\sigma_{cc}' \rightarrow$ Direct compressive stress = $\frac{P}{A_e}$
 $A_e \rightarrow$ Equivalent area of column
 $\sigma_{bc}' \rightarrow$ Bending stress in column = $\frac{M}{Z}$

$$Z \rightarrow \frac{I_e}{y}$$

$I_e \rightarrow$ Equivalent moment of inertia

$$y \rightarrow \text{Centroid} = \frac{D}{2}$$

$P, M \rightarrow$ Total load and moment on column

$\sigma_{cc}, \sigma_{bc} \rightarrow$ Permissible compressive stresses (direct & bending)

$$\sigma_{cc}' = \frac{P}{A} = \frac{2613.973 \times 10^3}{460507.147} = 5.676 \text{ N/mm}^2$$

$$\sigma_{bc}' = \frac{M}{Z}, \quad Z = \frac{I_e}{y} = \frac{1.412 \times 10^{10}}{650/2} = \frac{1.412 \times 10^{10}}{325} = 4.345 \times 10^7 \text{ mm}^3$$

$$= \frac{56.67 \times 10^6}{4.345 \times 10^7} = 1.304 \text{ N/mm}^2$$

$$\text{Sub in (1)} \Rightarrow \frac{5.676}{1.333 \times 5} + \frac{1.304}{1.333 \times 7} = 0.991 < 1$$

Step 11 - Design of braces

$$\text{Moment in brace} = 2 \times \text{Moment in column}$$

$$= 2 \times 56.67 = 113.34 \text{ kNm}$$

~~Moment~~

~~$$A_{st} = \frac{M}{\sigma_{st} j d}$$~~

~~$$= \frac{150 \cdot 287 \times 10^6}{249 \times 0.909 \times 450}$$~~

~~$$\sigma_{st} = 0.6 f_y = 0.6 \times 415 = 249 \text{ N/mm}^2$$~~

~~$$m = \frac{280}{3\sigma_{cbc}} = \frac{280}{3 \times 7} = 13.333$$~~

~~$$k = \frac{1}{1 + \frac{\sigma_{st}}{m\sigma_{cbc}}} = \frac{1}{1 + \frac{249}{13.333 \times 7}} = 0.273$$~~

~~$$j = 1 - \frac{k}{3} = 1 - \frac{0.273}{3} = 0.909$$~~

~~$$A_{st} = \frac{M}{\sigma_{st} j d}$$~~

~~where $d = D - d' = 500 - 50 = 450 \text{ mm}$~~

~~$$\sigma_{st} = 150 \text{ N/mm}^2$$~~

~~$$m = \frac{280}{3\sigma_{cbc}} = \frac{280}{3 \times 7} = 13.333$$~~

~~$$k = \frac{1}{1 + \frac{\sigma_{st}}{m\sigma_{cbc}}} = \frac{1}{1 + \frac{150}{13.33 \times 7}} = 0.384$$~~

~~$$j = 1 - \frac{k}{3} = 1 - \frac{0.384}{3} = 0.8727$$~~

~~$$= 0.5 \times 7 \times 0.273 \times 0.909$$~~

~~$$A_{st} = \frac{113.34 \times 10^6}{150 \times 0.871 \times 450}$$~~

~~$$= 1930.013 \text{ mm}^2$$~~

~~$$= 1930.013 \text{ mm}^2$$~~

Provide $4 \times 25 \text{ mm}$ diameter at top and bottom ($4 \times \frac{\pi}{4} \times 25^2 = 1963.5 \text{ mm}^2$)
and 10mm 2 legged stirrups at 300mm c/c as stirrups.

Step 12 - Design of foundations

A circular girder with a raft slab is provided

$$\text{Total load on foundation due to columns} = \frac{\text{Total vertical load on column}}{\text{No. of columns}}$$

$$= 2415.853 \times 8$$

$$= 19326.824 \text{ kN}$$

$$\text{Self weight of foundations} = 10\% \text{ of total load (column)}$$

(Assume)

$$= \frac{10}{100} \times 19326.824$$

$$= 1932.682 \text{ kN}$$

$$\therefore \text{Total load on foundations} = 19326.824 + 1932.682$$

$$= 21259.506 \text{ kN}$$

$$\text{Safe bearing capacity of soil} = 250 \text{ kN/m}^2$$

$$\therefore \text{Area of foundation} = \frac{\text{Total load}}{\text{SBC}} = \frac{21259.506}{250}$$


$$= 85.038 \text{ m}^2$$

Design of raft slab
 Providing a raft slab with equal projections on either side of circular ring beam and if 'b' is width of raft slab.

$$\text{Area} = \pi d \times b = 85.038$$

$$\Rightarrow (\pi \times 8) \times b = 85.038$$

$$b = 3.384 \text{ m}$$



Adopt a raft slab having 8m inner diameter and 11.4m outer diameter

$$\text{Inner diameter} = 8 - 3.384 = 4.616 \text{ m}$$

$$\text{Outer diameter} = 8 + 3.384 = 11.384 \text{ m}$$

$$\text{Area of annular portion} = \frac{\pi}{4} (11.384^2 - 4.616^2) = 85.409 \text{ m}^2$$

$$\text{Moment of Inertia} = \frac{\pi}{64} (11.384^4 - 4.616^4) = 802.136 \text{ m}^4$$

The foundation will be designed for an average pressure of, $p = \frac{\text{Total load on foundation due to columns}}{\text{Area of annular raft}}$

$$= \frac{19396.824}{85.409}$$

$$= 226.286 \text{ kN/m}^2$$

$$\text{Overhang 'x'} = \frac{1}{2} \left[\frac{1}{2} (11.384 - 4.616) - 0.7 \right]$$

$$x = 1.342 \text{ m}$$

$$\text{Bending moment, } M = p \times x \times \frac{x}{2} = 226.286 \times 1.342 \times \frac{1.342}{2}$$

$$= 203.766 \text{ kNm}$$

$$M = \sigma b d^2$$

$$203.766 \times 10^6 = 0.869 \times 1000 \times d^2$$

$$\Rightarrow d = 484.235 \text{ mm}$$

Provide 525mm thick slab with effective depth = 525 - 40

$$d = 485 \text{ mm}$$

$$A_{st} = \frac{M}{\sigma_{st} d} = \frac{203.766 \times 10^6}{249 \times 0.909 \times 485}$$

$$= 1856.208 \text{ mm}^2$$

Provide 20mm diameter bars, spacing = $\frac{1000 \times \pi \times 20^2}{4}$

$$1856.208$$

$$= 169.248 \text{ mm}$$

Provide 20mm diameter bars at 160mm c/c

$$\text{Minimum } A_{st} = 0.3\% \cdot bD = \frac{0.3}{100} \times 1000 \times 525 = 1575 \text{ mm}^2$$

Provide 10 mm dia bars, spacing = $\frac{1000 \times \frac{\pi}{4} \times 12^2}{1575.57} = 199.46 \text{ mm}$

Provide 20 mm diameter ^{at 90mm c/c} as distribution reinforcement.

Design of circular girder

Total design load on girders, $w = 19326.824 \text{ kW}$ (load on columns)

Load per meter run on girders, $w = \frac{19326.824}{\pi \times 8} = 768.99 \text{ kW/m}$
For 8 columns,

Negative BM = $0.0083 \text{ WR} = 0.0083 \times 19326.824 \times 4 = 641.651 \text{ kWm}$

Positive BM = $0.0041 \text{ WR} = 0.0041 \times 19326.824 \times 4 = 316.96 \text{ kWm}$

Torsional moment = $0.0006 \text{ WR} = 0.0006 \times 19326.824 \times 4 = 46.384 \text{ kWm}$

Shear force at support = $\left[\text{WR}(\pi \times 4) \right] / 2 = \left[768.99 \times 4 \times (\pi/4) \right] / 2 = 1207.927 \text{ kW}$

Shear force at maximum tension = $1207.927 - \left[\text{WR} \times \left(\frac{9.55 \times \pi}{180} \right) \right]$

$$= 1207.927 - \left[768.99 \times 4 \times \left(\frac{9.55 \times \pi}{180} \right) \right]$$

$$= 695.229 \text{ kW}$$

At support, $M = 641.551 \text{ kWm}$, $V = 1207.927 \text{ kW}$

$M = \sigma_b d^2$, Assuming width of girder is 750 mm

$$641.55 \times 10^6 = 0.869 \times 750 \times d^2$$

$$\Rightarrow d = 992.144 \text{ mm}$$

Adopt effective depth, $d = 1000 \text{ mm}$, Overall depth = $1000 + 50$


$$A_{st} = \frac{M}{\sigma_{st} j d} = \frac{641.55 \times 10^6}{249 \times 0.909 \times 1000} = 2834.44 \text{ mm}^2 = 1050 \text{ mm}$$

MIN $A_{st} = 0.3\% \cdot bD = \frac{0.3}{100} \times 750 \times 1050 = 2363 \text{ mm}^2$

Provide 6 nos of 25 mm diameter ($A_{st} = 6 \times \frac{\pi}{4} \times 25^2 = 2945.24 \text{ mm}^2$)

$$\tau_v = \frac{V_u}{b d} = \frac{1207.927 \times 10^3}{750 \times 1000} = 1.611 \text{ N/mm}^2$$

$$\frac{100 A_{st}}{bd} = \frac{100 \times 2945.24}{750 \times 1000} = 0.393$$



For M20 grade $\frac{100 A_{st}}{bd}$ τ_c

$$0.25 \quad 0.36$$

$$0.50 \quad 0.48$$

$$\tau_c = 0.36 + \frac{(0.48 - 0.36)(0.393 - 0.25)}{(0.50 - 0.25)} = 0.429 \text{ N/mm}^2$$

$\tau_v > \tau_c$, hence provide shear reinforcement,

$$V_{us} = V_u - \tau_c b d = (1207.927 \times 10^3) - (0.429 \times 750 \times 1000) = 886177 \text{ N}$$

Provide 4 legged 12 mm dia stirrups, $A_{sv} = 4 \times \frac{\pi}{4} \times 12^2 = 452.389 \text{ mm}^2$

Spacing is given from, $V_{us} = \frac{0.87 f_y A_{sv} d}{S_v}$

$$886177 = \frac{0.87 \times 415 \times 452.389 \times 1000}{S_v}$$

Provide 4 legged 12 mm dia stirrups at 180 mm c/c $S_v = 184.314 \text{ mm}$

At middle, $M = 316.9511 \text{ kNm}$, $V = 695.229 \text{ kN}$

$$A_{st} = \frac{M}{\sigma_{stj} d} = \frac{316.96 \times 10^6}{249 \times 0.1909 \times 1000} = 1400365 \text{ mm}^2$$

$$\text{Min } A_{st} = 0.3\% \cdot b D = \frac{0.3}{100} \times 750 \times 1050 = 2362.5 \text{ mm}^2$$

Provide 3 nos of 25 mm diameter ($A_{st} = 3 \times \frac{\pi}{4} \times 25^2 = 1472.6 \text{ mm}^2$)

$$\tau_v = \frac{V_u}{bd} = \frac{695.229 \times 10^3}{750 \times 1000} = 0.927 \text{ N/mm}^2$$

$$\frac{100 A_{st}}{bd} = \frac{100 \times 1472.6}{750 \times 1000} = 0.196$$

For M20 grade $\frac{100 A_{st}}{bd}$ τ_c

$$0.15 \quad 0.28$$

$$0.25 \quad 0.36$$

$$\tau_c = 0.128 + \frac{(0.36 - 0.128)(0.196 - 0.15)}{(0.25 - 0.15)}$$

$$\tau_c = 0.317 \text{ N/mm}^2$$

$\tau_v > \tau_c$, hence provide shear reinforcement

$$V_{us} = V_u - \tau_c b d = (695.229 \times 10^3) - (0.317 \times 750 \times 1000)$$

$$= 457479 \text{ N}$$


Provide 4 legged 10mm dia stirrups ($A_{sw} = 4 \times \frac{\pi}{4} \times 10^2 = 314.159 \text{ mm}^2$)

Spacing is given from $V_{us} = \frac{0.87 f_y A_{sv} d}{S_v}$


$$457479 = \frac{0.87 \times 415 \times 314.159 \times 1000}{S_v}$$

$$S_v = 247.939 \text{ mm}$$

Provide 4 legged 12mm diameter stirrups at 240mm c/c



16 Figure shows an arrangement of an overhead tank. Design the tank to the centre line dimensions shown in figure. The equivalent uniformly distributed load on the dome may be taken as 6000 N/metre^2 .



Step 1 - Permissible stresses

- Permissible stress in direct tension (tank wall) = 1.2 N/mm^2
(IS 3370 - Part II - 1965 - Table 1)
- Permissible stress in direct tension (dome & ring beam) = 2.8 N/mm^2
- Permissible stress in steel = 150 N/mm^2
- Permissible stress in direct compression = 5 N/mm^2
- Permissible stress in bending compression = 7 N/mm^2

$$M = \frac{280}{3066} = \frac{280}{3 \times 7} = 13.33$$

$$k = \frac{1}{1 + \frac{150}{M \times 7}} = \frac{1}{1 + \frac{150}{13.33 \times 7}} = 0.384$$

$$j = 1 - k/3 = 1 - 0.384/3 = 0.872$$

$$Q = 0.5066 \times 7 \times 0.384 \times 0.872 = 1.16$$

Step 2 - Dimensions of tank

$$\text{Depth of tank} = 42.5 - 39.5 = 3\text{m}$$

$$\text{Diameter of tank} = 6\text{m}$$

$$\text{Central rise of tank} = 43.75 - 42.50 = 1.25\text{m}$$

$$\text{Radius of dome, } R = 3^2 + (R - 1.25)^2$$

$$R = 9 + (R^2 + 1.563 - 2.5R)$$

$$R^2 - 3.5R + 10.563 = 0$$

$$R = 4.23\text{m}$$

$$\sin \theta = 3/4.23 = 0.709, \cos \theta = \frac{4.23 - 1.25}{4.23} = 0.704, \theta = 45.257$$

Step 3 - Design of top spherical dome

Load on top dome = 6000N/m^2 , Let thickness = 15mm

Meridional stress

$$\text{Meridional thrust, } T_1 = \frac{wR}{1 + \cos \theta} = \frac{6000 \times 4.23}{1 + 0.704} = 14894.366\text{N/m}$$

$$\text{Meridional stress} = \frac{T_1}{t} = \frac{14.894}{150} = 0.099\text{N/mm}^2 < 5\text{N/mm}^2$$


Hoop stress

$$\begin{aligned} \text{Circumferential force, } T_2 &= \frac{wR \left[\cos \theta - 1 \right]}{1 + \cos \theta} \\ &= 6000 \times 4.23 \left[\frac{0.704 - 1}{1 + 0.704} \right] \\ &= 2973.154\text{N/m} \\ &= 2.973\text{kN/m} = 2.973\text{N/mm} \end{aligned}$$

$$\text{Hoop stress} = \frac{T_2}{t} = \frac{2.973}{150} = 0.02\text{N/mm}^2 < 5\text{N/mm}^2$$

Reinforcement

$$\text{Min Ast} = 0.3\% \text{ bD} = \frac{0.3}{100} \times 1000 \times 150 = 450\text{mm}^2$$



Provide 8mm diameter bars, Spacing = $\frac{1000 \times \frac{\pi}{4} \times 8^2}{450}$

Provide 8mm diameter bars at 100mm c/c both circumferentially and meridionally.

Step 4 - Design of top ring beam
Reinforcement

→ Top tension, $F_t = T_1 \times \cos \alpha \times D + 1/2 = 14.894 \times 0.704 \times 6/2$
 $= 31.456 \text{ kN}$

$A_{st} = \frac{F_t}{\sigma_{st}} = \frac{31.456 \times 10^3}{150} = 209.707 \text{ mm}^2$

Provide 4 no's of 10mm diameter ($4 \times \frac{\pi}{4} \times 10^2 = 314.159 \text{ mm}^2$)

→ Minimum shear reinforcement is given by,

$\frac{A_{sv}}{b S_v} = \frac{0.4}{0.87 f_y}$

Provide 2 legged 6mm diameter stirrups,

$A_{sv} = 2 \times \frac{\pi}{4} \times 6^2 = 56.549 \text{ mm}^2$

$\frac{56.549}{1000 \times S_v} = \frac{0.4}{0.87 \times 415}$

$S_v =$

Size

Permissible stress in ring beam = $\frac{F_t}{A_c + m A_{st}}$

$2.8 = \frac{31.456 \times 10^3}{A_c + (13.33 \times 314.159)}$

$A_c = 7046.546 \text{ mm}^2$

$A_c = 7046.546 \text{ mm}^2$

$$1.2 = \frac{31.456 \times 10^3}{A_c + (13.33 \times 314.159)}$$

$$A_c = 22025.594 \text{ mm}^2$$

Provide top ring beam of size $150 \times 150 \text{ mm}$ ($A_c = 22,500 \text{ mm}^2$)

Shear reinforcement

minimum shear reinforcement is given by

$$\frac{A_{sv}}{b_{sv} s_v} = \frac{0.4}{0.87 f_y}$$

where $A_{sv} = 2 \times \frac{\pi}{4} \times 6^2 = 56.549 \text{ mm}^2$,

$$\frac{56.549}{150 \times s_v} = \frac{0.4}{0.87 \times 415}$$

$$s_v = 340.284 \text{ mm}$$

∴ Provide 6mm diameter 2 legged stirrups at 300mm c/c

Step 5 - Design of tank wall

Horizontal reinforcement

Hoop tension, $F_t = \frac{1}{2} \rho_w \times H \times \frac{D t}{2} = 9.81 \times 3 \times \frac{6}{2} = 88.29 \text{ kN/m}$

$$A_{st} = \frac{F_t}{\sigma_{st}} = \frac{88.29 \times 10^3}{150} = 588.6 \text{ mm}^2$$

$$A_{st} \text{ on one face} = \frac{588.6}{2} = 294.3 \text{ mm}^2$$

Provide 8mm diameter bars, spacing = $\frac{1000 \times \pi \times 8^2}{4 \times 294.3}$

$$= 170.97 \text{ mm}$$

Provide 8mm diameter bars at 170mm c/c on both faces

($A_{st} \text{ provided} = \frac{1000 \times \pi \times 8^2}{4} = 295.679 \text{ mm}^2$ on both ^{one} face)

$$A_{st} \text{ on both faces} = 2 \times 295.679 = 591.358 \text{ mm}^2$$

Size

$$\text{Permissible stress in tank wall} = \frac{F_t}{A_c + m A_{st}}$$

$$1.2 = \frac{88.29 \times 10^3}{A_c + (13.33 \times 591.358)}$$

$$A_c = 65,692.198 \text{ mm}^2$$

Provide tank wall of thickness 150mm ($A_c = 1000 \times 150 = 150,000 \text{ mm}^2$)

Vertical reinforcement

$$A_{st} = 0.3\% b D = \frac{0.3}{100} \times 1000 \times 150 = 450 \text{ mm}^2$$

$$A_{st} \text{ on each face} = \frac{450}{2} = 225 \text{ mm}^2$$

$$\text{Provide 8mm diameter bars, spacing} = \frac{1000 \times \frac{\pi \times 8^2}{4}}{225}$$

$$= 223.402 \text{ mm}$$

Provide 8mm diameter bars at 220mm c/c on both faces.

Step 6 - Design of bottom ring beam

Reinforcement

$$\rightarrow \text{Load due to spherical dome} = T \sin \alpha = 14.894 \times 0.709 = 10.56 \text{ kN/m}$$

$$\text{load due to top ring beam} = 0.15 \times 0.15 \times 25 = 0.563 \text{ kN/m}$$

$$\text{load due to tank wall} = 0.15 \times 3 \times 25 = 11.25 \text{ kN/m}$$

Assuming size of bottom ring beam as $0.15 \times 0.15 \text{ m}$, load

$$\text{due to bottom ring beam} = 0.15 \times 0.15 \times 25 = 0.563 \text{ kN/m}$$

$$\therefore \text{Total vertical load} = 10.56 + 0.563 + 11.25 + 0.563$$

$$= 22.936 \text{ kN/m}$$

$$\text{Total horizontal load} = 22.936 \times \cot 45 = 22.936 \text{ kN/m}$$

$$\rightarrow \text{Max tension due to vertical load} = 22.936 \times \frac{D}{2}$$

$$= \frac{22.936 \times 6}{2}$$

$$= 68.808 \text{ kN}$$

$$\rightarrow \text{Hoop tension due to water} = W \times r \times h \times \frac{D_t}{2}$$

$$= 9.81 \times 3 \times 0.15 \times \frac{6}{2}$$

$$= 13.244 \text{ kN}$$

$$\rightarrow \text{Total hoop tension} = 68.808 + 13.244 = 82.052 \text{ kN}$$

$$\rightarrow A_{st} = \frac{F_t}{\sigma_{st}} = \frac{82.052 \times 10^3}{150} = 547.013 \text{ mm}^2$$

Provide 4 no's of 16mm diameter bars ($A_{st} = 4 \times \frac{\pi}{4} \times 16^2 = 804.25 \text{ mm}^2$)

\rightarrow Minimum shear reinforcement is given by

$$\frac{A_{sv}}{b s_v} = \frac{0.4}{0.187 f_y}$$

Provide 2 legged 6mm diameter stirrups,

$$A_{sv} = 2 \times \frac{\pi}{4} \times 6^2 = 56.549 \text{ mm}^2$$

$$\therefore \frac{56.549}{150 \times s_v} = \frac{0.4}{0.187 \times 415}$$

$$s_v = 340.284 \text{ mm}$$

Provide 2 legged 6mm diameter stirrups at 300mm c/c

Step 7 - Design of conical dome

\rightarrow Dimensions

$$\text{Length of bottom of tank} = 6 - 1.5 - 1.5 = 3 \text{ m}$$

(Diameter)


$$= 3 \text{ m}$$

$$\text{Average diameter of conical dome (D)} = \frac{6 + 3}{2} = 4.5 \text{ m}$$

$$\text{Average depth of water, } H_c = 3 + 2/2 = 4 \text{ m}$$

\rightarrow Load Calculation

$$\text{Weight of water above conical dome} = (\pi D_c \times H_c \times 2) \times 9.81$$



$$= \pi \times 4.5 \times 4 \times 2 \times 9.81$$

$$= 1109485 \text{ kN}$$

$$\text{Total horizontal load (from components above)} = 22.936 \times \pi D_t$$

$$= 22.936 \times \pi \times 6$$

$$= 432.333 \text{ kN}$$

Assuming thickness of conical dome as 150mm, self weight of dome

$$= \pi D_c \times 0.15 \times \sqrt{2^2 + 1.5^2} \times 25$$

$$= \pi \times 4.5 \times 0.15 \times \sqrt{2^2 + 1.5^2} \times 25$$

$$= 132.536 \text{ kN}$$

$$\therefore \text{Total load} = 1109.485 + 432.333 + 132.536$$

$$= 1674.354 \text{ kN} \quad \text{--- (1)}$$

$$\text{Load/m length} = 1674.354 / (\pi \times D_b) = 1674.354 / (\pi \times 3)$$

$$= 177.654 \text{ kN/m}$$

→ meridional stress

$$\text{Meridional thrust, } T_1 = 177.654 \times \csc 45 = 251.241 \text{ kN}$$

$$\text{meridional stress} = \frac{T_1}{t} = \frac{251.241}{150} = 1.675 < 5 \text{ N/mm}^2$$

→ Horizontal reinforcement

$$\text{Hoop tension, } F_t = (p \csc \theta + q \cot \theta) \times \frac{D_t}{2}$$

$$\text{where } p = \text{water pressure} = 9.81 \times D_b = 9.81 \times 3 = 29.43 \text{ kN/m}^2$$

$$q = \text{self weight of conical dome} = 0.15 \times 25 = 3.75 \text{ kN/m}^2$$

$$\therefore F_t = \left[(29.43 \times \csc 45) + (3.75 \times \cot 45) \right] \times \frac{6}{2}$$

$$= 136.111 \text{ kN}$$

$$A_{st} = \frac{F_t}{\sigma_{st}} = \frac{136.111 \times 10^3}{150} = 907.407 \text{ mm}^2$$

$$A_{st} \text{ on one face} = \frac{907.407}{2} = 453.703 \text{ mm}^2$$

$$\text{Provide } 12 \text{ mm diameter bars, spacing} = \frac{1000 \times A_f \times 12^2}{A_{st}}$$

$$= \frac{1000 \times 12^2}{453.703}$$

$$= 249.276 \text{ mm}$$

Provide 12mm diameter bars at 240mm c/c on both

$$\text{faces } (A_{st} = \frac{1000 \times \frac{\pi}{4} \times 12^2}{240} \times 2 = 942.478 \text{ mm}^2)$$

→ Vertical reinforcement

$$A_{st} = 0.31 \cdot b \cdot D = \frac{0.3 \times 1000 \times 150}{100} = 450 \text{ mm}^2$$

$$A_{st} \text{ on each face} = 450/2 = 225 \text{ mm}^2$$

$$\text{Provide 8mm diameter bars, spacing} = \frac{1000 \times \frac{\pi}{4} \times 8^2}{225} \\ = 223.402 \text{ mm}$$

Provide 8mm diameter bars at 220mm c/c on both faces.

→ Stress check

Permissible stress in conical dome = $\frac{F_t}{A_c + m A_{st}}$

$$= \frac{136.111 \times 10^3}{(1000 \times 150) + (13.333 \times 942.478)}$$

$$= 0.837 \text{ N/mm}^2 < 2.8 \text{ N/mm}^2$$

$$= 0.837 \text{ N/mm}^2 < 2.8 \text{ N/mm}^2$$

Steps - Design of Circular base slab

The slab will be designed as supported all around the edge over the circular ring girder. Maximum bending moment at centre of circular base slab is given by,

$$M = \frac{3}{16} w r^2 \text{ per metre width of slab}$$

where w → weight on slab

$$r \rightarrow \text{Radius at bottom} = 3/2 = 1.5 \text{ m}$$

$$\rightarrow \text{Weight of water over slab} = 9.81 \times (3+2) = 49.05 \text{ kN/m}^2$$

$$\rightarrow \text{Self weight of slab (assuming 200mm thick)} = 0.2 \times 25 = 5 \text{ kN/m}^2$$

$$\text{Total load, } w = 54.05 \text{ kN/m}^2$$

$$M = \frac{3 \times 54.05 \times 1.5^2}{16}$$

$$= 22.802 \text{ kNm}$$

$$\rightarrow M = Qbd^2$$

$$\Rightarrow 1.16 \times 1000 \times d^2 = 22.802 \times 10^6$$

$$d = 140.203 \text{ mm}$$

Hence provide effective depth, $d = 170 \text{ mm}$, cover = 30 mm ,
overall thickness = $170 + 40 = 210 \text{ mm}$

$$\rightarrow A_{st} = \frac{M}{\sigma_{st} j d}$$

$$= \frac{22.802 \times 10^6}{150 \times 0.872 \times 170}$$

$$A_{st} = 1025.454 \text{ mm}^2$$

Provide 16mm dia bars, spacing = $\frac{1000 \times \frac{\pi}{4} \times 16^2}{1025.454}$

Provide 16mm diameter bars at 190mm c/c (A_{st} provided =

$$\frac{1000 \times \frac{\pi}{4} \times 16^2}{190} = 1058.221 \text{ mm}^2$$

at circular

Step 9 - Design of circular or ring girders

→ Load
From ①, total load of water, load from other components and self weight of conical dome } = 1674.354 kW

$$\text{Self wt of circular slab} = \frac{\pi d^2}{4} \times t \times 25 = \frac{\pi \times 3^2}{4} \times 0.2 \times 25 = 35.343 \text{ kW}$$

Assuming size of ring girder as 300x500mm, self weight of girder (d=450mm)

$$= (0.3 \times 0.5 \times 25) \times (\pi \times 3) = 35.343 \text{ kW}$$

Total design load on girder, $W = 1674.354 + 35.343 + 35.343 = 1745.04 \text{ kW}$

Total design load per m, $w = \frac{1745.04}{\pi \times 3} = 185.154 \text{ kW/m}$

→ BM & SF

Let us provide 6 columns,

Negative BM = $0.0148 \text{ WR} = 0.0148 \times 1745.04 \times 1.5 = 38.74 \text{ kWm}$

Positive BM = $0.0075 \text{ WR} = 0.0075 \times 1745.04 \times 1.5 = 19.632 \text{ kWm}$

Torsional moment = $0.0015 \text{ WR} = 0.0015 \times 1745.04 \times 1.5 = 3.926 \text{ kWm}$

Shear force at support = $\frac{wR \times (\pi/4)}{2} = \frac{185.154 \times 1.5 \times (\pi/4)}{2}$

$$= 109.065 \text{ kW}$$

Shear force at maximum tension = $109.065 \left(wR \times 12.44' \times \frac{\pi}{180} \right)$

$$= 109.065 - (185.154 \times 1.5 \times 12.733 \times \frac{\pi}{180})$$

$$= 47.344 \text{ kW}$$

At support) $M = 38.74 \text{ kNm}$, $V = 109.065 \text{ kN}$

$$M = \sigma_b d^2$$

$$38.74 \times 10^6 = 1.16 \times 300 \times d^2$$

$$\Rightarrow d = 333.649 \text{ mm} < 450 \text{ mm}$$

$$A_{st} = \frac{M}{\sigma_{st} j d} = \frac{38.74 \times 10^6}{150 \times 0.872 \times 450} = 658.172 \text{ mm}^2$$

$$\text{Min } A_{st} = 0.3\% \cdot b D = \frac{0.3}{100} \times 300 \times 500 = 450 \text{ mm}^2$$

Provide 6 \times 12 mm diameter bars ($A_{st} = 6 \times \frac{\pi}{4} \times 12^2 = 678.584 \text{ mm}^2$) at top.

$$\tau_v = \frac{V_u}{b d} = \frac{109.065 \times 10^3}{300 \times 450} = 0.808 \text{ N/mm}^2$$

$$\frac{100 A_{st}}{b d} = \frac{100 \times 678.584}{300 \times 450} = 0.5 \Rightarrow \tau_c = 0.3 \text{ N/mm}^2 \quad (IS 456, \text{ fig 84})$$

$\tau_v > \tau_c \Rightarrow$ Provide shear reinforcement.

$$V_{us} = V_u - \tau_c b d = (109.065 \times 10^3) - (0.3 \times 300 \times 450) = 68565 \text{ N} \\ = 68.565 \text{ kN}$$

Provide 2 legged 6mm dia stirrups, $A_{sv} = 2 \times \frac{\pi}{4} \times 6^2 = 100.53 \text{ mm}^2$

Spacing is given by $V_{us} = \frac{0.87 f_y A_{sv} d}{S_v}$

$$68.56 \times 10^3 = \frac{0.87 \times 415 \times 100.53 \times 450}{S_v}$$

$$S_v = 238.23 \text{ mm}$$

Provide 2 legged 6mm diameter stirrups at 230mm c/c

At middle, $M = 19.632 \text{ kNm}$, $V = 47.314 \text{ kN}$

$$A_{st} = \frac{M}{\sigma_{st} j d} = \frac{19.632 \times 10^6}{150 \times 0.872 \times 450} = 333.54 \text{ mm}^2$$

$$\text{Min } A_{st} = 0.3\% \cdot b D = \frac{0.3}{100} \times 300 \times 500 = 450 \text{ mm}^2$$

Provide 4 nos of 12 mm diameter bars at bottom ($A_{st} = 452.39 \text{ mm}^2$)

Provide 2 legged 6mm dia stirrups at 230mm c/c.

Step 10 - Design of Columns


The supporting tower comprises of 6 columns equally spaced on a circle of 3m diameter

Spacing of bracing = 3.75m (7.5/2)

Base of tank is 7.5m above ground level.

Load on columns (weight)

→ Vertical load on each column due to weight = $\frac{\text{Total design load on girders}}{\text{No. of columns}}$



$$= \frac{1745.04}{6}$$

$$= 290.84 \text{ kN}$$

→ Self weight of column of height 7.5m and diameter 300mm
 $= \frac{\pi}{4} \times 0.3^2 \times 7.5 \times 25 = 13.25 \text{ kN}$

→ Self weight of bracing (300mm x 300mm) = $1 \times (0.3 \times 0.3) \times (\pi \times 3) \times 25$

$$\text{Bracing weight on one column} = 21.21 \text{ kN}$$

$$= \frac{21.21}{6} = 3.54 \text{ kN}$$

Total vertical load on each column due to weight = $290.84 + 13.25 + 3.54 = 307.63 \text{ kN}$ (1)

Wind force on columns

Intensity of wind pressure = 1.5 kN/m^2 (assume)

Reduction coefficient for circular shapes = 0.7

→ Wind force on top dome and cylindrical shell
 $= (3 + \frac{1.25}{2}) \times 6 \times 0.7 \times 1.5$
 $= 92.84 \text{ kN}$

→ Wind force on bottom ring beam = $0.15 \times 3 \times 0.7 \times 1.5 = 0.47 \text{ kN}$

$$\rightarrow \text{Wind force on conical dome} = (3+1.5) \times 2 \times 0.7 \times 1.5 = 9.45 \text{ kN}$$

$$\rightarrow \text{Wind force on three columns} = 3 \times 0.3 \times 7.5 \times 0.7 \times 1.5$$

$$= 7.09 \text{ kN}$$

$$\rightarrow \text{Wind force on bracing} = 1 \times 0.5 \times 3 \times 1.5 = 2.25 \text{ kN}$$

$$\text{Total wind force} = 22.84 + 0.47 + 9.45 + 7.09 + 2.25$$

$$= 42.1 \text{ kN}$$

Assuming point of contraflexure at mid height of column, fixed at base due to soft foundation, moment at base of column is calculated as,

$$\text{Fixing moment, } M_f = \text{Total wind force} \times \frac{\text{Column height}}{2}$$

$$= 42.1 \times \frac{7.5}{2}$$

$$= 157.88 \text{ kNm}$$

If M_R is the moment of resistance at base of column due to wind loads,

$$M_R = 22.84 \times \left(9.5 + \frac{3+1.25}{2}\right) + 9.45 \times \left(7.5 + \frac{2}{2}\right) + (0.47 \times 7.5)$$

$$+ (2.25 \times 3.75)$$

$$= 357.8 \text{ kNm}$$

$$M_R = M_f + \frac{v}{r} \sum a^2$$

where $M_f \rightarrow$ Fixing moment

$M_R \rightarrow$ Moment of resistance

$v \rightarrow$ Reaction

$a \rightarrow$ Distance of column from centre,


$$\sin 45^\circ = \frac{a}{1.5}$$

$$357.8 = 157.88 + \frac{v}{1.5} [(4 \times 1.06^2) + (2 \times 1.5^2)]$$

$$a = 1.06 \text{ m}$$

$$357.8 = 157.88 + 6v$$

$$\text{Reaction, } v = 33.32 \text{ kN} \quad \text{--- (2)}$$



$$\begin{aligned} \text{Total load on columns} &= \text{Vertical load due to weight} \\ &\quad + \text{Reaction due to dead load} \\ &= 307.63 + 33.32 \end{aligned}$$

$$\begin{aligned} P &= 340.95 \text{ kN} \\ \text{Moment in each column} &= \frac{\text{Fixing moment}}{\text{No. of columns}} = \frac{157.88}{6} \end{aligned}$$

$$M = 26.31 \text{ kNm}$$

Reinforcement in Column

$$\text{Eccentricity, } e = \frac{M}{P} = \frac{26.31 \times 10^6}{340.95 \times 10^3} = 77.17 \text{ mm}$$

IS 456, Pg 42, 25.4, minimum eccentricity is 20mm

Use 8 bars of 32mm diameter and lateral ties of 10mm diameter at 300mm c/c

$$A_{sc} = 8 \times \frac{\pi}{4} \times 32^2 = 6433.98 \text{ mm}^2$$

$$\begin{aligned} \text{Effective area, } A_e &= A_c + m A_{sc} = \left(\frac{\pi D^2}{4} \right) + m A_{sc} \\ &= \left(\frac{\pi \times 300^2}{4} \right) + (13.33 \times 6433.98) \end{aligned}$$

$$A_e = 156450.788 \text{ mm}^2$$

$$\text{Equivalent moment of inertia, } I_e = \frac{\pi D^4}{64} + \frac{(m-1) A_{sc} d^2}{8}$$

$$d = D - \text{Cover} = 300 - 30 = 260 \text{ mm}$$

$$I_e = \left(\frac{\pi \times 300^4}{64} \right) + \frac{(13.33-1) \times 6433.98 \times 260^2}{8} = 1.068 \times 10^9 \text{ mm}^4$$

For safety of column, $\frac{\sigma_{cc}'}{\sigma_{cc}} + \frac{\sigma_{cbc}'}{\sigma_{cbc}} < 1$ (Permissible stress in

materials may be increased by 33 1/3% (1.333)

$$\text{Where } \sigma_{cc}' = \frac{P}{A_e} = \frac{340.95 \times 10^3}{156450.788} = 2.179 \text{ N/mm}^2$$

Step 11 - Design of braces

Moment in brace = $2 \times$ Moment in column

$$= 2 \times 26.63 = 53.26 \text{ kNm}$$

$$A_{st} = \frac{M}{\sigma_{st} \cdot d} = \frac{53.26 \times 10^6}{150 \times 0.872 \times 250} = 1628.75 \text{ mm}^2$$

Provide 6 \times 20mm diameter at top and bottom ($6 \times \frac{\pi}{4} \times 20^2 = 1884.96 \text{ mm}^2$)
and 10mm 2 legged stirrups at 300mm c/c as stirrups.

Step 12 - Design of foundations

A circular girder with raft slab is provided.

Total load on foundations due to columns = Total vertical load on columns \times No of columns

$$= 307.63 \times 6 = 1845.78 \text{ kN}$$

Self weight of foundation = 10% of total load (columns)

$$\text{(assume)} = \frac{10}{100} \times 1845.78 = 184.578 \text{ kN}$$

Total load on foundations = $1845.78 + 184.578 = 2030.358 \text{ kN}$

Safe bearing capacity of soil = 250 kN/m^2

$$\text{Area of foundation} = \frac{\text{Total load}}{\text{SBC}} = \frac{2030.358}{250} = 8.121 \text{ m}^2$$

Design of raft slab

Providing a raft slab with equal projections on either side of circular rly beam, if 'b' is the width of raft slab

$$\text{Area} = \pi d \times b$$

$$\Rightarrow (\pi \times 3) \times b = 8.121$$

$$b = 0.862 \text{ m}$$

$$\text{Inner diameter} = 3 - 0.862 = 2.138 \text{ m}$$

$$\text{outer diameter} = 3 + 0.862 = 3.862 \text{ m}$$

$$\text{Area of annular portion} = \frac{\pi}{4} (3.862^2 - 2.138^2) = 8.124 \text{ m}^2$$

$$\text{Moment of inertia} = \frac{\pi}{64} (3.862^4 - 2.138^4) = 9.894 \text{ mm}^4$$

Foundation will be designed for average, $p = \frac{\text{Total load on foundation due to column}}{\text{Area of annular raft}}$
pressure of

$$= \frac{1845.78}{8.124}$$

$$= 227.201 \text{ kN/m}^2$$

$$\text{Overhang, } x = \frac{1}{2} \left[\frac{1}{2} (3.862 - 2.138) - 0.13 \right] = 0.281 \text{ m}$$

$$\text{Bending moment, } M = p \times x \times \frac{x}{2} = 227.201 \times 0.281 \times \frac{0.281}{2} = 8.97 \text{ kNm}$$

$$M = Qbd^2 \Rightarrow 8.97 \times 10^6 = 1.16 \times 1000 \times d^2$$

$$d = 87.936 \text{ mm}$$

Provide effective depth, $d = 90 \text{ mm}$, cover = 30 mm, Overall depth = 120 mm

$$A_{st} = \frac{M}{\sigma_{st} d} = \frac{8.97 \times 10^6}{150 \times 0.872 \times 90} = 761.978 \text{ mm}^2$$

Provide 12 mm dia bars, Spacing = $\frac{1000 \times (\pi/4) \times 12^2}{761.978} = 148.426 \text{ mm}$

Provide 12mm diameter bars at 120mm c/c as main bars

$$\text{Min } A_{st} = 0.3\% \cdot bD = \frac{0.3}{100} \times 1000 \times 120 = 360 \text{ mm}^2$$

$$\text{Provide } 10 \text{ mm diameter bars, spacing} = \frac{1000 \times \frac{\pi}{4} \times 10^2}{360} = 218.166 \text{ mm}$$

Provide 10 mm diameter bars at 200mm c/c as distribution bars.

Design of circular girder

Total design load on girder, $W = 1845.78$ (load on columns)

$$\text{Total design load per m} = w = \frac{1845.78}{\pi \times 3} = 195.843 \text{ kN/m}$$

As the design load of circular ring girder in foundation is ~~same~~ ~~or~~ more or less equal to the loads in circular girder at tank provide similar depth and reinforcements -


Unit III - Industrial Structures

Structural steel framing - Steel Roof Trusses - Roofing details
Beam Columns - Code provisions - Design and Drawing

Roof Truss

Large column free areas are required for auditoriums, assembly halls, workshops etc. To get column free area, roofing system is provided which has roof truss connected with purlins which in turn supports roof sheeting made of GI sheets, Aluminium sheets or Asbestos Cement (AC) sheets. The roof truss are supported on walls or columns on both sides.

Elements of a roof truss



Top chord members - Uppermost members along uppermost line of truss passing through peak and support
(or)
Principal Rafter
They support purlins which supports sheet.

Bottom chord members - Lowermost members extending from one support to another.
(or)
Principal Ties

Struts - members subjected to compression forces other than top and bottom chord members

Strings or Tie - Members subjected to tension forces other than top and bottom chord members

Sag Tie - Provided to reduce sag of peak

Load on roof truss

1) Dead Load

Unit weight of steel (IS 875 - Part I) \rightarrow GI sheet $- 85 \text{ N/m}^2$

\rightarrow AC sheet $- 138 \text{ N/m}^2$

Weight of purlin $- 100$ to 150 N/m

Weight of truss $- \left(\frac{\text{span} + 5}{3}\right) \times 10$ (or) 10% of load on truss.

Weight of bracing $- 12$ to 15 N/m^2 of plan area.

2) Live Load

IS 875 Part II - Roof slope $\leq 10^\circ$, - Access provided $= 1.5 \text{ kN/m}^2$

- No access $= 0.75 \text{ kN/m}^2$

$> 10^\circ - [0.75 - 0.02(0 - 10)]$

3) Wind Load

\rightarrow Wind force, $F = (C_{pe} - C_{pi}) A P_d$

$C_{pe}, C_{pi} \rightarrow$ External & internal pressure coefficient

$A \rightarrow$ Surface area

$P_d \rightarrow$ Design wind pressure (P_z)

\rightarrow Design wind pressure, $P_z = 0.6 V_z^2$

where $V_z \rightarrow$ Design wind speed $= V_b k_1 k_2 k_3$

$k_b \rightarrow$ Basic wind speed

$k_1 \rightarrow$ Risk coefficient (Depending on importance of bldg)

$k_2 \rightarrow$ Terrain, height and structure, size factor

$k_3 \rightarrow$ Topography factor

4) Snow Load

Snow load $= 2.5 \text{ N/m}^2$ per mm depth of snow

When roof slope $> 50^\circ$, snow load is neglected

5) Load Combination

- > Dead load + Live load
- > Dead load + Snow load
- > Dead load + Wind load

P3) Determine the loads acting on the roof of a truss for the following data.

- > Overall length of building - 48m
- > Overall width of building - 16.5m
- > Width (c/c of roof truss) - 16m
- > c/c spacing of truss - 8m
- > Rise of truss - $\frac{1}{4}$ of span
- > Self weight of purlins - 318 N/m
- > Height of columns = 11m
- > Roofing and size coverings - Ac sheet (17 N/m^2)

The building is located in industrial area Naini, Allahabad. Both the ends of truss are hinged. Use steel of grade Fe410

Solution

Step 1 - Truss Geometry

$$\text{Rise of truss} = \frac{1}{4} \text{ of span}$$


$$= \frac{1}{4} \times 16$$

$$= 4 \text{ m}$$

$$\text{Slope, } \tan \theta = \frac{4}{8} = 0.5$$

$$\Rightarrow \theta = \tan^{-1}(0.5) = 26.565^\circ$$

$$\text{Length of panel} = \sqrt{8^2 + 4^2} = 8.944 \text{ m}$$



$$\text{Pitch} = \frac{1}{5}$$

(Rise)


$$\frac{HT}{\text{Span}} = \frac{1}{5}$$

$$\frac{HT}{16} = \frac{1}{5}$$

$$\text{width of sky} = \text{span of truss} + 0.5 \text{ m}$$

Length of each panel on one side = $8.944/4 = 2.236\text{m}$

Length of each panel in plan = $2.236 \times \cos 26.565 = 2\text{m}$



Step 2 - Dead Load

Self weight of AC sheet = 171N/m^2

Self weight of purlin = 318N/m

Self weight of bruss = $\left(\frac{\text{Span} + 5}{3}\right) \times 10 = \left(\frac{16 + 5}{3}\right) \times 10$

$$= 103.33\text{N/m}^2 \approx 110\text{N/m}^2$$



Self weight of bracing = 12N/m^2 (Assume)

Total dead load = $171 + 110 + 12 = 293\text{N/m}^2$
(N/m^2)

Total dead load = 318N/m
(N/m)

Load at intermediate panels = $(293 \times 8 \times 2) + (318 \times 8)$
 $= 7232\text{N}$

Load at panel points = $7232/2 = 3616\text{N}$



Step 3 - Line load


Line load for $\theta \geq 10^\circ$, line load = $0.75 - 0.02(\theta - 10^\circ)$

$$= 0.75 - 0.02(26.565 - 10)$$

Load at intermediate panels = 0.419 kN/m^2

$$= 0.419 \times 8 \times 2$$

Load at end panel points = $6.704 / 2 = 3.352 \text{ kN}$



Step 3 - Wind Load

$\rightarrow V_2 = V_b k_1 k_2 k_3$ (IS 875 - Part III - Pg 8)

$V_b = 47 \text{ m/s}$ (Allahabad) - (IS 875 - Part III - Pg 53, Pg 9 Fig 1)

$k_1 = 1.0$ (general buildings) - IS 875 Part III, Pg 11, Table 1)

k_2

Category 3 - Numerous closed spaced obstructions with building height upto 10m (IS 875 - Part III - Pg 8)

Class B - Greatest dimension - 4m (between 20 to 50m)


From Table 2, Height k_2

10 0.88

(ii) 15 0.94

$$k_2 = 0.88 + \left(\frac{0.94 - 0.88}{15 - 10} \right) \times (11 - 10)$$

$$k_2 = 0.892$$



$$k_3 = 1 \text{ (Flat topography)}$$

$$\therefore V_2 = 47 \times 1 \times 0.892 \times 1 = 41.83 \text{ m/s}$$

$$\text{Design wind pressure, } P_2 = 0.6 V_2^2$$

$$= 0.6 \times 41.83^2$$

$$= 1049.849 \text{ N/m}^2 = 1.05 \text{ kN/m}^2$$

$$\text{IS 875, Pg 13, wind load } F = (C_{pe} - C_{pi}) A Pd$$


$$C_{pe} \text{ (Table 5 - Pg 16)}$$

$$\frac{h}{w} = \frac{11}{16} = 0.688, \quad \frac{1}{2} < \frac{h}{w} < \frac{3}{2}$$

Roof angle	Wind Angle 0°		Wind angle 90°	
	EF	GH	FG	FH
20	-0.7	-0.5	-0.8	-0.6
30	-0.2	-0.5	-0.8	-0.8

0° → EF - Windward, GH - Leeward


90° → FG - Windward, FH - Leeward



Roof angle	Wind Angle 0°		Wind Angle 90°	
	EF	GH	FG	FH
26.565	-0.372	-0.5	-0.8	-0.731

$$C_{pi}$$

$$\text{IS 875, Pg 27-6.2.31, } C_{pi} = \pm 0.2$$



Area (A)

$$\text{Area} = 8 \times 2.236 = 17.888 \text{ m}^2$$

→ Wind Force

$$F = (C_{pe} - C_{pi}) A P_d \quad \rightarrow \text{Simple Calculation}$$

$$= (-0.372 - 0.2) \times 17.888 \times 1.05$$

$$= -10.744 \text{ kN}$$


Wind Angle	Pressure Coefficients			C _{pe} - C _{pi}		Wind force (F)	
	C _{pe}		C _{pi}	Windward	Leeward	Windward	Leeward
	Windward	Leeward					
0°	-0.372	-0.5	+0.2	-0.572	-0.7	-10.744	-13.148
			-0.2	-0.172	-0.3	-3.231	-5.635
90°	-0.8	-0.731	+0.2	-1.0	-0.931	-18.782	-17.486
			-0.2	-0.6	0.531	-11.269	-9.973

Windward force at intermediate panel points = -18.782 kN

" " " " end panel points = -18.782 / 2 = -9.391 kN

Leeward force at intermediate panel points = -17.486 kN

" " " " end panel points = -17.486 / 2 = -8.743 kN



(P5) Design a roof truss to suit the following requirements,

Span of truss = 16m

Rise of truss = 4m

Spacing of truss = 4m

Roofing shall be of GI sheets

Line load = 50 kg/m^2

Wind pressure = 120 kg/m^2 normal to roof.

Solution

Step 1 - Truss geometry



$$\text{Slope, } \tan \theta = \frac{4}{8} = 0.5$$

$$\theta = \tan^{-1} 0.5 = 26.565^\circ$$

$$\text{Length of panel} = \sqrt{8^2 + 4^2} = 8.944 \text{ m}$$

$$\text{Length of each panel in one side} = 8.944 / 4 = 2.236 \text{ m}$$

$$\text{Length of each panel in plan} = 2.236 \times \cos 26.565^\circ = 2 \text{ m}$$



Step 2 - Dead Load

$$\text{Self weight of GI sheets} = 150 \text{ N/m}^2 \text{ (assume)}$$

$$\text{Self weight of purlin} = 80 \text{ N/m}^2 \text{ (assume)}$$


$$\text{Weight of truss} = \left(\frac{\text{span} + 5}{3} \right) \times 10 = \left(\frac{16 + 5}{3} \right) \times 10 = 103.33 \text{ N/m}^2$$

Self weight of bracing = 12 N/m^2 (Assume)

Total dead load = $150 + 80 + 103.33 + 12 = 345.33 \text{ N/m}^2$
 Purlin spacing (assume)

Load at intermediate panels = $345.33 \times 4 \times 2 = 2762.64 \text{ N}$

Load at end points = $2762.64 / 2 = 1381.32 \text{ N}$



Reactions


$$\text{Total downward load} = (2762.64 \times 7) + (1381.32 \times 2)$$

$$= 22101.12 \text{ kN}$$

$$\text{Reaction at A, and O} = 22101.12 / 2 = 11050.56 \text{ kN}$$

Member forces

Analyzing the truss by method of joints




Cut section ①-① through AB + AC,

Taking moment about C, $\sum M_C = 0$

$$\Rightarrow (11050.56 \times 2.5) - (1381.32 \times 2.5)$$

$$+ (F_{AB} \times 1.12) = 0$$

$$\Rightarrow \underline{F_{AB} = -21583.348 \text{ N}}$$



$$\sin 26.565 = \frac{BC}{AC}$$

$$\sin 26.565 = \frac{BC}{2.50}$$

$$BC = 1.12 \text{ m}$$

$$\cos 26.565 = \frac{AB}{AC}$$

$$\cos 26.565 = \frac{2.236}{AC}$$

$$AC = 2.50 \text{ m}$$

Cut section ②-② through BD, BC + AC,


$$\sum M_B = 0 \Rightarrow (11050.56 \times 2) - (1381.32 \times 2)$$

$$+ (F_{AC} \times 1.12) = 0$$

$$\underline{F_{AC} = 19338.48 \text{ N}}$$

$$\sum M_A = 0 \Rightarrow (F_{BC} \times 2.236) + (2762.64 \times 2)$$

$$\Rightarrow \underline{F_{BC} = -2471.055 \text{ N}}$$



$\sum M_C = 0$

$$- (F_{BD} \times 1.12) - (2762.64 \times 0.5)$$

$$- (1381.32 \times 2.5)$$

$$+ (11050.56 \times 2.5) = 0$$

$\Delta A'AB$

$$\sin 26.565 = \frac{A'B}{AB}$$

$$= \frac{A'B}{2.236}$$

$$A'B = 1 \text{ m}$$

ΔABC ,

$$\sin 26.565 = \frac{BC}{AC}$$

$$= \frac{BC}{2.5}$$

$$BC = 1.12 \text{ m}$$


$\Delta AA'B$

$$\cos 26.565 = \frac{AA'}{AB}$$

$$= \frac{AA'}{2.236}$$

$$AA' = 2 \text{ m}$$

$$\Rightarrow \underline{F_{BD} = -20349.804 \text{ N}}$$



$$\sin 26.565 = \frac{CD}{AD} = \frac{CD}{4.472} \Rightarrow CD = 2\text{m}$$

$$\cos 26.565 = \frac{AC}{AD} = \frac{AC}{4.472} \Rightarrow AC = 4\text{m}$$

$$\sum M_D = 0 \Rightarrow -(F_{CE} \times 2) - (1381.32 \times 4) + (11050.56 \times 4) - (2762.64 \times 2)$$

$$\Rightarrow \underline{F_{CE} = 16575.84 \text{ N}}$$

$$\sum F_A = 0 \Rightarrow (F_{DE} \times 4.472) + (2762.64 \times 2) - (2762.64 \times 4) = 0$$

From ΔAED , $\cos 26.565 = \frac{4.472}{AE}$
 $AE = 5\text{m}$

From ΔCDE ,
 $\angle AEB = 180^\circ$

From ΔABC , $\angle ACB = 180 - 90 - 26.565 = 63.435^\circ$

From ΔBCD , $\tan \angle BCD = \frac{2.236}{1.12} \Rightarrow \angle BCD = 63.394^\circ$

$\angle CED' = 180 - 63.435 - 63.394 = 53.171^\circ$

From $\Delta CED'$


Analysing by method of joints,

Joint c

$$\sum F_y = 0 \Rightarrow F_{CD} \sin 53.171 - F_{BC} \sin 63.435 = 0$$

$$F_{CD} \sin 53.171 - (-2471.055 \times \sin 63.435) = 0$$

$$F_{CD} = \underline{\underline{2761.247 \text{ N}}}$$



Similarly find all forces, various forces, ^{found} all given

below,

$$F_{AB} = 21583.348 \text{ N (compressive)}$$

$$F_{AC} = 19338.48 \text{ N (tensile)}$$

$$F_{BC} = 2471.055 \text{ N (compressive)}$$

$$F_{BD} = 20349.804 \text{ N (compressive)}$$

$$F_{CE} = 16575.84 \text{ N (tensile)}$$

$$F_{CD} = 2761.247 \text{ N (tensile)}$$

The forces are tabulated below,

Member	Compressive (N)	Tensile (N)
<u>Top Chord members</u>		
AB	21583.348	
BD	20349.804	
DF	19185.189	
FH	17986.115	
<u>Bottom Chord Members</u>		
AC		19338.48
CE		16575.84
EI		10991.515
<u>Strut members</u>		
BC	2471.055	
DE	4942.11	
FG	2471.055	
<u>Tie members</u>		
CD		2761.247
DG		2761.247

Step 3 - Line load.

$$\text{Line load} = 50 \text{ kg/m}^2$$

$$= 0.5 \frac{\text{kN}}{\text{m}^2}$$

$$\text{Load at intermediate panels} = 0.5 \times 4 \times 2 = 4 \text{ kN}$$

$$\text{Load at end points} = \frac{4000}{2} = 2000 \text{ N} = 2 \text{ kN}$$

The forces determined by line load will be $\frac{4000}{2}$ times the dead load forces

$$2762.64 - 06$$

Step 4 - Wind Load


Wind pressure = 120 kg/m^2 normal to raf

$$= 120 \times 10$$

$$= 1200 \text{ N/m}^2$$

Load at intermediate panels = $1200 \times 4 \times 2.236 = 1073.28 \text{ N}$

Load at end panels = $1073.28 / 2 = 536.64 \text{ N}$



Reactions H_A , V_A and V_G are found by method of sections and method of joints. and then member forces are found

Step 5 - Load Combination

The total load is determined from the summation of dead load + greater of live load or wind force. Summary of forces is given below,

Member	Dead load		Live load		Wind load		Design Force	
	C	T	C	T	C	T	C	T
<u>Top Chord</u>								
AB	21583.348		31252.688		48300		69883.35	
BD	20349.804		29466.516		48300		68649.804	
DF	19185.189		27780.154		48300		67485.189	
FH	17986.115		26043.895		48300		66286.115	
HI	17986.115		26043.895		48300		66286.115	
IK	19185.189		27780.154		48300		67485.189	
LN	20349.804		29466.516		48300		68649.804	
NO	21583.348		31252.688		48300		69883.35	
<u>Bottom Chord</u>								
AC		19338.48		28002.119		60000		79338.48
CE		16575.84		24001.816		48000		64575.84
EK		10991.515		15915.714		24000		34991.515
CM		16575.84		24001.816		28800		45375.84
MO		19338.48		28002.119		40800		60138.48
<u>Strut</u>								
BC	2471.055		3578.088		10700		13171.055	
DE	4942.11		7156.175		21400		26342.11	
FG	2471.055		3578.088		10700		13171.055	
NM	2471.055		3578.088		10700		13171.055	
LK	4942.11		7156.175		21400		26342.11	
II	2471.055		3578.088		10700		13171.055	
<u>Tie</u>								
CD		2761.247		3998.286		12000		14761.247
DG		2761.247		3998.286		12000		14761.247
ML		2761.247		3998.286		12000		14761.247
LJ		2761.247		3998.286		12000		14761.247

Step 6 - Design of Purlin

Dead load

- > Weight of GI sheet = 150 N/m^2
- > Self weight of purlin = 80 N/m^2

Total dead load = $150 + 80 = 230 \text{ N/m}^2 = 230 \times 9 = 460 \text{ N/m}$

Component of dead load ^{normal} to roof = $460 \times \cos 26.565$

$$\begin{aligned} \text{Component of dead load parallel to roof} &= 411.437 \text{ N/m} \\ &= 460 \times \sin 26.565 \\ &= 205.718 \text{ N/m} \end{aligned}$$

Live load

$$\text{Live load} = 0.5 \frac{\text{k}}{\text{m}^2} = 500 \text{ N/m}^2$$

$$\text{Component of live load normal to roof} = 500 \times \cos 26.565$$

$$\begin{aligned} \text{Component of live load parallel to roof} &= 447.214 \text{ N/m} \\ &= 500 \times \sin 26.565 \end{aligned}$$

Moment

$$\text{Moment} = \frac{w_{DL} l^2}{10} + \frac{w_{LL} l^2}{9}$$

BM parallel to major principal axis (UU axis)

$$M_{UU} = \frac{411.437 \times 4^2}{10} + \frac{447.214 \times 4^2}{9} = 1453.346 \text{ Nm}$$

BM parallel to minor principal axis (VV axis)

$$M_{VV} = \frac{205.718 \times 4^2}{10} + \frac{223.606 \times 4^2}{9} = 726.671 \text{ Nm}$$

$$\text{Required section modulus, } Z_w = \frac{M_{UU}}{Z_b} \left(1 + \frac{M_{VV}}{M_{UU}} \cdot \frac{Z_w}{Z_w} \right)$$

$$= \frac{1453.346}{165} \left[1 + \frac{726.671}{1453.346} \times 7 \right]$$

$$= \frac{39636.624}{165} \text{ mm}^3$$

$$= \frac{1453.346 \times 10^3}{165} \left[1 + \frac{726.671 \times 10^3}{1453.346 \times 10^3} \times 7 \right]$$

$$= 39636.624 \text{ mm}^3 = 39.636 \text{ cm}^3$$

Choose ~~ISA 150~~ ISJB 150 @ 7.1 kg/m with $Z_{xx} = 42.9 \text{ cm}^3$

$$Z_{yy} = 3.7 \text{ cm}^3$$

$$Z_{UU} = Z_{xx} = 42.9 \times 10^3 \text{ mm}^3 ; Z_{VV} = Z_{yy} = 3.7 \times 10^3 \text{ mm}^3$$

$$\sigma_b = \frac{M_{uv}}{Z_{uv}} \left[1 + \frac{M_{vv}}{M_{uv}} \cdot \frac{Z_{uv}}{Z_{vv}} \right]$$

$$= \frac{1453.346 \times 10^3}{42.9 \times 10^3} \left[1 + \frac{726.671 \times 10^3}{1453.346 \times 10^3} \times \frac{42.9 \times 10^3}{3.7 \times 10^3} \right]$$

$$= 230.275 \text{ N/mm}^2 > 165 \text{ N/mm}^2$$

Try another section ISLB 125 @ 11.9 kg/m, with

$$Z_{uv} = Z_{xx} = 65.1 \times 10^3 \text{ mm}^3, \quad Z_{vv} = Z_{yy} = 11.6 \times 10^3 \text{ mm}^3$$

$$\sigma_b = \frac{1453.346 \times 10^3}{65.1 \times 10^3} \left[1 + \frac{726.671 \times 10^3}{1453.346 \times 10^3} \times \frac{65.1 \times 10^3}{11.6 \times 10^3} \right]$$

$$= 84.969 \text{ N/mm}^2 < 165 \text{ N/mm}^2$$

Step 7 - Design of Compression members

Top chord members AB + BN has maximum compressive force of 698833.5 N with panel member length 2.236 m

IS 800, Pg 44, Table 10, buckling class 'C' for angle section with $f_{cd} = 90 \text{ N/mm}^2$ (Assume)

Compressive force, $P_d = A f_{cd}$

$$69883.35 = A \times 90$$

$$A = 776.482 \text{ mm}^2$$

For single angle area = $776.482/2 = 388.241 \text{ mm}^2 = 3.88 \text{ cm}^2$

Choose ISA 50x50x5 mm with area = $4.79 \text{ cm}^2 = 479 \text{ mm}^2$

with $r_{xx} = 1.52 \text{ cm}$ (SP6, Pg 8, Table III)

Effective length = 0.7 to 0.85 L (IS 800 Pg 48-7.5.2.1)

$$= 0.85 \times 2.236 = 1.901 \text{ m}$$

Slenderness ratio, $\lambda = \frac{lc}{r_{min}} = \frac{1.0 \times 1.901 \times 10^3}{1.52 \times 10}$ (k=1.0 for steel)

For BC-C, $\lambda = 125$, Table 9(c), IS 800, Pg 42

$f_y = 250 \text{ N/mm}^2$

λ	f_{cd}
120	83.7
130	74.3

For $\lambda = 125$, $f_{cd} = 79 \text{ N/mm}^2$

$P = A \times f_{cd} = 2 \times 479 \times 79 = 75682 \text{ N} > 69883.35 \text{ N}$

Hence safe.

Step 8 - Design of tension members

Bottom chord member AC has maximum tensile force of

79338.48 N

Gross area, $A_g = \frac{T_u \gamma_{mo}}{f_y}$ (IS 800 Pg 32, 6.2)

$= \frac{79338.48 \times 1.1}{250}$

$= 349.089 \text{ mm}^2$

For single angle area = $349.089 / 2 = 174.545 \text{ mm}^2 = 1.745 \text{ cm}^2$

Gross area is increased by 25 to 40%,

Area = $349.089 + \frac{25}{100} \times 349.089 = 436.361 \text{ mm}^2$

For single angle, Area = $\frac{436.361}{2} = 218.181 \text{ mm}^2 = 2.182 \text{ cm}^2$
(SP 6, Pg 8, Table III)

Choose ISA 50 x 50 x 3 mm with Area = $2.95 \text{ cm}^2 = 295 \text{ mm}^2$
 $r_x = 1.53 \text{ cm}$

Strength of angle, $T_u = \frac{A_g f_y}{\gamma_{mo}} = \frac{2 \times 295 \times 250}{1.1} = 134090.91 \text{ N} > 79338.48 \text{ N}$

~~Step 5~~ - Slenderness ratio $= \frac{l}{r} = \frac{2500}{15.3} = 163.399 < 350$ (IS 800, Pg 20, 46)


Step 9 - Design of joints

Thickness of gusset plate, $t = 8 \text{ mm}$

nominal Diameter of rivets, $d = 16 \text{ mm}$

Gross diameter of rivets, $d_0 = 16 + 2 = 18 \text{ mm}$

The angle sections are connected by gusset plate by bolts as in fig.



Strength of bolt in shear (IS 800 Pg 75, 10.3.3)

$$V_{dsb} = V_{nsb} / \gamma_{mb}$$

$$\text{where } V_{nsb} = \frac{f_u}{\sqrt{3}} [n_n A_{nb} + n_s A_{sb}]$$

$$\rightarrow A_{nb} = 0.785 \times \frac{\pi}{4} \times 16^2 = 156.828 \text{ mm}^2, \quad A_{sb} = \frac{\pi}{4} \times 16^2 = 201.062 \text{ mm}^2$$

$$\rightarrow n_n = n_s = 1$$

$$\rightarrow f_u = 400 \text{ N/mm}^2$$

$$\therefore V_{nsb} = \frac{400}{\sqrt{3}} [(1 \times 156.828) + (1 \times 201.062)]$$

$$= 82651.155 \text{ N}$$

$$V_{dbs} = 82651.155 / 1.25 = 66120.924 \text{ N}$$

Strength of bolts in bearing

$$V_{dps} = V_{nps} / 1.25$$

where $V_{nps} = 2.5 k_b d t f_u$

$$e = 1.5 d_o = 1.5 \times 18$$

k_b is least of $\frac{e}{3d_o}$, $\frac{p}{3d_o} - 0.25$, $\frac{f_u b}{f_u}$, 1.0

$$e = 1.5 d_o = 1.5 \times 18 = 27 \approx 30 \text{ mm}$$

$$p = 2.5 d = 2.5 \times 16 = 40 \text{ mm}$$

$$\therefore k_b = \frac{30}{3 \times 18}, \frac{40}{3 \times 18} - 0.25, \frac{400}{410}, 1.0$$

$$= 0.556, 0.491, 0.996, 1.0$$

$$\therefore k_b = 0.491$$

$$V_{nps} = 2.5 \times 0.491 \times 16 \times 18 \times 410 = 64419.2 \text{ N} \quad \text{--- (1)}$$

~~Rivet value is least of (1) + (2), R = 51~~

$$V_{dps} = 64419.2 / 1.25 = 51535.36 \text{ N} \quad \text{--- (2)}$$

Rivet value is the least of (1) + (2),

$$R = 51535.36 \text{ N}$$

$$\text{No. of bolts} = \frac{\text{Force}}{\text{Rivet value}} = \frac{69883.35}{51535.36} = 1.356 \approx 2$$

(member AB)

Similarly provide rivets for other members.

Step 10 - Design of end support

Maximum normal reaction of bearing = 125 kN (Assume)

No of rivets required for connection of shoe angles

$$\text{with gusset plate} = \frac{\text{Reaction}}{\text{Rivet value}} = \frac{125 \times 6^3}{51535.36} = 2.426 \approx 3$$

4 rivets are provided to connect shoe angles with gusset plate. 4 rivets are also provided to connect shoe angles with base plate. Two ISA 80mm x 80mm x 8mm, 450mm long are used for shoe angles.

Bearing plate

Normal reaction = 125 kN

Length of base plate = 450 mm

Width of bearing plate = 80 + 80 + 10 = 170 mm

Bearing pressure on concrete bearing pad = $\frac{P}{A}$

$$= \frac{125 \times 10^3}{450 \times 170}$$

$$= 1.634 \text{ N/mm}^2$$

Consider 1mm strip of base plate, bending moment,

$$M = 1.634 \times (80 - 8)^2 = 4235.33 \text{ Nmm} \quad \text{--- (1)}$$

Moment of resistance of base plate = $185 \times 1 \times \frac{t^2}{6}$ --- (2)

$$\text{Equating (1) & (2)} \Rightarrow \frac{185 t^2}{6} = 4235.33$$

$$t = 11.72 \text{ mm}$$

∴ Thickness of base plate required, $t_1 = 11.72 - 8 = 3.72 \text{ mm}$

Provide 6mm thick base plate 450mm x 170mm x 6mm bearing plate below the base plate. An elliptical hole is kept on each side of shoe angles and base plate. The base plate can slide over bearing plate


Anchor plate

Pull in anchor bolt = 7.50 kN

Allowable axial tension in anchor bolt is $\phi 6 \times 260 = 156 \text{ N/mm}^2$

Area required at the root of thread $\frac{7.50 \times 10^3}{156} = 48.07 \text{ mm}^2$

Two nominal 20mm diameter anchor bolts are provided on each side of shoe angles.



Purlin

Purlins are structural members subjected to transverse loads and rest on top chord members of roof truss. The purlin supports the sheeting that ~~covers~~ covers the roof truss.

- P6) Design an I section purlin to support galvanized corrugated iron sheet roof. The purlins are 1.25m apart over roof trusses spaced 5m centre to centre. The roof surface has an inclination of 30° to the horizontal. The weight of corrugated iron sheet is 0.1331 kN/m^2 . The weight of fixtures is 0.053 kN/m^2 . The design wind pressure for medium permeability is 1.50 kN/m^2 (outward) parallel to ridge.

Solution

Step 1 - Dead Load

Weight of iron sheet =

Given

Spacing of purlin = 1.25m


Spacing of truss = 5m

Inclination of roof surface, $\theta = 30^\circ$

Weight of corrugated iron sheet = 0.1331 kN/m^2

Weight of fixtures = 0.053 kN/m^2

Wind pressure = 1.50 kN/m^2 (outward)



Solution

Step 1 - Dead load

$$\text{Weight of galvanized iron sheet} = 0.1331 \times 1.25 = 0.1664 \text{ kN/m}$$

$$\text{Weight of fixtures} = 0.053 \times 1.25 = 0.0663 \text{ kN/m}$$

$$\text{Self weight of purlin (assumed)} = 0.12 \text{ kN/m}$$

$$\text{Total dead load} = 0.1664 + 0.0663 + 0.12 = 0.3527 \text{ kN/m}$$
$$\approx 0.36 \text{ kN/m}$$

$$\rightarrow \text{Component of dead load normal to roof} = 0.36 \times \cos 30$$

$$\rightarrow \text{Component of live load parallel to roof} = 0.312 \text{ kN/m}$$
$$= 0.36 \times \sin 30$$
$$= 0.18 \text{ kN/m}$$

Step 2 - Live load

$$\text{Live load for sloping roof} = 0.75 - (0 - 10) \cdot 0.02$$

with slope greater than 10°

subject to a minimum of 0.4 kN/m^2

$$= 0.75 - [(30 - 10) \cdot 0.02]$$

$$= 0.35 \text{ kN/m}^2 < 0.4 \text{ kN/m}^2$$

$$\text{Live load} = 0.4 \text{ kN/m}^2$$

$$\text{Component of live load normal to roof} = 0.4 \times \cos 30$$

$$\text{Total live load} = 0.4 \times 1.25 = 0.5 \text{ kN/m}$$

$$\rightarrow \text{Component of live load normal to roof} = 0.5 \times \cos 30$$
$$= 0.433 \text{ kN/m}$$

$$\rightarrow \text{Component of live load parallel to roof} = 0.5 \times \sin 30$$
$$= 0.25 \text{ kN/m}$$

Step 3 - Wind load

$$\text{Wind load (parallel to ridge)} = 1.50 \text{ kN/m}^2$$

Step 4 - Combination of loads

(I) DL+LL

(II) DL+LL+WL (parallel to ridge). In case the design wind pressure acts outward (negative) the imposed live load shall not be considered.

Step 5 - Design of purlin for DL+LL

$$\text{Moment} = \frac{W_{DL} l^2}{10} + \frac{W_{LL} l^2}{9}$$

→ BM due to DL+LL parallel to the major principal axis (UU axis)

$$M_{UU} = \frac{0.312 \times 5^2}{10} + \frac{0.433 \times 5^2}{9} = 1.983 \text{ kNm}$$

→ BM due to DL+LL parallel to minor principal axis (VV axis)

$$M_{VV} = \frac{0.18 \times 5^2}{10} + \frac{0.25 \times 5^2}{9} = 1.144 \text{ kNm}$$

Required section modulus,

$$Z_{UU} = \frac{M_{UU}}{\sigma_b} \left(1 + \frac{M_{VV}}{M_{UU}} \cdot \frac{Z_{UU}}{Z_{VV}} \right) \quad \text{--- (1)}$$

Assuming $Z_{UU}/Z_{VV} = 7$ for I section purlin and

$$\sigma_b = 0.66 f_y = 0.66 \times 250 = 165 \text{ N/mm}^2$$

$$Z_{UU} = \frac{1.983 \times 10^6}{165} \left(1 + \frac{1.144 \times 10^6}{1.983 \times 10^6} \times 7 \right)$$

$$= 60.552 \times 10^3 \text{ mm}^3$$

From SP 6 - Pg 2, Table 1, choose ISLB 125 @ 11.9 kg/m

with $Z_{xx} = 65.1 \text{ cm}^3$ (Pg 3), $Z_{yy} = 11.6 \text{ cm}^3$

$$Z_{UU} = Z_{xx} = 65.1 \times 10^3 \text{ mm}^3 ; Z_{VV} = Z_{yy} = 11.6 \times 10^3 \text{ mm}^3$$

Sub in ①

$$\Rightarrow \sigma_b = \frac{M_{UU}}{Z_{UU}} \left(1 + \frac{M_{VV}}{M_{UU}} \cdot \frac{Z_{UU}}{Z_{VV}} \right)$$

$$= \frac{1.983 \times 10^6}{65.1 \times 10^3} \left[1 + \frac{1.144 \times 10^6}{1.983 \times 10^6} \times \frac{65.1 \times 10^3}{11.6 \times 10^3} \right]$$

$$= 129.02 \text{ N/mm}^2 < 165 \text{ N/mm}^2$$

Step 6 - Design of purlin for DL+WL+WL

The wind load acts outward (negative), hence line load is not considered with the combination. BM due to DL+WL along parallel to major principal axis

$$\text{Moment} = \frac{w_a l^2}{10} + \frac{w_{wl} l^2}{10}$$

$$M_{UU} = \frac{0.312 \times 5^2}{10} + \left(\frac{-1.5 \times 5^2}{10} \right)$$

$$= -2.97 \text{ kNm}$$

$$M_{VV} = \frac{0.18 \times 5^2}{10} + (0)$$

Bm due to DL+WL parallel to minor principal axis,

$$M_{VV} = \left(\frac{0.18 \times 5^2}{10} \right) + 0$$

$$= 0.45 \text{ kNm}$$

$$\text{Required } Z_{UU} = \frac{M_{UU}}{\sigma_b} \left(1 + \frac{M_{VV}}{M_{UU}} \cdot \frac{Z_{UU}}{Z_{VV}} \right)$$

$$= \frac{2.97 \times 10^6}{165} \left(1 + \frac{0.45 \times 10^6}{2.97 \times 10^6} \times 7 \right)$$

$$= 37.09 \times 10^3 \text{ mm}^3$$

Provided section has $Z_{xx} = 65.1 \text{ cm}^3$. Hence ok

Sub in ①

$$\sigma_b = \frac{2.97 \times 10^6}{65.1 \times 10^3} \left[1 + \frac{0.45 \times 10^6}{2.97 \times 10^6} \times 7 \right]$$

$$= 94.01 \text{ N/mm}^2 < 165 \text{ N/mm}^2$$

Calculated < Permitted =

safe design of beam for the full time

do not have any other external (negative) moment applied to the beam. The beam is supported at both ends.

$$\frac{10}{10} = \frac{10}{10}$$

$$\frac{10}{10} = \frac{10}{10}$$

safe design =

(a) safe design =

safe design =

safe design =

(P3) Design an iron angle purlin for a trussed roof for the following data.

Span of roof truss = 12m

Spacing of roof truss = 5m

Spacing of purlins along the slope of roof truss = 1.2m

Slope of roof truss = 1 vertical to 2 horizontal

Wind load on roof surface normal to roof = 1.04 kN/m^2

Vertical load from roof sheeting = 0.200 kN/m^2

Solution

Step 1 - Slope of roof truss

$$\text{Slope} = \tan \theta = \frac{\text{vertical}}{\text{horizontal}} = \frac{1}{2} = 0.5$$

$$\therefore \theta = \tan^{-1}(0.5) = 26.565^\circ$$

Step 2 - Vertical load on purlin (DL+LL)

$$\text{Vertical load from roof sheeting} = 0.2 \text{ kN/m}^2 = 0.2 \times 1.2 = 0.24 \text{ kN/m}$$

$$\text{Self weight of purlin (assume)} = 0.12 \text{ kN/m}$$

$$\text{Total load (vertical)} = 0.36 \text{ kN/m}$$

Step 3 - Wind load

$$\text{Wind load normal to roof} = 1.04 \text{ kN/m}^2 = 1.04 \times 1.2 = 1.248 \text{ kN/m}$$

Step 4 - Design of purlin

$$\text{Total load normal to roof} = 0.36 + 1.248 = 1.608 \text{ kN/m}$$

$$\text{Moment, } M = \frac{wL^2}{10} = \frac{1.6 \cdot 0.8 \times 5^2}{10} = 4.02 \text{ kNm}$$

$$\rightarrow \text{Required section modulus } Z = \frac{M}{\sigma} \quad \text{where } \sigma = 0.66 f_y$$

$$= 0.66 \times 250$$

$$= 165 \text{ N/mm}^2$$

$$\therefore Z = (4.02 \times 10^6) / 165 = 24.63 \times 10^3 \text{ mm}^3$$

$$\rightarrow \text{Depth of angle purlin} = \frac{L}{45} = \frac{5000}{45} = 111.11 \text{ mm}$$

$$\rightarrow \text{Width of purlin}$$

As wind load is considered, stress can be increased

$$\text{by } 33\frac{1}{3}\% (1.333), \quad \sigma = 1.333 \times 165 = 219.945 \text{ N/mm}^2$$

$$Z = \frac{4.02 \times 10^6}{219.945} = 18.277 \times 10^3 \text{ mm}^3$$

$$\rightarrow \text{Depth of angle purlin} = \frac{L}{45} = \frac{5000}{45} = 111.11 \text{ mm}$$

$$\rightarrow \text{Width of angle purlin} = \frac{L}{60} = \frac{5000}{60} = 83.33 \text{ mm}$$

Choose ISA 125 x 95 x 6 mm @ 0.129 kN/m with $Z = 23.4 \times 10^3 \text{ mm}^3$

Gantry Girder

Definition

Overhead travelling cranes are used in industrial buildings to lift and transport ~~heavy~~ heavy machineries and assembled parts from one place to another. For movement of the crane, wheels are attached to their ends. The wheels move over rails which are in turn placed over steel I beams called as Gantry Girder.

Loads Considered

- Reaction from the crane girder acting vertically downwards
- Longitudinal thrust due to starting or stopping of crane acting in longitudinal direction
- Lateral thrust due to starting and stopping of crab acting horizontally, normal to gantry girder
- Longitudinal horizontal force along the crane rail.

Assumptions made

- The vertical loads are resisted by the entire section of girder
- The horizontal loads are resisted by the compression flange

Design Procedure

- 1) Maximum wheel load is determined
- (i) Weight of trolley and ~~lifted~~ load are considered as moving load
- (ii) Self weight of crane girder is considered as udl.

(11) The maximum wheel load ⁽²⁴⁾ is half the vertical force transferred from crane girder to gantry girder.

2) Maximum Bending Moment is determined

This consist of

(i) BM due to wheel load (with impact)

(ii) BM due to dead load of girder and rails. The BM due to dead load is maximum at centre of span.

3) Maximum Shear Force is determined

This consist of

(i) SF due to wheel load (with impact)

(ii) SF due to dead load of gantry girder and rails

The SF is maximum when one of the wheels is at support.

4) Selection of trial section

Trial section is choosed such that

(i) Economic depth is $1/12$ th of span

(ii) Compression flange ^{width} is kept $1/25$ th of span

(iii) Section modulus should be 40 to 50% more than the calculated.

5) Calculation of sectiond properties

Properties like I_{xx} , I_{yy} , Z_{ex} , Z_{ey} , Z_{px} , Z_{py} are calculated

6) Section classification

Section is classified based on b/t_f and d/t_w

value. as plastic, semi compact or compact.

Plastic sections are preferred.

8) Check for moment capacity (25)

The girder is laterally supported and hence bending strength is given as

$$M_{d2} = \frac{\beta_b Z_p f_y}{\gamma_{m0}} < \frac{1.5 Z_e f_y}{\gamma_{m0}}$$

The bending strength obtained should be greater than applied bending moment.

7) Check for shear

$$\text{Design shear, } = \frac{A_v f_{yw}}{\sqrt{3} \times \gamma_{m0}}$$

This should be greater than applied shear force

8) Check for biaxial bending

Interaction formula $\frac{M_x}{M_{dx}} + \frac{M_y}{M_{dy}} \leq 1.0$ is checked

9) Check for web buckling and bearing

Buckling - $\frac{d}{t_w} < 67$, if not stiffeners to be provided

Bearing resistance, $f_w = \frac{(b_1 + n_2) t_w f_y}{\gamma_{m0}}$

10) Design of bolts or welds

11) Check for deflection

$$\delta = \frac{wL^3 \times \left(\frac{3a}{4L} - \frac{a^3}{L^3} \right)}{6EI} < \frac{\text{Span}}{750}$$

Where $L \rightarrow$ Span

$$a = \frac{L-c}{2}$$

$c \rightarrow$ Wheel base

Example 14.3. Design a simply supported gantry girder to carry one electric overhead travelling crane.

Crane capacity = 300 kN

Weight of crane excluding trolley = 190 kN

Weight of trolley = 100 kN

Minimum approach of crane hook = 1.2 metres

Distance between centres of crane wheel = 3.5 metres

Distance between centres of crane wheel = 18 metres

Span of gantry girder = 6 metres

Weight of rail section = 0.300 kN/m

Height of rail section = 75 mm

Design :

Step 1 : Maximum wheel load




Fig. 14.5.

Weight of trolley + lifted load = $(300 + 100) = 400$ kN

The weight of crane (excluding trolley) 190 kN acts as uniformly distributed live load as shown in Fig. 14.5.

The vertical reaction on each wheel of crane would be maximum, when trolley is at nearest distance to trolley girder as shown in Fig. 14.5.

Take moment about B, then reaction at A

$$R_A = \frac{1}{18} \left[400 \times 16.8 + 190 \times \frac{18}{2} \right] = 468 \text{ kN}$$

This vertical load at one end of the crane bridge is transferred to the gantry girder through two wheels.

Maximum vertical load on each wheel of crane, = $(1/2 \times 468) = 234$ kN

Step 2': Maximum bending moment (due to D.L. + L.L. + I.L.)

The maximum bending moment in the gantry girder under a moving load occurs when the life of action of that load and c.g. of the loads are at equal distance from the centre of span. That is,

$$EC = CF = 0.875 \text{ (Fig. 14.6)}$$




Fig. 14.6.

The reaction at the supports A and B are as follows :

$$R_A = 234 \times \frac{1}{6} [(6 - 0.375) + 2.125] = 302.23 \text{ kN}$$

$$R_B = 2 \times 234 - 302.23 = 165.77 \text{ kN}$$

Maximum bending moment due to moving load

$$M_F = (165.77 \times 2.125) = 352.3 \text{ kN-m}$$

Add 25 per cent impact moment viz., 88.1 kN-m

(1) **Live load moment** = $(352.3 + 88.1) = 440.4 \text{ kN-m}$

Assume self-weight of the girder as 2 kN/m

Weight of rail section is 0.300 kN/m, Total dead load = 2.3 kN/m

Maximum bending moment due to dead load

$$\left(\frac{wl^2}{8}\right) = \left(\frac{2.3 \times 6 \times 6}{8}\right) = 10.35 \text{ kN-m}$$

(2) **Dead load moment** = 10.35 kN-m

(3) **Total vertical moment** = $(440.4 + 10.35) = 450.75 \text{ kN-m}$

Assume allowable bending compressive stress, = $(0.66 \times 250) = 165 \text{ N/mm}^2$

The section modulus required for bending moment is vertical plane (approximately)

$$Z = \left(\frac{450.75 \times 1000 \times 1000}{165}\right) = 2731.8 \times 10^3 \text{ mm}^3$$

From steel section tables, try WB 600, @ 1.337 kN/m and LC 300, @ 0.331 kN/m.

The section of the gantry is shown in Fig. 14.7.




Fig. 14.7.

Sectional area of beam section is 17038 mm^2

Section area of channel section is 4211 mm^2

∴ Total section area is 21249 mm^2

Thickness of flange of beam section, t_f is 21.3 mm

Let y be the distance of neutral axis of built-up section from neutral axis of beam section

Moment of inertia of built-up section about xx-axis

$$I_{yy} (\text{gross}) = [106198.5 + 170.38 \times 5.56^2 + 346 + 42.11 \times (28.12 - 5.56)^2] \times 10^4 \text{ mm}^2 = 133334.5 \times 10^4 \text{ mm}^4$$

Moment of inertia of built-up section about yy-axis

$$I_{yy} (\text{gross}) = [4702.5 + 6047.9] \times 10^4 = 10750.4 \times 10^4 \text{ mm}^4$$

Bending stress due to vertical loading

Actual bending compressive stress for vertical loading

$$\sigma_{bc,x,cal} = \left(\frac{450.75 \times 1000 \times 1000 \times 251.1}{133334.5} \right) = 84.8867 \text{ N/mm}^2$$

Actual bending tensile stress for vertical loading

$$\sigma_{bc,x,cal} = \left(\frac{450.75 \times 1000 \times 1000 \times 355.6}{122224.5 \times 10^4} \right) = 119.4 \text{ N/mm}^2$$

$$< (1.10 \times 165) = 181.5 \text{ N/mm}^2$$

Step 3 : Maximum bending moment due to horizontal (transverse) force

Horizontal force transverse to the rail

10 percent of (weight of trolley + lifted load) = $1/10 \times (300 + 100) = 40 \text{ kN}$

Horizontal force transverse to the rail on each wheel or crane, = 20 kN

Horizontal reaction at support A (Figs. 14.8 and 14.8)

$$= 20/234 \times 302.33 = 25.83 \text{ kN}$$

Horizontal reaction at support B = 14.17 kN

Horizontal moment, $14.17 \times 2.125 = 30.1 \text{ kN-m}$




Fig. 14.8.

Step 4 : Bending moment in horizontal plane

Horizontal moment = 30.10 kN-m

The moment of inertia of compression flange about yy-axis (considering I_{yy} of compression flange of beam section as half of that for beam section)

$$I_{yy} = [6047.9 + 1/2 \times 4702.5] \times 10^4 = 8399.6 \times 10^4 \text{ mm}^4$$

Bending compressive stress in horizontal plane (Bottom flange is neglected).

$$\sigma_{bc,y,cal} = \left(\frac{30.1 \times 1000 \times 1000 \times 150}{8399.6 \times 10^4} \right) = 53.58 \text{ N/mm}^2$$

Step 5 : Allowable stress in horizontal plane

Let \bar{y}_1 be the distance of compression flange from top fibre

$$\bar{y}_1 = \left[\frac{4211 \times 25.5 + 250 \times 21.3 (6.7 + 10.65)}{4211 + 250 \times 21.3} \right] = 20.9 \text{ mm}$$

Distance between c.g. to c.g. of top and bottom flanges

$$h = (605.7 - 20.9 - 10.6) = 575.2 \text{ mm}$$

Section modulus about xx-axis reference to the compression flange

$$Z_{xx} = \left[\frac{133334.5 \times 10^4}{(300 + 6.7 - 55.6)} \right] = 5308.8 \times 10^3 \text{ mm}^3$$

$$\omega = \left(\frac{\text{Moment of inertia of comp. flange about yy-axis}}{\text{Moment of inertia of built up section about yy-axis}} \right)$$

$$\omega = \left(\frac{8399.6 \times 10^4}{10750.4 \times 10^4} \right) = 0.78$$

From IS : 800-1984, $k_1 = 0.28$

Effective length of compression flange = 6000 mm

Radius of gyration of the completion section about yy-axis

$$r_y = \left(\frac{10750.4 \times 10^4}{21249} \right)^{1/2} = 79.58 \text{ mm}$$

$$\text{Slenderness ratio} = \left(\frac{6000}{79.58} \right) = 75.39$$

Overall depth, $D = 606.7 \text{ mm}$

Mean thickness of flange $T = (t_f = 21.3 + 6.7) = 28.0$

Ratio $(D/T) = 21.668$

From IS : 800-1984, Table 14.2, $X = 632.02$ and $Y = 503.27$

From Eq. 14., the elastic critical stress

$$f_{cb} = k_1 (X + k_2 Y) \frac{c_2}{c_1} = 1.0 (632.02 + 0.28 \times 503.27) \times (3067/300)$$

$$= 790.20 \text{ N/mm}^2 \text{ (MPa)}$$

Let the value of yield stress for the structural steel be 250 N/mm^2

$$\text{Ratio } \left(\frac{T}{t_w} \right) = \left(\frac{28}{11.2} \right) = 2.5 > 2.0$$

$\therefore f_{cb}$ is not increased by 20 percent. From IS : 800-1984, Table 14.2, $\sigma_{cb} = 145 \text{ N/mm}^2$

Step 6 : Check for combined bending compressive stress in extreme fibre

$$(\sigma_{bcx,cal} + \sigma_{bcy,cal}) = (84.498 + 53.58)$$

$$137.98 \text{ N/mm}^2 < 1.1 \times 145 = 159.5 \text{ N/mm}^2$$

Hence design is safe and satisfactory.

Step 7 : Horizontal (longitudinal) force along the rails

$$5\% \text{ of the static wheel load} = \left(\frac{1}{20} \times 2 \times 234 \right) = 23.4 \text{ kN}$$

$$\text{Height of rail} = 75 \text{ mm}$$

$$\text{Bending moment in the longitudinal direction,} = 23.4 \times (75 + 251.1) = 7630.74 \text{ mm-kN}$$

Stress in longitudinal direction

$$\left(\frac{P}{A} + \frac{M}{Z} \right) = \left(\frac{23.4 \times 1000}{21249} + \frac{7630.74 \times 1000}{5308 \times 104} \right) \text{ N/mm}^2$$

$$(1.10 + 14.376) = 2.538 \text{ N/mm}^2 \text{ (Very small)}$$

Shear force

Maximum shear force in the gantry girder

$$\left(234 + 234 \times \frac{2.5}{6.0} \right) = 331 \text{ kN}$$

$$\text{Add 25\% for impact} = 82.75 \text{ kN}$$

$$\text{Dead load shear} = \left[\frac{(1337 + 331) 6}{2 \times 1000} \right] = 5.61 \text{ kN}$$

$$\text{Total shear} = 419.36 \text{ kN}$$

Intensity of horizontal shear stress per mm length

$$f_y = (FQ/I) \quad (Q = A \cdot \bar{y})$$

Consider the portion of web of flange only.

$$\text{Area} = (6.7 \times 300) = 2000 \text{ mm}^2$$

$$\text{From NA, } \bar{y} = 251.1 - 1/2 \times 6.7 = 247.75 \text{ mm}$$

$$\tau_{va} = \left(\frac{419.36 \times 2000 \times 247.75 \times 1000}{13334.5 \times 10^4} \right) = 155.84 \text{ N/mm}^2$$

Step 8 : Rivet value

Use 22 mm diameter power driven rivets.

Strength of power driven rivets in single shear .

$$\left(\frac{\pi (23.5)^2 \times 100}{4 \times 1000} \right) = 43.35 \text{ kN}$$

Strength of rivet in bearing

$$\left(23.5 \times \frac{6.7 \times 300}{1000} \right) = 47.235 \text{ kN}$$

Rivet value, $R = 43.35 \text{ kN}$

$$\text{Pitch of rivets} = \left(\frac{43.35 \times 1000}{155.84} \right) = 278.17 \text{ mm}$$

Rivets are provided in two lines

$$\therefore 2.p = 556.34 \text{ mm}$$

Maximum allowable pitch in compression

$$= (12 \times 6.7) = 80.4 \text{ mm}$$

Provide rivets at 80 mm pitch throughout the length of gantry girder.

Plate Girders

A plate girder is a I beam ~~but~~ built up of steel plates using bolting or welding. It is a deep flexural member used to carry heavy loads on longer spans. Plate girders are normally used in bridges and sometimes in buildings when it is required to support heavy concentrated loads.

Advantages^{& Dis} of plate girders over trusses

The usual practical alternative to plate girders is trusses as they are economical. However


plate girders have following advantages

- Cost of fabrication is low when compared to trusses
- Erection is faster and cheaper when ..
- Plate girders requires small vertical clearance
- Resist vibration and impact loads
- Plate girders are safe (bending of plates is safe than members)
- Can be easily painted

Disadvantages


- Heavier than truss
- Low torsional stiffness
- Need large number of connections b/w web and flange
- Large exposed area to wind.

Types of sections




- Simplest type.
- Angles connected to web & used as flange.


Bolted w/o cover plates




Bolted with cover plates



Bolted with cover plates & side plates.



Welded



Box girder

Types of plate girders

Bolted / Riveted plate girder

- * Spans - 15 to 30m
- * Self weight is high due to provision of angles and cover plates

Welded plate girder

- * Span upto 100m
- * Economic compared to bolted / riveted plate girder due to reduction in self weight

Elements of Plate girder

- > Web plate
- > Flange plate
- > Flange angles or flange cover plates
- > Stiffeners - ~~bearing, transverse and longitudinal~~
- > Splines - web + flange.
- > Connections between flange and web
- > " " web and stiffeners

Stiffeners

1) Bearing stiffeners (or) load carrying stiffeners

- > Used ^{in ends} to transfer the load from beam to support
- > Used to avoid crushing of web at the ends.
- > Used when concentrated load acts on the girder.

2) Intermediate stiffeners

- > These stiffeners are provided to ^{avoid} ~~prevent~~ buckling of web
- > Also called as stability stiffeners bearing & intermediate
- > They are of two types namely horizontal (longitudinal) stiffeners and ~~transverse~~ ^{vertical} (transverse) stiffeners

Horizontal stiffeners - Used to increase buckling strength
 resistance when buckling caused by bending
 - Generally located in compression zone
 (d - depth of 0.2d from compression flange)

Vertical stiffeners - Provided to increase vertical stiffener
 Used to ~~resist~~ increase buckling strength against resistance when buckling

3) Local carrying stiffeners - Provided when comp forces applied
 Steps involved in design of plate girder ^{caused by shear} ^{three flange exceeds} ^{buckling strength of} ^{webs.}

1) Assume self weight of girder, $w = \frac{W}{200}$ where

W is total factored load on girder in kN

w is self weight of girder in kN/m

2) Calculate total bending moment (M) and shear force (V)

3) Calculate economical depth of plate girder

$$d = \left(\frac{M \cdot k}{f_y} \right)^{1/3}$$

where $M = BM$, $f_y = 250 \text{ N/mm}^2$

$$k = \frac{d}{t_w} = 67$$

(i) $k = \frac{d}{t_w} \leq 67$ (plate girder designed as ordinary beam w/o stiffeners ~~except bearing stiffeners~~)

(ii) $k = \frac{d}{t_w} = 67 \text{ to } 200$ (when transverse stiffeners are not provided ~~except bearing stiffeners~~)

(iii) $k = \frac{d}{t_w} \leq 200 \text{ to } 270$ (when only transverse stiffeners are provided)

(iv) $k = \frac{d}{t_w} \leq 250 \text{ to } 340$ (when transverse & longitudinal stiffeners provided at one level)

(v) $k = \frac{d}{t_w} = 340 \text{ to } 400$ (when a second longi stiffener is provided)

Pg 59 - 8.4.2.1 & Pg 63 - 8.6.1

Calculate web thickness from assumed d/tw value

4) Determine flange area required

$$A_f = \frac{M_z}{f_y d}$$

Flange width is suitably taken as 0.3 times depth of web and this to satisfy section classification

$\left(\frac{b}{t_f} < 9.4 \rightarrow \text{Plastic}, 2-10.5 \rightarrow \text{Compact}, < 15.7 - \text{Semi Compact}\right)$
 $S = \text{Section classification}$

(5) Check shear resistance of web using simple post critical method (8.4.2.2 - Pg 59) or tension field method (8.4.2.2 - Pg 60)

(6) Check for bending strength depending upon whether the plate girder is laterally supported (8.2.1.2 Pg 53) or laterally unsupported (8.2.2 - Pg 54) web + connectors

(7) Design connection between flange + web plate, by welding or bolting

$$\text{Weld Shear force} = \frac{V A_f \bar{y}}{2 I_f} \quad \text{--- (1)}$$

$$\text{Strength of web per unit length} = \frac{2 t_w t_e f_u}{\sqrt{3}} = \frac{t_e f_u}{\sqrt{3}} \quad \text{--- (2)}$$

Equating (1) + (2) t_e is obtained.

$$t_e = 0.7 \times 8 \Rightarrow 8 = t_e \times 0.7$$

From above equation size of weld is calculated

Bolt

Bolt value = least of strength of bolt in shear bearing, tension

No of bolts = load / Bolt value.

1) Design a welded plate girder 24m in span and laterally restrained throughout. It has to support a uniform load of 100 kN/m throughout the span exclusive of self wt. Design the girder without intermediate transverse stiffeners. The steel for the flange and web plates is of grade Fe410. Yield stress may be assumed as 250 MPa. Design as, end load bearing stiffener + connections.

Step 1 - load Calculation

~~$$\text{Factored LL load} = 100 \times 1.5 = 150 \text{ kN/m}$$~~

~~$$\text{Self weight, } w_s = \frac{w}{200} = \frac{150 \times 25}{200} = 18.75 \text{ kN/m}$$~~

~~$$\text{Factored selw wt} = 1.5 \times 18.75 = 28.125 \text{ kN/m}$$~~

Step 1 - load Calculation

$$\text{Live load} = 100 \text{ kN/m}$$

$$\text{Self weight} = \frac{w}{200} = \frac{100 \times 25}{200} = 12.5 \text{ kN/m}$$

$$\therefore \text{Total load} = 100 + 12.5 = 112.5 \text{ kN/m}$$

$$\text{Total FL} = 1.5 \times 112.5 = 168.75 \text{ kN/m}$$

Step 2 - BM + SF

$$\text{SF} = \frac{wL}{2} = \frac{168.75 \times 24}{2} = 2025 \text{ kN}$$

$$\text{BM} = \frac{wL^2}{8} = \frac{168.75 \times 24^2}{8} = 12096 \text{ kNm}$$

Step 3 - Economical depth & thic of web

$$\text{Economical depth, } d = \left(\frac{M_{lc}}{f_y} \right)^{1/3}$$

$$lc = \frac{d}{t_w} = 67 \text{ to } 200 \text{ (When no intermediate transverse}$$

stiffeners are provided)

Assume $lc = 113$ (decrease this value)

$$d = \left(\frac{12096 \times 10^6 \times 113}{250} \right)^{1/3}$$

$$= 1795.95 \text{ mm}$$

$$\text{Economical depth, } d = 1800 \text{ mm}$$

$$\frac{d}{t_w} = 120 \Rightarrow \frac{1800}{t_w} = 120 \Rightarrow t_w = 15 \text{ mm} \approx 16 \text{ mm}$$

Provide web plate size $\approx 1800 \times 16 \text{ mm}$. ($A_w = 1800 \times 16 = 28,800 \text{ mm}^2$)

Step 4 - Flange area

$$\text{Required flange area, } A_f = \frac{M_{lc}}{f_{yd}}$$

$$= \frac{12096 \times 10^6 \times 1.1}{250 \times 1800}$$

$$A_f = 29568 \text{ mm}^2$$

$$\text{Flange width} = 0.3 \times \text{depth of web}$$

$$= 0.3 \times 1800$$

$$= 540 \text{ mm} \approx 600 \text{ mm}$$

$$\text{Thickness of flange} = \frac{\text{Flange area}}{\text{Flange width}} = \frac{29568}{600}$$

$$= 49.28 \text{ mm} \quad A_f$$

Provide Flange plate of size $600 \times 50 \text{ mm}$ ($2 \times 600 \times 50 = 60,000 \text{ mm}^2$)

Step 5 - Section classification

$$\frac{b}{t_f} = \frac{600/2}{50} = 6 < 9.4 C_f \rightarrow \text{Plastic}$$

Step 6 Check for shear resistance

Use simple post critical method (w/o transverse stiffeners at intermediate)

$$Pg 59, V_n = V_{cr} = A_v \tau_b$$

$$\text{where } A_v = d t_w = 1800 \times 16 = 28800 \text{ mm}^2$$

$$\lambda_w = \sqrt{\frac{f_{yw}}{\sqrt{3} \tau_{cre}}}$$

$$\tau_{cre} = \frac{k_v \pi^2 E}{12(1-u^2)(d/t_w)^2}$$

$k_v = 5.35$ (transverse stiffeners provided only at support and not at intermediate points)

$$\tau_{cre} = \frac{5.35 \times \pi^2 \times 2 \times 10^5}{12(1-0.3^2) \times 140^2} = 79.924 \text{ N/mm}^2$$

$$\lambda_w = \sqrt{\frac{250}{\sqrt{3} \times 79.924}} = 1.344$$

$$\lambda_w \geq 0.8 \Rightarrow$$

$$\tau_b = f_{yw} / \sqrt{3} \lambda_w^2 = 250 / (\sqrt{3} \times 1.344^2) = 79.906 \text{ N/mm}^2$$

$$V_{cr} = 28800 \times 79.906 = 2301.29 \times 10^3 \text{ N}$$

$$= 2301.29 \text{ kN}$$

Bearing stiffeners are essential
 $2016 < 2301.29 \text{ kN}$


Step - Check for bending strength:
 $V < 0.6 V_d$ (Pg 53)

$$\Rightarrow M_d = \beta_b (Z_p f_y) / \gamma_{mo} < 1.22 z_e f_y / \gamma_{mo}$$

where $\beta_b = 1.0$ (plastic section) or $\frac{z_e}{z_p}$ (semi compact sect)

Since flanges resist bending moment, z_p & z_e are calculated for flanges only.

$$\begin{aligned} z_p &= z_{p, \text{flange}} \\ &= A h / 2 \\ &= \left(\frac{1800 \times 16 \times 1900}{2} \right) + \left(\frac{2 \times 600 \times 50 \times 1950}{2} \right) \\ &= (60,000 \times \frac{1900}{2}) \end{aligned}$$



Since flanges resist BM, I is calculated only for flanges
 $z_e = I / y$ where $I = \left(\frac{600 \times 50^3}{12} \right) + (600 \times 50) \left(\frac{50}{2} - 950 \right)^2$
 $+ \left(\frac{600 \times 50^3}{12} \right) + (600 \times 50) \left(50 + 1800 + \frac{50}{2} - 950 \right)^2$

$$\begin{aligned} &= (2.5675 \times 10^{10}) + (2.5675 \times 10^{10}) + (7.77 \times 10^9) \\ &= 5.135 \times 10^{10} \text{ mm}^4 \end{aligned}$$

$$z_e = I / y = (5.135 \times 10^{10}) / 950 = 5.405 \times 10^7 \text{ mm}^3$$

When section is plastic

$$M_d = \frac{1.0 \times 5.135 \times 10^{10} \times 250}{1.1} < \frac{1.22 \times 5.405 \times 10^7 \times 250}{1.1}$$

$$= 1.295 \times 10^9 \text{ Nmm} < 1.474 \times 10^{10}$$

$$= 12950 \text{ kNm} < 14740$$

$$= 12950 \text{ kNm}$$

$$12096 < 12950 \text{ kNm}$$

When section is semi compact

$$M_d = \frac{z_e z_p f_y}{z_p} L_{mo} < 1.2 z_e f_y / L_{mo}$$

$$= \frac{z_e f_y}{L_{mo}} < 1.2 z_e f_y / L_{mo}$$

$$= \frac{z_e f_y}{L_{mo}} = \frac{5.405 \times 10^7 \times 250}{1.1}$$

$$= 12280 \times 10^10 \text{ Nmm}$$

$$M_d = 12280 \text{ kNm}$$

$$12096 < 12280 \text{ kNm}$$

Step 8 - Design of end bearing stiffener or lead
Carry stiffener

(i) Design force

Pg 67 - 8.7.4

$$F_w = (b_1 + n_2) t_w f_y / W_{mo}$$

where $b_1 = 100$ mm (Assume)

$$n_2 = 2.5 (t_f + r_1) = 2.5 (50) = 125 \text{ mm}$$

$$\therefore F_w = \frac{(125 + 100) \times 16 \times 250}{1.1} = 9.09 \times 10^5 \text{ N}$$
$$= 909 \text{ kN}$$

$$909 \text{ kN} \neq 2016 \text{ kN}$$

Hence end bearing stiffeners are required

Pg 68-8.7.6 Bearing stiffeners should be designed for applied load or reaction less the local capacity of web (909 kN)

Design force = Reaction - local capacity of web

$$= SF - \text{''}$$

$$F_x = 2016 - 909 = 1107 \text{ kN}$$

(ii) Size

Pg 65-8.7.1.2, Outstand of stiffener = $14 t_{as} \epsilon$

where $t_{as} \rightarrow$ Thk of stiffener = 16 mm (web thk - assume)

$$\epsilon = \left(\frac{250}{200} \right)^{1/2} = 1$$

$$\therefore \text{Outstand} = 14 \times 16 \times 1 = 224 \text{ mm}$$


$$\text{Outstand available} = \frac{600 - 16}{2} = 292 \text{ mm}$$


\therefore Provide stiffener of size $224 \times 16 \text{ mm}$

(iii) Check for buckling

Pg 68-8.7.5.1 $\lambda = \frac{l_{eff}}{r}$ where $r = \sqrt{\frac{I}{A}}$

Curve - C





$$\text{Core Area of stiffener with web area} = (2 \times 224 \times 16) + (2 \times 320 \times 16)$$

$$= 17408 \text{ mm}^2$$

$$I = I_{xx} + A(y - \bar{y})^2 \quad \text{where } \bar{y} = \frac{224 + 16 + 224}{2} = 232 \text{ mm}$$

$$= \left[\frac{16 \times 224^3}{12} + (16 \times 224) \left(\frac{224}{2} - 232 \right)^2 \right]$$

$$+ \left[\frac{16 \times 224^3}{12} + (16 \times 224) \left(224 + 16 + \frac{224}{2} - 232 \right)^2 \right]$$

$$= + \left[\frac{640 \times 16^3}{12} + (640 \times 16) \left(224 + \frac{16}{2} - 232 \right)^2 \right]$$

$$= (6.66 \times 10^7) + (6.66 \times 10^7) + (2.185 \times 10^5)$$

$$I = 1.336 \times 10^8 \text{ mm}^4$$

$$r = \sqrt{\frac{I}{A}} = \sqrt{\frac{1.336 \times 10^8}{17408}} = 87.605 \text{ mm}$$

$$l_{cl} = 0.7L = 0.7 \times 1800 \text{ (depth)} = 1260 \text{ mm}$$

$$\lambda = \frac{l_{cl}}{r} = \frac{1260}{87.605} = 14.383$$

$$B \in C, \lambda = 14.383 \Rightarrow \lambda \quad f_{cd}$$

$$10 \quad 227$$

$$20 \quad 224$$

$$\frac{3 \times 14.383}{10} = 1.315$$

$$\therefore f_{cd} = 227 - 1.315 = 225.685 \text{ N/mm}^2$$

$$P_d = A \times f_{cd} = 17408 \times 225.685 = 3.929 \times 10^6 \text{ N} = 3929 \text{ kN}$$


$$> 16 \text{ kN}$$

(iv) Check for bearing

Pg 68-8.7.5.2, $F_{psd} = \frac{A_{eff} f_{yc}}{0.8 \times 1.10} \geq F_x$

Since the stiffener will be coped to accommodate the fillet weld of flange plate to web, the available effective width of stiffener will be lesser than actual width. Let the stiffener plate be coped by 15mm

Width available for bearing = $224 - 15$
 $= 209 \text{ mm}$



Area of stiffener in contact with flange = $209 \times 16 \times 2$
 $= 6688 \text{ mm}^2$

$F_{psd} = \frac{6688 \times 250}{0.8 \times 1.10}$
 $= 1.9 \times 10^6 \text{ N} = 1900 \text{ kN}$


$F_x \rightarrow$ Load transferred = Design force = 1107 kN
 $1900 > 1107 \text{ kN}$

Check for torsional web restraint

Pg 68-8.7.9
 $I_s \geq 0.34 \alpha_s D^3 T_{cf}$

where α_s depends on L_{T1}/r_y where $r_y = \sqrt{\frac{I_y}{A}}$ (radius of gyration of beam)

$I_y = \left[\frac{50 \times 600^3}{12} \right] + 50 \times 600 \times \left(\frac{600}{2} - \frac{600}{2} \right)^2$




+ d_b^3
 $+ \left[\frac{1800 \times 16^3}{12} \right] + (16 \times 1800) \left(\frac{600}{2} - \frac{600}{2} \right)^2$
 $= (9 \times 10^8) + (9 \times 10^8) + (7776 \times 10^9)$

$= 1.801 \times 10^9 \text{ mm}^4$

$$A = (2 \times 600 \times 50) + (1800 \times 16) = 88800 \text{ mm}^2$$

$$r_y = \sqrt{\frac{I_y}{A}} = \sqrt{\frac{1801 \times 10^9}{88800}} = 142.413$$

$$L_{LT} = K L = 24 \text{ m} = 24 \times 10^3 \text{ mm}$$



$$\frac{L_{LT}}{r_y} = \frac{24 \times 10^3}{142.413} = 168.524 > 100$$

$$\Rightarrow \phi_s = \frac{30}{(L_{LT}/r_y)^2} = \frac{30}{168.524^2} = 1.056 \times 10^{-3}$$

$$D = 1800 + 2(50) = 1900$$

$$I_s = 0.34 \times 1.056 \times 10^{-3} \times 1900^3 \times 50 = 1.231 \times 10^8 \text{ mm}^4$$

$$I_{s \text{ provided}} = \frac{bd^3}{12} = \frac{2 \times 16 \times 221^3}{12} = 1.336 \times 10^8 \text{ mm}^4$$

Step 9 - Connection b/w flange & web plate

$$\text{Shear force, } q_s = \frac{V A \bar{y}}{I_f}$$

$$= \frac{2016 \times 10^3 \times 600 \times 50 \times 950}{2 \times 5.135 \times 10^{10}}$$

$$= 559.455 \frac{\text{N}}{\text{mm}} \quad \text{--- (1)}$$

$$\text{Strength of web. per unit length} = \frac{L_w t_w f_w / \sqrt{3}}{L_w}$$

$$= \frac{t_w f_w / \sqrt{3}}{L_w}$$

$$= \frac{t_w \times 410 / \sqrt{3}}{1.25}$$

$$= 189.371 \frac{\text{N}}{\text{mm}} \quad \text{--- (2)}$$

$$\text{Eqs (1) + (2)} \Rightarrow 559.455 = 189.371 t_w$$

$$\Rightarrow t_w = 2.954$$

$$0.7 \times 8 = 2.954$$

$$\Rightarrow 8 = 4.22 \text{ mm} \Rightarrow 5 \text{ mm.}$$

Let us provide weld of size 5mm.

Step 10 - Connection b/w web plate and stiffener

width available = $224 - 15 = 209 \text{ mm}$

B, 32-63-1

Tension capacity of plates = $\frac{0.9 A_n f_u}{1.25}$



Where $A_n = \left[b - n \left(\frac{70}{4g_i} \right) + \sum \left(\frac{70}{4g_i} \right) \right] t$

$A_n = 209 \times 16 = 3344 \text{ mm}^2$

\therefore Tension capacity = $\frac{0.9 \times 3344 \times 410}{1.25} = 9.8715 \times 10^5 \text{ N} = 987.15 \text{ kN}$

Capacity per unit length = $\frac{987.15 \times 10^3}{2(1800 - 2 \times 15)} = \frac{278.856}{1770} = 157.54 \text{ kN/mm} \text{ } \textcircled{1}$

Strength of weld per unit length = $\frac{L_w t e f_u / \sqrt{3}}{1.25} = \frac{1 \times 6 \times 410 / \sqrt{3}}{1.25} = 189.371 \text{ kN} \text{ } \textcircled{2}$



$$\text{Equating } \textcircled{1} + \textcircled{2} \Rightarrow 278.856 = 189.371 t_e$$

$$\Rightarrow t_e = 1.473 \text{ mm}$$

$$0.7 \times s = 1.473$$

$$s = 2.104 \text{ mm}$$

Provide weld size of 5mm (The ^{min} for 10-20mm plates = 5mm
B. 78 - Table 21)

2) Redesign the plate girder w/ intermediate transverse stiffeners. Connections need not be designed - Use part c) method of design

Step 3 - Economical depth & thk of web

Let $\frac{d}{t_w} = 180$ ($3d \geq c \geq d$)

Step 1 - Load Calculation

$P_L = 168 \text{ kN/m}$

Step 2 - SF & BM

$SF = 2016 \text{ kN}$

$BM = 12096 \text{ kNm}$

Step 3 - Economical depth & thk of web

$d = \left(\frac{Mk}{f_y} \right)^{1/3}$

$k = \frac{d}{t_w} \in 200 \text{ to } 270, \leq 200 (3d \geq c \geq d)$

Assume $k = 190$

$d = \left(\frac{12096 \times 10^6 \times 190}{250} \right)^{1/3} = \frac{2094.844}{11.053} \approx 2100 \text{ mm}$

$\frac{d}{t_w} = 180 \Rightarrow \frac{2100}{t_w} = 180 \Rightarrow t_w = 11.67 \text{ mm}$

\therefore Provide web plate of size $2100 \times 12 \text{ mm}$ ($A_w = 2100 \times 12 = 25200$)

Spacing - $3d \geq C \geq d$

$3 \times 2100 \geq C \geq 2100$

$6300 \geq C \geq 2100$

Provide transverse stiffeners at a spacing of $C = 2.5m$

Step 4 - Flange area

$A_f = \frac{M_{ume}}{f_{fl}} = \frac{12096 \times 10^6 \times 1.1}{250 \times 2100} = 25344 \text{ mm}^2$, width = $0.3 \times 2100 = 630 \text{ mm}$

Flange - 600×50 ($A = 2 \times 600 \times 50 = 60000 \text{ mm}^2$) $T_{fl} = \frac{25344}{630}$

$= 40.229$

$= 50 \text{ mm}$

Step 5 - Section classification

$\frac{b}{t_f} = \frac{600/2}{50} = 6 < 9.4 \rightarrow$ Plastic

~~$\frac{d}{t_w} = 180$~~ $\frac{d}{t_w} = 190 < 126$

Step 6 - Check for shear resistance

Pg 59, $V_n = V_{cr} = A_v \tau_c$

Where $A_v = d t_w = 2100 \times 12 = 25200 \text{ mm}^2$

$\lambda_w = \sqrt{\frac{f_{yw}}{0.3 \tau_{cr,c}}}$

$\tau_{cr,c} = \frac{k_v \pi^2 E}{12(1-u^2)(d/t_w)^2}$

$c/d = \frac{2300}{2100} = 1.19210$

$$I_u = \frac{5.35 + 4.0}{(1.1)^2} = \frac{5.35 + 4.0}{1.192} = 8.175$$

$$\tau_{cr,e} = \frac{8.175 \times \pi^2 \times 2 \times 10^5}{12(1 - 0.3^2) \times 190^2} = \frac{40.934}{1.192} \text{ N/mm}^2$$

$$\lambda_w = \sqrt{\frac{f_{yw}}{\sqrt{3} \tau_{cr,e}}} = \sqrt{\frac{250}{\sqrt{3} \times \frac{40.934}{1.192}}} = 1.879$$

$$\lambda_w \geq 1.2, \tau_b = \frac{f_{yw}}{\sqrt{3} \lambda_w^2} = \frac{250}{\sqrt{3} \times 1.879^2} = \frac{40.925}{1.192} \text{ N/mm}^2$$

$$V_u = 25200 \times \frac{40.925}{1.192} = 1.039 \times 10^6 \text{ N} = 1039 \text{ kW}$$


Step 7 - Check for bending strength

$$0.64d = 0.6x$$

$$M_d = \beta_b z_p f_y / \gamma_{mo} < 1.2 z_e f_y / \gamma_{mo}$$

where $\beta_b = 1.0$ (plastic section)

z_p - Since flange resist BM, z_p & z_e are calculated for flanges only.



$$z_p = z_{p,flange} = A_h / 2 = 60000 \times \left(\frac{2100 + 50 + 50}{2} \right) = 6.6 \times 10^7 \text{ mm}^3$$

$$z_e = Z / \gamma = \left(5.135 \times 10^{10} \right) / \left(\frac{2100 + 50 + 50}{2} \right) = 4.668 \times 10^7 \text{ mm}^3$$

$$M_d = \frac{1.0 \times 6.6 \times 10^7 \times 250}{1.1} < \frac{1.2 \times 4.668 \times 10^7 \times 250}{1.1}$$

$$= 1.5 \times 10^{10} < 1.273 \times 10^{10}$$

$$= 15000 < 12730 = 12730 \text{ kNm}$$

$$12096 < 12730$$


Steps - Design of intermediate ^{transverse} stiffeners

Pg 66 - 8.7.2.4, $\frac{c}{d} = \frac{2500}{2100} = 1.19 < \sqrt{2} (1.414)$

$$\Rightarrow I_s = \frac{1.5d^3 t_w^3}{c^2}$$

$$= \frac{1.5 \times 2100^3 \times 12^3}{2500^2} = 3.841 \times 10^6 \text{ mm}^4$$

Try intermediate transverse stiffeners of size 100x12 on both sides



$$I = \left(\frac{12 \times 100^3}{12} \right) + (12 \times 100) \left(\dots \right)$$

$$I = \left[\left(\frac{12 \times 100^3}{12} \right) + (12 \times 100 \times \left(\frac{100}{2} - 10 \right)^2 \right) + \dots \right]$$

$$\left[\left(\frac{12 \times 100^3}{12} \right) + (12 \times 100) \times \left(100 + 10 + \frac{100}{2} - 105 \right)^2 \right]$$

$$= \left(\overset{463}{826} \times 10^6 \right) + \left(\overset{463}{826} \times 10^6 \right)$$

$$= \overset{926}{1.652} \times 10^6 \text{ mm}^4 > 3.841 \times 10^6 \text{ mm}^4$$

(i) Check for buckling

Pg 67, 8.7.2.5, Buckling Design $F_{cw} = \frac{V - V_{cr}}{D_{wo}}$
 resistance

Stiffener force, $F_{cw} = \frac{V - V_{cr}}{D_{wo}}$

Where $V \Rightarrow$ Factor of SF near stiffener = $\frac{Wl - c}{2}$


$$= \frac{168 \times (24 - 2.5)}{2}$$

$$= 1806 \text{ kN}$$

$$V_{cr} = 1031 \text{ kN}$$

$$F_w = \frac{1806 - 1031}{1.1} = 704.545 \text{ kN}$$

Considering 20hs on both sides,



$$\text{Area } A = (2 \times 200 \times 10) + (2 \times 100 \times 12) = 6400 \text{ mm}^2$$

$$I_{xx} = I_{xx} + A(y-y)^2 \text{ where } y = \frac{100 + 10 + 100}{2} = 105 \text{ mm}$$

$$= 12 \times 10^3 \times 9.26 \times 10^6 + \left(\frac{400 \times 10^3}{12} \right) + (400 \times 10) \times \left(\frac{100 + 10 - 105}{2} \right)^2$$

$$I = 9.293 \times 10^6 \text{ mm}^4$$

$$r = \sqrt{\frac{I}{A}} = \sqrt{\frac{9.293 \times 10^6}{6400}} = 38.11$$

$$kL = 0.7 \times L = 0.7 \times 2100 = 1470 \text{ mm}$$

$$kL/r = 1470/38.11 = 38.573$$

$B_c + C, \lambda = 38.573$	\Rightarrow	30	211	$13 \times 8.573 = 11.145$
		40	198	<hr style="width: 10%; margin-left: 0;"/>

$$f_d = 211 - 11.145 = 199.855 \text{ N/mm}^2$$

$$F_{wd} = A \times f_d = 6400 \times 199.855 = 1.279 \times 10^6 \text{ N} = 1279 \text{ kN}$$

$$704.545 < 1279 \text{ kN}$$

UNIT-5 Connections (welded)

Beams may be connected to supporting by welding (or) bolting. In practice welded connections are commonly used instead of bolted connection.

The end of the beam may be designed to transferred shear to supporting column by → framed connection

→ unstiffened seated connection

→ stiffened seated connection

The end of the beam may be designed to transfer shear as well as moment by → Moment Resistant connection

Framed connection: (Shear force)

①. An ISMB 400 beam is connected to ISHB 250 column to transfer end force of 140 kN. Design double plated welded connection. [width of plate = 50] assume

Soln:

$$\text{Factored Shear Force} = 140 \times 1.5 \\ = 210 \text{ kN}$$

Using 50 mm wide plate, factored moment on weld connecting plate and beam

$$\text{Moment} = \text{load} \times \text{Plate width}$$

$$= 210 \times 10^3 \times 50$$

$$= 10.5 \times 10^6 \text{ Nmm}$$

Thickness of plate should be 1.5 mm more than web thickness of beam.

From SP 6, Table 1, Pg 2, $t_w = 8.9 \text{ mm}$ (ISMB 400)

$$\text{Plate thickness} = \text{Thickness of beam} + 1.5$$

$$= 8.9 + 1.5$$

$$= 10.4 \text{ mm (for lath plate thickness } + 2 \text{ mm} = 10.4 + 2 = 12 \text{ mm)}$$

use lath of size 50 mm x 12 mm

Strength of weld:

IS 800, Pg 79, 10.5.7.11

$$\text{Design of strength of filled weld, } f_{wd} = \frac{f_{wn}}{\gamma_{mw}}$$

$$\text{where, } f_{wn} = \frac{f_u}{\sqrt{3}} = \frac{410}{\sqrt{3}}$$

$$\gamma_{mw} = 1.5 \text{ (field weld) - Pg 30, Table 4.}$$

$$\gamma_{mw} = 1.25 \text{ (Shop weld)}$$

Design is made for field weld, Same is adapted for shop weld

$$f_{wd} = \frac{f_{wn}}{\gamma_{mw}}$$

$$= \frac{236.9}{1.5} = 236.71$$

$$f_{wd} = 157.809 \text{ N/mm}^2 \text{ (For field weld)}$$

$$f_{wd} = \frac{236.71}{1.25}$$

$$f_{wd} = 189.368 \text{ (For shop weld)}$$

} Assume one value.

Shop weld connecting plate and web of beam (Weld B)

Assume 6mm size of weld,

$$\text{Throat thickness} = 0.7 \times 5 \Rightarrow 0.7 \times 8 \\ = 80.7 \times 6$$

$$t_e = 4.2 \text{ mm}$$

$$\text{Depth of weld, } h = \sqrt{\frac{6M}{2t_e f_{wd}}}$$

$$= \sqrt{\frac{6 \times 10.5 \times 10^6}{2 \times 4.2 \times 189.368 \times 157.809}}$$

$$h = 218.0 \text{ mm}$$

The above depth can resist bending moment alone, Additional depth of 20% is provided to resist shear.

$$\text{Depth} = 218 + \left(\frac{20}{100} \times 218 \right)$$

$$h = 261.8 \approx 260 \text{ mm}$$

$$\text{Direct Shear stress } q_1 = \frac{\text{Shear force}}{\text{Area}}$$

$$= \frac{V}{2th}$$

$$= \frac{210 \times 10^3}{2 \times 4.2 \times 260}$$

$$q_1 = 96.15 \text{ N/mm}^2$$

$$\text{Stress due to bending } q_2 = \frac{M}{2z} \text{ where } z = \frac{t_e h^2}{6}$$

$$z = \frac{(4.2)^2}{6} = 2.94 \text{ mm}$$

$$Z = \frac{4.2 \times (260)^2}{6}$$

$$Z = 47,320$$

$$q_2 = \frac{10.5 \times 10^6}{2 \times Z}$$

$$q_2 = 110.94 \text{ N/mm}^2$$

$$\text{Resultant stress, } q = \sqrt{q_1^2 + q_2^2}$$

$$q = 146.81 \text{ N/mm}^2 < 157.81 \text{ (Assume)}$$

Hence provide 6mm size, 260mm long.

Field weld connecting plate to column:

$$\text{Strength of weld} = \text{Area} \times \text{Stress}$$

$$= 2 \times t_e \times h \times f_w d$$

$$= 2 \times t_e \times 260 \times 157.809 \rightarrow \textcircled{1}$$

$$\text{Shear force} = 210 \times 10^3 \rightarrow \textcircled{2}$$

Equating eqn ① & ②

$$2 \times t_e \times 260 \times 157.809 = 210 \times 10^3$$



$$t_e = 0.56 \text{ mm}$$

$$\text{Throat thickness, } t_e = 0.7 \times s$$

$$2.56 = 0.7 \times s$$

$$s = \frac{2.56}{0.7}$$

$$s = 3.66 \text{ mm}$$





Provide 4mm weld

2). An ISMB 400 beam is connected to ISHB 250 column to transfer end force of 40 kN. Design double angle connection.

Soln Assume: use 2ISA 90 60 angles

Let the depth of angle be 260 mm

Design of weld A (field weld)



Design of weld A (field weld) ($a = 90 \text{ mm}$, $e_2 = 60 \text{ mm}$)

Factored shear force = 40×1.5

$$V = 210 \text{ kN}$$

Reaction on each angle (weld), $R = \frac{210}{2} = 105 \text{ kN}$

$$\text{Horizontal shear, } q_{sh} = \frac{9}{5} \frac{V e_1}{t e h} = \frac{9}{5} \frac{105 \times 10^3 \times 90}{t e \times (260)^2}$$

$$q_{sh} = 1.8 \times \frac{105 \times 10^3 \times 90}{t e \times (260)^2}$$

$$q_{sh} = \frac{251.63}{t e}$$

$$\text{Vertical shear, } q_v = \frac{V}{2 t e h} = \frac{210 \times 10^3}{2 t e h}$$

$$\text{Horizontal shear, } q_{sh} = \frac{9}{5} \frac{V e_1}{t e h^2} = \frac{9}{5} \frac{210 \times 10^3 \times 90}{t e \times (260)^2}$$

$$= 1.8 \times \frac{210 \times 10^3 \times 90}{t e \times (260)^2}$$

$$q_{sh} = \frac{503.25}{t e}$$

$$\text{Vertical shear, } q_v = \frac{V}{2 t e h} = \frac{210 \times 10^3}{2 t e \times (260)}$$

$$q_v = \frac{403.84}{t e}$$

$$\text{Resultant} = \sqrt{q_{sh}^2 + q_v^2}$$

$$= \sqrt{\left(\frac{503.25}{t_e}\right)^2 + \left(\frac{403.84}{t_e}\right)^2}$$

$$= \frac{645.25}{t_e} \rightarrow \textcircled{1}$$

Strength of weld,

$$f_{wd} = \frac{f_{wn}}{\gamma_{mw}}$$

$$f_{wn} = \frac{f_u}{\sqrt{3}} = \frac{410}{\sqrt{3}} = 236.71$$

$$\text{for field weld} = \frac{236.71}{1.5}$$

$$f_{wd} = 157.809 \text{ N/mm}^2 \rightarrow \textcircled{2}$$

Eqn ① & ②

$$\frac{645.25}{t_e} = 157.809$$

$$t_e = 4.08 \text{ mm}$$

$$t_e = 0.7 \times \delta$$

$$\frac{4.08}{0.7} = \delta$$

$$\delta = 5.84 = 6 \text{ mm}$$

Provide 6mm weld.

Design of shop weld (B)

$$\text{Strength of weld, } f_{wd} = \frac{f_{wn}}{\gamma_{mw}} \Rightarrow f_{wn} = \frac{410}{\sqrt{3}} = 236.71$$

$$f_{wn} = \frac{236.71}{1.25}$$


$$f_{wd} = 189.368 \text{ N/mm}^2 \rightarrow \textcircled{1}$$

$$\bar{x} = \frac{A_1 x_1 + A_2 x_2}{A_1 + A_2}$$

$$= \frac{(50 \times t \times \frac{50}{2}) + (50 \times t \times \frac{50}{2}) + (260 \times t \times \frac{110}{2})}{(50 \times t) + (50 \times t) + (260 \times t)}$$

$$= \frac{1250t + 1250t + 14300t}{360t} = \frac{2500t + 14300t}{360t}$$

$$\bar{x} = 6.94 \text{ mm, from end} = 60 - 6.94 = 53.06 \text{ mm}$$



$$\bar{y}_1 = \frac{260}{2} = 130 \text{ mm}$$

$$\text{Shear force per weld} = \frac{210}{2} = 105 \text{ kN}$$

$$\text{Moment} = 105 \times 10^3 \times 53.06$$

$$= 5.57 \times 10^6 \text{ Nmm}$$

$$I_{xx} = I_{xx} + A(y - \bar{y})^2$$

$$\uparrow \frac{bd^3}{12}$$

$$= \frac{(t \times 260^3)}{12} + (t \times 260) \left(\frac{260}{2} - 130 \right)^2$$

$$+ \frac{(50 \times t^3)}{12} + (t \times 50) \left(\frac{t}{2} - 130 \right)^2$$

$$+ \frac{(50 \times t^3)}{12} + (t \times 50) \left(t + 260 - 2t + \frac{t}{2} - 130 \right)^2$$

$$= \frac{17.57 \times 10^6 t}{12} + (260t)(0) \left(-\frac{t}{2} + 260 - 130 \right)^2$$

$$+ 0 + 50t(16.9 \times 10^3)$$

$$+ 0 + 50t(130)^2$$

$$I_{xx} = 3.15 \times 10^6 t \text{ mm}^4$$

$$I_{yy} = I_{yy} + A(x - \bar{x})^2$$

$$\uparrow \frac{db^3}{12}$$

$$= \frac{(260 \times t^3)}{12} + (260 \times t) \left(\frac{t}{2} - 6.94 \right)^2$$

$$+ \frac{(t \times 50^3)}{12} + (t \times 50) \left(\frac{50}{2} - 6.94 \right)^2$$

$$+ \frac{(t \times 50^3)}{12} + (t \times 50) \left(\frac{50}{2} - 6.94 \right)^2$$

$$= \left[260t \times (6.94)^2 \right] + \left[10.42 \times 10^3 t + 50t(326.16) \right]$$

$$+ \left[10.42 \times 10^3 t + 50t(326.16) \right]$$

$$= \left[260t \times (6.94)^2 \right] + 26.73 \times 10^3 t + 26.73 \times 10^3 t$$

$$= 12.52 \times 10^3 t + 26.73 \times 10^3 t + 26.73 \times 10^3 t$$

$$= 65.98 \times 10^3 t \text{ mm}^4$$

$$I_{yy} = 6.598 \times 10^4 t \text{ mm}^4$$

$$I_{pp} = I_{xx} + I_{yy}$$

$$= 3.15 \times 10^6 t + 6.598 \times 10^4 t = 3.216 \times 10^6 t \text{ mm}^4$$

$$I_{pp} = 3.216 \times 10^6 t \text{ mm}^4$$

$$r = \sqrt{130^2 + 6.94^2}$$

$$= 130.18 \text{ mm}$$

$$\theta = \tan^{-1} \left(\frac{130}{6.94} \right)$$

$$\theta = 86.94$$

Stress due to twisting (horizontal) $q_r = \frac{M}{I_p} \times r$

$$= \frac{5.57 \times 10^6}{3.216 \times 10^6 t} \times 130.18$$

$$= 225.88 \frac{\text{N}}{\text{t}} = \frac{225.8}{t}$$

Shear stress (vertical), $q_v = \frac{F}{A}$

$$= \frac{(40 \times 10^3)}{t} \text{ should not be taken}$$

Shear force per weld, $F = 105 \text{ kN}$

$$q_v = \frac{105 \times 10^3}{(260t) + (50t) + (50t)}$$

$$= \frac{105 \times 10^3}{260t + 50t + 50t}$$

$$= \frac{105 \times 10^3}{360t}$$

$$q_v = \frac{291.67}{t}$$

$$q_v = \frac{291.67}{t}$$

Resultant = $\sqrt{q_v^2 + q_r^2 + 2q_v q_r \cos \theta}$

$$= \sqrt{\left(\frac{291.67}{t} \right)^2 + \left(\frac{225.8}{t} \right)^2 + 2 \left(\frac{291.67}{t} \right) \left(\frac{225.8}{t} \right) \cos 86.94}$$

$$\text{Resultant} = \frac{378.260}{t} \text{ N/mm}^2 \rightarrow \textcircled{2}$$

Solving eqn ① & ②.

$$189.368 = \frac{378.260}{t}$$

$$t = \frac{378.260}{189.368}$$

$$t = 1.99 \text{ mm} \approx 2 \text{ mm}$$

$$0.7 \times S = 2$$

$$S = \frac{2}{0.7}$$

$$S = 2.85 \text{ mm}$$

Use 3mm weld

(x) 3) An ISMB 400 transfer an end reaction of 160 kN and an end moment of 80 kNm to the flange of ISHB 300. Design Moment Resistant Connection.

Step 1:

Design of Tension plate

Force in tension plate = Moment

Depth of Beam

$$= \frac{80 \times 10^6}{400}$$

$$= 2 \times 10^5 \text{ N} = 200 \text{ kN}$$

$$\text{Factored Force} = 1.5 \times 200$$

$$= 300 \text{ kN}$$

$$\text{Strength of plate, } T_{dn} = \frac{0.9 A_n f_u}{\gamma_m} = \frac{0.9 \times A_n \times 410}{1.25} = 295.2 A_n \rightarrow \textcircled{2}$$

(Pg: 46 IS 800 6.3.1)

where, $A_n \rightarrow$ Area of plate

Eqn ① & ②

$$f_u \rightarrow \text{ultimate stress} = 410 \text{ N/mm}^2 \quad 300 \times 10^3 = 295.2 A_n$$

$$\gamma_m \rightarrow \text{Safety factor} = 1.25$$

$$A_n = 106.26 \text{ mm}^2$$

$$A_n = 106.26 \text{ mm}^2$$


$$\text{Thickness} = \frac{106.26}{110}$$

$$= 9.24 \text{ mm} \approx 10 \text{ mm}$$

Provide plate of width


110 mm and thickness 10

mm, connect the plate to column by full penetration for butt weld.



Width of flange of ISMB 400 is 140 mm

Selecting width of flange as 110 mm,



$$\begin{aligned} \text{Strength of weld} &= lw t_e f_w d \\ &= lw t_e \frac{f_w d}{\gamma_{mw}} \\ &= lw t_e \frac{f_u}{\sqrt{3} \gamma_{mw}} \end{aligned}$$

Assume size of weld as 8mm, $t_e = 0.7 \times 8$
 $= 0.7 \times 8$
 $= 5.6 \text{ mm}$

$f_u = 410 \text{ N/mm}^2$

$\gamma_{mw} = 1.25$ (Shopweld)

Strength of weld $= (2a + 110) \times 5.6 \times \frac{410}{\sqrt{3} \times 1.25}$

$$\begin{aligned} &= (2a + 110) \times 1060.47 \\ &= 2a(1060.47) + 110(1060.47) \\ &= 2120.95a + 116.65 \times 10^3 \rightarrow \text{---} \end{aligned}$$

Eqn 1 & 2

$$300 \times 10^3 = 2120.95a + 116.65 \times 10^3$$

$$183.348 \times 10^3 = 2120.95a$$

$$a = 86.48 \text{ mm} \approx 90 \text{ mm}$$

$$a = 90 \text{ mm}$$

Length of weld $= 2a + 110 \Rightarrow 2 \times 90 + 110 = 290 \text{ mm}$

Provide weld of length 290mm

Step 2: Design of Seating angle.

An ISMB 400 transfers an end reaction of 160 kN to the flange of ISHB 300. Designed unstiffened seated connection. Take $F_b = 0.75 \times 250 = 187.5 \text{ N/mm}^2$.

For ISMB 400, $b_f = 140 \text{ mm}$, $t_f = 16 \text{ mm}$
 (From SP6) $t_w = 8.9 \text{ mm}$, $r_1 = 14 \text{ mm}$, $h_2 = 32.8 \text{ mm}$

$$B = \frac{F}{f_b t_w}$$

$$= \frac{160 \times 10^3}{187.5 \times 8.9}$$

$$B = 95.9$$


$$b = B - \sqrt{3} h_2 \leq \frac{B}{2}$$

$$= 95.9 - \sqrt{3} \times 32.8 \leq \frac{95.9}{2}$$

$$b = 39.08 \leq 47.95$$

$$\therefore b = 47.95$$

Let the bearing length of seating angle (b) be 47.95



Step 1: Design of seating angle:

Assuming 15mm thick angle of size 150x115, the distance of reaction from critical section.

$$e = \text{clearance} + \left(\frac{1}{2} \times b\right) - (t + r_1)$$

$$= 10 + \left(\frac{1}{2} \times 47.9\right) - (15 + 11)$$

$$= 10 + 23.95 - 26$$

$$= 7.95 \text{ mm}$$

Moment of critical section = Force \times disturbance of critical section

$$= 160 \times 10^3 \times 7.95 = 1.27 \times 10^6 \text{ Nmm}$$

$$\text{Factored Moment} = 1.5 \times 1.27 \times 10^6$$

$$= 1.9 \times 10^6 \text{ Nmm} \rightarrow \textcircled{1}$$

Assume Length of seating angle equal to width of flange of beam $h_f = 140 \text{ mm}$

$$\text{Moment of resistance, } M_d = f_y Z_p$$

$$\text{where } f_y = 250 \text{ N/mm}^2$$

$$Z_p = \frac{bt^2}{4} = \frac{140 \times t^2}{4}$$

$$\gamma_{mw} = 1.25$$

$$M_d = \frac{250 \times 140 \times t^2}{4 \times 1.25}$$

$$M_d = 7000 t^2 \rightarrow \textcircled{2}$$

Equating equation ① & ②

$$1.9 \times 10^6 = 7000 t^2$$

$$t = 16.47 \text{ mm}$$

But we assumed 15 mm thickness, but we got thickness = 16.47 mm

So assume thickness = 20 mm (angle thickness) = t

Design of weld:

$$q_1 = \frac{F}{A}$$

$$= \frac{160 \times 10^3 \times 1.5}{2 \times 140 \times t}$$

$$q_1 = \frac{857.14}{t}$$

$$\text{Distance of reaction} = 10 + \frac{b}{2}$$

$$= 10 + \frac{47.95}{2}$$

$$= 33.97 \text{ mm}$$

$$\text{Moment} = 1.5 \times 160 \times 10^3 \times 33.97$$

$$= 8.15 \times 10^6 \text{ Nmm}$$

$$q_2 = \frac{M}{Z_p}, \quad Z_p = \frac{th^2}{4}$$

$$Z_p = \frac{t \times 140^2}{4} = 4900 t$$

$$q_2 = 8.15 \times 10^6$$

$$2 \times 4900 t$$

Resultant force $q_2 = \frac{831.63}{t}$

Resultant, $q = \sqrt{q_1^2 + q_2^2}$

$$= \sqrt{\left(\frac{857.14}{t}\right)^2 + \left(\frac{831.63}{t}\right)^2}$$

$$= \frac{1.19 \times 10^3}{t} \rightarrow \textcircled{1}$$

Strength of weld $\rightarrow f_w d = \frac{f_w n}{\gamma_{mw}}$
 $= \frac{236.71}{1.25}$

$$f_w d = 189.368 \rightarrow \textcircled{2}$$

Solving equation $\textcircled{1}$ & $\textcircled{2}$ we get

$$\frac{1.19 \times 10^3}{t} = 189.368$$

$$t = 6.3 \text{ mm}$$

Throat thickness $= 0.7 \times s$

$$6.3 = 0.7 \times s$$

$$s = 9 \text{ mm}$$

Provide 9mm weld

Assume seat angle of size 18A 100x100x6T @ top and use 6mm

weld.